

REGLUGERÐ

um ávana- og fíkniefni og önnur eftirlitsskyld efni.

I. KAFLI

Almenn ákvæði.

1. gr.

Ávana- og fíkniefni.

Með ávana- og fíkniefnum og öðrum eftirlitsskyldum efnum er átt við:

- Efni, sem skráð eru á listum I - IV í alþjóðasamningi um ávana- og fíkniefni 1961 með síðari breytingum, (Single Convention on Narcotic Drugs 1961), merkt N I – N IV í fylgiskjali I með þessari reglugerð.
- Efni, sem skráð eru á listum I - IV í alþjóðasamningi um ávana- og fíkniefni 1971 ásamt viðaukum, (Convention on Psychotropic Substances 1971), merkt P I – P IV í fylgiskjali I með þessari reglugerð.
- Efni, sem nota má við ólöglega ræktun, framleiðslu eða tilbúning ávana- og fíkniefna og annarra eftirlitsskyldra efna og skráð eru í listum I - II í alþjóðasamningi gegn ólöglegri verslun með ávana- og fíkniefni 1988, (United Nations Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances 1988), merkt D I – D II í fylgiskjali II með þessari reglugerð.
- Enn fremur sölt, esta, amíð, peptíð og hvers konar afleiður (afbrigði) efnanna sem tilgreind eru í fylgiskjölum I og II, þar með taldar afleiður, sem eru frábrugðnar upprunalega efninu (viðmiðunarefninu) að því er varðar staðsetningu efnahóps eða efnahópa á kolefni, köfnunarefni, súrefni og/eða brennisteini. Einnig er átt við lyfjaform áðurgreindra efnasambanda (t.d. töflur, hylki, stungulyf) svo og önnur lyf og efni sem misnota má á svipaðan hátt og hafa skaðleg áhrif á heilsu manna.
- Ávana- og fíknilyf sem ætla má að geti haft skaðleg áhrif vegna fíkní- eða ávanahættu, enda geti þau vegna eiginleika sinna valdið því að notandi þeirri verði háður þeim vegna vanabindingar eða líkamlegrar fíknar.

2. gr.

Bannákvæði.

Innflutningur, útflutningur, sala, kaup, skipti, afhending, móttaka, framleiðsla, tilbúningur og varsla ávana- og fíkniefna, sem merkt eru með "x" í dálki B í fylgiskjali I með reglugerð þessari er óheimil á íslensku forráðasvæði.

Bann skv. 1. mgr. gildir ekki um:

- Efni sem hefur fengið undanþágu skv. 3. mgr. 2. gr. laga um ávana- og fíkniefni, nr. 65/1974.
- Lyf sem hefur markaðsleyfi Lyfjastofnunar samkvæmt lyfjalögum.
- Lyf sem heimilað er samkvæmt lyfjalögum.
- Efni sem heimilt er að flytja inn eða út, framleiða og selja í heilidsölu, sbr. 1. mgr. 6. gr.

Lyfjastofnun getur veitt undanþágu frá þessu banni skv. 1. mgr. vegna vísindalegra rannsókna eða af öðrum sérstökum ástæðum. Nú er reglum eða skilyrðum, sem Lyfjastofnun setur um slíkar undanþágur ekki fullnægt og er Lyfjastofnun þá heimilt að nema þegar í stað úr gildi eða takmarka slíkar undanþágur.

II. KAFLI

Eftirritunarskylda og förgun.

3. gr.

Eftirritunarskylda.

Ávana- og fíknilyf eru eftirritunarskyld, ef þau vegna eiginleika sinna geta haft í för með sér sérstaka hættu á misnotkun.

Lyf, sem innihalda efni sem merkt eru N I - N IV og P I - P III í fylgiskjali I eru eftirritunarskyld.

Lyfjastofnun er heimilt að höfðu samráði við landlækni, að bæta við eða undanskilja eftirritunarskyldu ákveðin lyf, lyfjaform eða styrkleika. Um eftirritunarskyld lyf gilda sérstakar reglur um ávísun þeirra, afgreiðslu, móttöku og skráningu upplýsinga, sbr. reglugerð um lyfjaávisanir og afhendingu lyfja, með síðari breytingum.

4. gr.

Ákvörðun um eftirritunarskyldu.

Við veitingu markaðsleyfis vegna lyfs, sem fellur undir ákvæði 3. gr., skal Lyfjastofnun kveða á um eftirritunarskyldu. Þegar um er að ræða lyf í ATC-flokkum N 05 B A og N 05 C skal takmarka það magn, sem afgreiða má hverju sinni og miða við ákvæði 10. gr. þessarar reglugerðar.

Lyfjastofnun skal á aðgengilegan hátt birta upplýsingar um eftirritunarskyldu lyfs við veitingu markaðsleyfis.

5. gr.

Förgun ávana- og fíkniefna

Fyrnd eða ónýtt eftirritunarskyld lyf úr birgðum lyfjabúða skulu send Lyfjastofnun til förgunar með ábyrgðarpósti eða afhent starfsmanni stofnunarinnar. Í fylgibréfi skal tilgreina hvaða lyf er um að ræða og í hvað magni, auk þess sem fram skal koma dagsetning og hver sendandinn er. Lyfjastofnun skal staðfesta skriflega móttöku eftirritunarskyldra lyfja til förgunar.

Þrátt fyrir ákvæði 1. mgr. er heimilt að skila fyrndum eftirritunarskyldum lyfjum til lyfjaheildsölu, ef unnt er að fá þau endurgreidd að hluta eða fullu. Staðfestingu lyfjaheildsölu á móttöku lyfjanna skal varðveita í lyfjabúð í að minnsta kosti 2 ár.

Lyfjastofnun getur heimilað, að eftirritunarskyldum lyfjum sé fargað á vegum lyfjabúðar. Slík heimild skal vera skrifleg og setja má skilyrði um framkvæmd og annað er stofnunin telur nauðsynlegt. Eftirritunarskyld lyf, sem skilað er til lyfjabúðar, skal senda með tryggilegum hætti til förgunar með öðrum lyfjum.

Óheimilt er að farga ávana- og fíkniefnum nema í samráði við Lyfjastofnun og að viðstöddum starfsmanni stofnunarinnar.

III. KAFLI

Inn- og útflutningur.

6. gr.

Inn- og útflutningur ávana- og fíkniefna.

Efni, sem merkt eru N I - N IV, P I - P IV og D I í fylgiskjölum með reglugerð þessari eða efni sem merkt eru með "x" í dálki B í fylgiskjali I með reglugerð þessari er aðeins heimilt að flytja inn eða út, framleiða og selja í heildsölu að fengnu leyfi Lyfjastofnunar.

Þeir sem hyggjast flytja inn efni samkvæmt 1. mgr., hvort sem er í formi hráefnis eða lyfjaforma, skulu sækja um innflutningsleyfi til Lyfjastofnunar í hvert sinn, áður en pöntun er gerð. Í umsókn skal greina:

1. Nafn og heimilisfang umsækjanda.
2. Nafn og heimilisfang seljanda/kaupanda.
3. Heiti og magn efnis, sem um er að ræða (INN nafn).
4. Til hvers á að nota efnið.

7. gr.

Inn- og útflutningur efna, sem notuð eru við ólöglega ræktun, framleiðslu eða tilbúning ávana- og fíkniefna og annarra eftirlitsskyldra efna.

Efni, sem merkt eru D II í fylgiskjali II er aðeins heimilt að flytja inn eða út, framleiða og selja í heildsölu að fengnu leyfi Lyfjastofnunar og skal leyfið bundið hverju einstöku efni. Aðilar, sem annast vörslu og meðferð þessara efna skulu fylgja ákvæðum um skráningu á afhendingu eftirlitsskyldra efna skv. nánari leiðbeiningum þar að lútandi. Innflytjandi skal hafa leyfi Lyfjastofnunar til innflutnings og framvísa tollyfirvöldum sé þess krafist.

Þeir sem hyggjast flytja inn efni samkvæmt 1. mgr., hvort sem er í formi hráefnis eða lyfjaforma, skulu sækja um innflutningsleyfi til Lyfjastofnunar í hvert sinn, áður en pöntun er gerð, þegar um er að ræða efni, sem merkt eru D I og efni, sem merkt eru D II. Í umsókn skal greina sömu atriði og kveðið er á um í 2. mgr. 6. gr.

Leyfishöfum er einum heimilt að afhenda umrædd efni öðrum aðila, sem hefur leyfi Lyfjastofnunar til vörslu, meðferðar eða sölu þeirra. Þetta ákvæði nær ekki til afhendingar lyfjabúða og annarra, er leyfi hafa til lyfjasölu.

8. gr.

Skilyrði fyrir tollafgreiðslu.

Óheimilt er að tollafgreiða efni skv. 7. gr. til inn- og útflytjanda nema fyrir liggja leyfi Lyfjastofnunar. Í sendingum skulu koma fram upplýsingar um heiti efna sem skulu vera í samræmi við inn- eða útflutningsleyfi hverju sinni, en slík áritun skal ekki vera á ytri umbúðum sendinga. Jafnskjótt og innflytjandi hefur veitt efninu viðtöku, skal hann rita dagsetningu, heiti og magn efnisins sem hann veitti viðtöku á afrit sitt af innflutningsleyfinu og senda afritið til Lyfjastofnunar.

9. gr.

Inn- og útflutningsleyfi.

Inn- eða útflutningsleyfi skv. 7. gr. gildir að jafnaði í fjóra mánuði nema annað sé tekið fram í leyfi Lyfjastofnunar. Sé útgefið leyfi ekki notað skal tilkynna Lyfjastofnun um það með rafrænum hætti í síðasta lagi þann dag sem leyfið rennur út. Ef um óunnið eða hálfunnið hráefni er að ræða skal flytja inn heimilað magn í einu lagi. Lyfjastofnun er heimilt að fella úr gildi inn- eða útflutningsleyfi uppfylli leyfið ekki ákvæði reglugerðar þessarar.

Ákvæði 1. mgr. gildir hvorki um þau ávana- og fiknilyf sem samkvæmt gildandi reglum skulu vera í lyfjakistum skipa og loftfara né um þau lyf sem einstaklingar flytja með sér til eigin nota enda fer innflutningurinn fram í samræmi við reglugerð um innflutning einstaklinga á lyfjum til eigin nota.

IV. KAFLI

Lyf, sem afgreiða má í takmörkuðu magni.

10. gr.

Leyfilegt magn til afgreiðslu.

Lyf í ATC-flokkum N 05 B A og N 05 C, sem eru merkt P IV í fylgiskjali I má einungis afgreiða í magni, sem svarar til 30 daga notkunar og skal að öllu jöfnu miðað við skilgreindan dagskammt (Defined Daily Dose (DDD)).

Við veitingu markaðsleyfis ofangreindra lyfja skal Lyfjastofnun ákveða það magn, sem leyfilegt er að afgreiða hverju sinni og taka tillit til þeirra pakkninga, sem veitt er markaðsleyfi fyrir. Að jafnaði skal miðað við, að fremur sé heimilað minna magn en meira.

Lyfjastofnun getur í samráði við landlækni, heimilað að ákveðin lyf, lyfjaform eða styrkleika megi afgreiða í meira magni, en svarar til 30 daga notkunar.

Upplýsingar um það magn, sem leyfilegt er að afgreiða skulu birtar í sérlyfjaskrá, en Lyfjastofnun skal á aðgengilegan hátt birta upplýsingar um leyfilegt hámarks magn á lyfseðli við veitingu markaðsleyfis.

11. gr.

Skilgreindur dagskammtur ekki tilgreindur.

Hafi skilgreindur dagskammtur lyfs, sem fellur undir 10. gr., ekki verið ákveðinn, skal Lyfjastofnun við veitingu markaðsleyfis ákveða leyfilegt magn, sem heimilað er að afgreiða hverju sinni.

Telji Lyfjastofnun að lyf, sem ekki fellur undir 10. gr. geti haft ávana- eða fiknihættu í för með sér, skal stofnunin ákveða það magn, sem leyfilegt er að afgreiða hverju sinni og taka mið af almennum ákvæðum í 10. gr.

12. gr.

Eftirritunarskylda og takmörkun á afgreiddu magni lyfja sem ekki hafa markaðsleyfi hér á landi.

Þegar Lyfjastofnun veitir heimild til notkunar lyfs er ekki hefur markaðsleyfi hér á landi, skal stofnunin ákvarða eftirritunarskyldu og takmörkun á afgreiddu magni í samræmi við ákvæði þessarar reglugerðar.

V. KAFLI

Eftirlit, viðurlög og gildistaka

13. gr.

Eftirlit.

Sérstakt eftirlit er haft með ávísunum á eftirritunarskyld ávana- og fíknilyf, sbr. 3. gr. Lyfjastofnun tilkynnir landlækni leiki grunur á óeðlilegum lyfjaávísunum lækna eða tannlækna á ávana- og fíknilyf, en yfirdýralækni leiki grunur á óeðlilegum lyfjaávísunum dýralækna á ávana- og fíknilyf.

Lyfjastofnun hefur eftirlit með að farið sé að ákvæðum reglugerðar þessarar. Skylt er að láta Lyfjastofnun í té þau gögn eða upplýsingar sem stofnunin telur nauðsynleg vegna eftirlitsins, samkvæmt lyfjalögum.

Aðilar sem annast vörslu og meðferð efna samkvæmt reglugerð þessari skulu árlega gefa Lyfjastofnun skýrslu um efnin á sérstöku eyðublaði sem stofnunin útvegar og veita aðrar upplýsingar sem stofnunin telur nauðsynlegar til eftirlits.

14. gr.

Viðurlög.

Um viðurlög við brotum á reglugerð þessari fer eftir 5. gr. laga um ávana- og fíkniefni, nr. 65/1974.

15. gr.

Gildistaka.

Reglugerð þessi, sem sett er með heimild í 12. gr. lyfjalaga nr. 93/1994 með síðari breytingum og 2. gr. laga um ávana- og fíkniefni nr. 65 frá 21. maí 1974 með síðari breytingum öðlast gildi 1. apríl 2001. Jafnframt falla þá úr gildi 15. – 21. gr. og 43. gr. reglugerðar nr. 421/1988 um gerð lyfseðla og ávísun lyfja, afgreiðslu þeirra og merkingu. Einnig er úr gildi felld reglugerð um sölu og meðferð ávana- og fíkniefna nr. 16/1986 með síðari breytingum svo og auglýsing nr. 84/1986 um takmarkanir á ávísun lækna á amfetamín og nokkur fleiri lyf.

FYLGISKJALI

Efni	Annað nafn	IUPAC (Alþjóðasamtök um hreina og hagnýta efnafræði)	Alþjóðasamningar	B
(1-phenyl-1-piperidyl-(2)-methyl)acetate		(1-phenyl-1-piperidyl-(2)-methyl)acetate		x
1,3-benzodioxolylbutanamine	BDB	1-(1,3-benzodioxol-5-yl)butan-2-amine		x
1,3-Benzodioxolyl- <i>N</i> -methylbutanamine	MBDB	1-(1,3-benzodioxol-5-yl)- <i>N</i> -methylbutan-2-amine		x
1,4-butanediol	BD	butane-1,4-diol		x
1cP-LSD		1-cyclopropanoyl-LSD		x
1-phenethylamine	1-PEA	1-phenylethan-1-amine		x
1D-LSD	1-(1,2-Dimethylcyclobutane-1-carbonyl)lysergic acid diethylamide	(8β)-1-(1,2-Dimethylcyclobutane-1-carbonyl)- <i>N,N</i> -diethyl-6-methyl-9,10-didehydroergoline-8-carboxamide		x
1P-LSD	1-propionyllysergid	<i>N,N</i> -diethyl-6-methyl-1-propanoyl-9,10-didehydroergoline-8-carboxamide		x
1V-LSD		(6aR,9R)- <i>N,N</i> -Diethyl-7-methyl-4-propanoyl-4,6,6a,7,8,9-hexahydroindolo[4,3-fg]quinoline-9-carboxamide		x
2-(ethylamino)-1-(3-chlorophenyl)propan-1-one		2-(ethylamino)-1-(3-chlorophenyl)propan-1-one		x
2-(ethylamino)propiofenone		2-(ethylamino)-1-phenylpropan-1-one		x
2-(methylamino)hexanophenone		2-methylamino-1-phenylhexan-1-one		x
2,3-DMMC		2,3-dimethylmethcathinone		x
2,4-DMMC		2,4-dimethylmethcathinone		x
2,4-DMPPP		1-(2,4-dimethylphenyl)-2-pyrrolidine-1-yl-propan-1-one		x
2,5-dimethoxy-4-bromoamphetamine	DOB, Brolamfetamine, Bromo-DMA	1-(4-bromo-2,5-dimethoxyphenyl)propan-2-amine	P I	x
2,5-dimethoxy-4-ethylamphetamine	DOET	1-(4-ethyl-2,5-dimethoxyphenyl)propan-2-amine	P I	x
2,5-dimethoxy-4-fluoroamphetamine		1-(4-fluoro-2,5-dimethoxyphenyl)propan-2-amine		x
2,5-dimethoxy-4-methylamphetamine	DOM, STP	1-(2,5-dimethoxy-4-methylphenyl)propan-2-amine	P I	x
2,5-dimethoxy-4-nitroamphetamine		1-(2,5-dimethoxy-4-nitrophenyl)propan-2-amine		x
2-fluorodeschloroketamine		2-(2-fluorophenyl)-2-(methylamino)cyclohexan-1-one	P II	x
25B-NBF		2-(4-bromo-2,5-dimethoxyphenyl)- <i>N</i> -(2-fluorobenzyl)ethanamine		x

25B-NBOH		2-([2-(4-bromo-2,5-dimethoxyphenyl)ethylamino]methyl)phenol		x
25B-NBOMe	NBOMe-2C-B, Cimbi-36	2-(4-bromo-2,5-dimethoxyphenyl)-N-[(2methoxyphenyl)methyl]ethanamine	PI	x
25C-NBF		2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-fluorobenzyl)ethanamine		x
25C-NBOMe	NBOMe-2C-C, Cimbi-82	2-(4-chloro-2,5-dimethoxyphenyl)-N-[(2methoxyphenyl)methyl]ethanamine	PI	x
25D-NBOMe	NBOMe-2C-D	2-(2,5-dimethoxy-4-methylphenyl)-N-[(2methoxyphenyl)methyl]ethanamine		x
25E-NBOH		2-([(2-(4-ethyl-2,5-dimethoxyphenyl)ethyl]amino)methyl]phenol		x
25E-NBOMe		2-(4-ethyl-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine		x
25G-NBOMe		2-(2,5-dimethoxy-3,4-dimethylphenyl)-N-(2-methoxybenzyl)ethanamine		x
25H-NBOMe		2-(2,5-dimethoxyphenyl)-N-[(2methoxyphenyl)methyl]ethanamine		x
25I-NB34MD		2-(4-iodo-2,5-dimethoxyphenyl)-N-[(3,4-methylenedioxyphenyl)methyl]ethanamine		x
25I-NBF		2-(4-iodo-2,5-dimethoxyphenyl)-N-(2fluorobenzyl)ethanamine		x
25I-NBMD		2-(4-iodo-2,5-dimethoxyphenyl)-N-[(2,3-methylenedioxyphenyl)methyl]ethanamine		x
25I-NBOH		2-([2-(4-iodo-2,5-dimethoxyphenyl)ethylamino]methyl)phenol		x
25I-NBOMe	NBOMe-2C-I, Cimbi-5	2-(4-iodo-2,5-dimethoxyphenyl)-N-[(2methoxyphenyl)methyl]ethanamine	PI	x
25N-NBOMe		2-(2,5-dimethoxy-4-nitrophenyl)-N-(2-methoxybenzyl)ethanamine		x
2-aminoindane	2-AI	2,3-dihydro-1 <i>H</i> -inden-2-amine		x
2C-B	2,5-dimethoxy-4-bromophenethylamine	2-(4-bromo-2,5-dimethoxyphenyl)ethanamine	PII	x
2C-B-FLY		2-(8-bromo-2,3,6,7-tetrahydrofuro[2,3-f][1]benzofuran-4-yl)ethanamine		x
2C-C	2,5-dimethoxy-4-methyl-beta-phenethylamine	2-(4-chloro-2,5-dimethoxyphenyl)ethanamine		x

2C-D	2,5-dimethoxy-4-methylphenethylamine	2-(2,5-dimethoxy-4-methylphenyl)ethanamine		x
2C-E	2,5-dimethoxy-4-ethylphenethylamine	2-(4-ethyl-2,5-dimethoxyphenyl)ethanamine		x
2C-F*		2,5-dimethoxy-4-fluorophenethylamine		x
2C-H		2,5-dimethoxyphenethylamine		x
2C-I	2,5-dimethoxy-4-iodophenethylamine	2-(4-iodo-2,5-dimethoxyphenyl)ethanamine		x
2-Cl-4,5-MDMA		2-chloro-4,5-methylenedioxymethamphetamine		x
2-CMC	2-Chloromethcathinone	1-(2-chlorophenyl)-2-(methylamino)-1-propanone		x
2C-P	2,5-dimethoxy-4-propylphenethylamine	2-(2,5-dimethoxy-4-propylphenyl)ethanamine		x
2C-T-2	2,5-dimethoxy-4-ethylthiophenethylamine	2-(4-ethylthio-2,5-dimethoxyphenyl)ethanamine		x
2C-T-4	2,5-dimethoxy-4-isopropylthiophenethylamine	2-(2,5-dimethoxy-4-[(1-methylethyl)thio]phenyl)ethanamine		x
2C-T-7	2,5-dimethoxy-4-propylthiophenethylamine	2-(2,5-dimethoxy-4-propylthiophenyl)ethanamine		x
2-fluoroamphetamine	2-FA	1-(2-fluorophenyl)propan-2-amine		x
2-fluoromethamphetamine	2-FMA	1-(2-fluorophenyl)-N-methylpropan-2-amine		x
2-fluoromethcathinone	2-FMC	1-(2-fluorophenyl)-2-(methylamino)propan-1-one		x
3'-Me-alfa-PVP		1-(3-methylphenyl)-2-(pyrrolidin-1-yl)pentan-1-one		x
2-MEC		2-methyl-N-ethylcathinone		x
2-methylacetylentanyl		N-[1-(2-phenylethyl)piperidin-4-yl]-N-(2-methylphenyl)acetamide		x
2-methylamphetamine	2-MA	1-(2-methylphenyl)propan-2-amine		x
2-methyl-AP-237		1-[4-(3-phenylprop-2-en-1-yl)-2-methylpiperazin-1-yl]butan-1-one	N I	x
2-methylmethcathinone	2-MMC	2-(methylamino)-1-(2-methylphenyl)propan-1-one		x
3-(4-hydroxymethylbenzoyl)-1-pentylindole		[4-(hydroxymethyl)phenyl](1-pentyl-1 <i>H</i> -indol-3-yl)methanone		x
3,4-methylenedioxyethamphetamine	MDEA, MDE, N-ethyl-MDA	1-(1,3-benzodioxol-5-yl)-N-ethylpropan-2-amine	P I	x
3,4,5-trimethoxybenzaldehyde		3,4,5-trimethoxybenzaldehyde		x
3,4-DCEC		3,4-dichloroethcathinone		x
3,4-dichloromethylphenidate		methyl-2-(3,4-dichlorophenyl)-2-(piperidin-2-yl)acetate		x

3,4-Dichloro-N,N-cyclohexylmethylmethcathinone		2-(cyclohexyl(methylamino)-1-(3,4-dichlorophenyl)propan-1-one		x
3,4-Dimethoxy- α -PHP		1-(3,4-dimethoxyphenyl)-2-pyrrolidin-1-ylhexan-1-one		x
3,4-dimethylmethcathinone	3,4-DMMC	1-(3,4-dimethylphenyl)-2-(methylamino)propan-1-one		x
3,4-DMA		3,4-dimethoxyamphetamine		x
3,4-methylenedioxy-N-hydroxyamphetamine	N-hydroxy-MDA	N-[1-(1,3-benzodioxol-5-yl)propan-2-yl]hydroxylamine	P I	x
3,4-methylenedioxy-U-47700		N-[2-(dimethylamino)cyclohexyl]-N-methyl-2H-1,3benzodioxol-5-carboxamide		x
3',4'-methylenedioxy- α -pyrrolidinopropiophenone	MDPPP	1-(1,3-benzodioxol-5-yl)-2-pyrrolidin-1-ylpropan-1-one		x
3-bromomethcathinone	3-BMC	1-(3-bromophenyl)-2-(methylamino)propan-1-one		x
3-chloroethcathinone	3-CEC	2-(ethylamino)-1-(3-chlorophenyl)propan-1-one		x
3-chloromethcathinone	3-CMC	1-(3-chlorophenyl)-2-(methylamino)-1-propanone	P II	x
3-Desoxy-MDPV	5-DMFPV	5-dihydrobenzofuranpyrovalerone		x
3-fluoroamphetamine	3-FA	1-(3-fluorophenyl)propan-2-amine		x
3-fluoroethylamphetamine	3-FEA	N-ethyl-1-(3-fluorophenyl)propan-2-amine		x
3-Fluorofentanyl		N-(3-fluorophenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]propanamide		x
3-fluoromethamphetamine	3-FMA	1-(3-fluorophenyl)-N-methylpropan-2-amine		x
3-fluoromethcathinone	3-FMC	1-(3-fluorophenyl)-2-(methylamino)propan-1-one		x
3-fluorophenmetrazine	3-FPM	2-(3-fluorophenyl)-3-methylmorpholine		x
3-hydroxyphenazepam		7-bromo-3-hydroxy-5-(2-chlorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one		x
3-hydroxyphenacyclidine	3-HO-PCP	3-[1-(piperidin-1-yl)cyclohexyl]phenol		x
3-methoxyeticyclidine	3-MeO-PCE	N-ethyl-1-(3-methoxyphenyl)cyclohexan-1-amine		x
3-methoxymethcathinone	3-MeOMC	1-(3-methoxyphenyl)-2-(methylamino)propan-1-one		x
3-methylamphetamine	3-MA	1-(3-methylphenyl)propan-2-amine		x
3-methylcrotonylfentanyl		3-methyl-N-(1-phenethylpiperidin-4-yl)-N-phenylbut-2-enamide		x
3-methylethcathinone	3-MEC	2-(ethylamino)-1-(3-methylphenyl)propan-1-one		x

3-methylfentanyl	Mefentanyl, 3-MF	N-[3-methyl-1-(2-phenylethyl)piperidin-4-yl]-Nphenylpropanamide	N I+IV	x
3-methylflephedrone		1-(3-fluorophenyl)-2-(methylamino)propan-1-one		x
3-methylmethcathinone	3-MMC	2-(methylamino)-1-(3-methylphenyl)propan-1-one	P II	x
3-methylthiofentanyl		N-[3-methyl-1-(2-thien-2-ylethyl)piperidin-4-yl]-Nphenylpropanamide	N I+IV	x
3-monoacetylmorphine	3-MAM	3-acetyl-6-hydroxy-7,8-didehydro-4,5-epoxy-17methylmorphinan		x
3-phenylpropanoylfentanyl		N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-3phenylpropanamide		x
3-phenylpropanoyl fentanyl	β' -phenyl fentanyl	N-(1-phenethylpiperidin-4-yl)-N,3diphenylpropanamide		x
3 β -(p-fluorobenzoyloxy)tropane	p-FBT	(8-methyl-8-azabicyclo[3.2.1]octan-3-yl)-4fluorobenzoate		x
4,4'-dimethylaminorex	4,4'-DMAR	2-amino-4-methyl-5-(4-methylphenyl)-2-oxazoline	P II	
4'-chloro-deschloraalprazolam		6-(4-chlorophenyl)-1-methyl4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine		x
4'-chloro- α -pyrrolidinopropiophenone	4-chloro- α -PPP	1-(4-chlorophenyl)-2-(1-pyrrolidinyl)-1-propanone		x
4'-fluoro- α -pyrrolidinoctanphenone	4-fluoro-PV-9, 4-fluoro- α -POP	1-(4-fluorophenyl)-2-(pyrrolidin-1-yl)butan-1-one		x
4-Acetoxy-DET	Ethacetin, Ethylacybin, 4-Acetoxy-N,Ndiethyltryptamine	3-[2-(diethylamino)ethyl]-1H-indol-4-yl acetate		x
4-Acetoxy-DiPT	Ipracetin, 4-acetoxy-N,N-diisopropyltryptamine	3-[2-[di(propan-2-yl)amino]ethyl]-1H-indol-4-yl acetate		x
4-Acetoxy-DMT	O-acetylpsilocin, Psilacetin, 4-acetoxy-N,Ndimethyltryptamine	3-[2-(dimethylamino)ethyl]-1H-indol-4-yl acetate		x
4-Acetoxy-MiPT	Mipracetin, 4-acetoxy-N-methyl-Nisopropyltryptamine	3-[2-[methyl(propan-2-yl)amino]ethyl]-1H-indol-4-yl acetate		x
4-AcO-DMT		4-acetoxy-N,N-dimethyltryptamine		x
4-AcO-MET		4-acetoxy-N-methyl-N-ethyltryptamine		x
4-BMC		4-bromomethcathinone		x
4Br- α -PPP		4-bromo- α -pyrrolidinopropiophenone		x
4Br- α -PVP		4-bromo- α -pyrrolidinovalerophenone		x
4-CA		4-chloroamphetamine		x
4-CBC		4-chloro-N-butylcathinone		x
4-CEC		4-chloroethcathinone		x
4-chloro-2,5-dimethoxyamphetamine	DOC, 2,5-dimethoxy-4-chloroamphetamine	1-(4-chloro-2,5-dimethoxyphenyl)propan-2-amine	P I	x

4-chloro-isobutyrfentanyl	Para-chloroisobutyrfentanyl	N-(4-chlorophenyl)-2-methyl-N-[1-(2-phenylethyl)-4piperidinyl]-propanamide		x
4-chloromethcathinone	4-CMC	1-(4-chlorophenyl)-2-(methylamino)propan-1-one	P II	x
4-chloropentedrone		4-chloro- α -methylaminovalerophenone		x
4-CIC		4-chloroisopropylcathinone		x
4-CMA		4-chloromethamphetamine		x
4-EMC		1-(4-ethylphenyl)-2-(methylamino)propan-1-one		x
4-FEC		4-fluoroethcathinone		x
4-fluoroamphetamine	4-FA, Para-fluoroamphetamine, PFA	1-(4-fluorophenyl)propan-2-amine	P II	x
4-fluorobufedrone		1-(4-fluorophenyl)-2-(methylamino)butan-1-one		x
4-fluorobutyrfentanyl	4F-BF	N-[1-(2-phenylethyl)piperidin-4-yl]-N-(4-fluorophenyl)butanamide		x
4-Fluoroethylamphetamine	4-FEA	N-ethyl-4-fluoro- α -methylbenzeneethanamine		x
4-fluoroisobutyrfentanyl	4F-lbf, pFIBF	N-[1-(2-phenylethyl)piperidin-4-yl]-N-(4-fluorophenyl)-2-methylpropanamide	N I	x
4-fluoromethamphetamine	4-FMA	1-(4-fluorophenyl)-N-methylpropan-2-amine		x
4-fluoromethylphenidate	4F-MPH	methyl-2-(4-fluorophenyl)-2-(piperidin-2-yl)acetate		x
4-Fluoro-N-isopropylorpentedrone		1-(4-fluorophenyl)-2-(1-methylethylamino)pentan-1-one		x
4-fluoropentedrone	4-FPD	1-(4-fluorophenyl)-2-(methylamino)pentan-1-one		x
4'-Fluoro- α -pyrrolidinopentiophenone	4-fluoro- α -PVP, 4F-alfa-PVP	1-(4-fluorophenyl)-2-(1-pyrrolidinyl)-1-pentanone		x
4F-MDMB-BINACA		methyl-2-[1-(4-fluorobutyl)-1H-indazol-3-carboxamido]3,3-dimethylbutanoate	P II	x
4F-NEB*		4-fluoro-N-ethylbuphedrone,2-(ethylamino)-1-(4fluorophenyl)butan-1-one		x
4F-NEP		4-fluoro-N-ethylpentedrone		x
4F-PBP		4-fluoro- α -pyrrolidinobutyrophenone		x
4F- α -PHIP	4-fluoro- α -pyrrolidinoisohexanophenone	4-methyl-1-(4-fluorophenyl)-2-(pyrrolidin-1-yl)pentan-1-one		x
4F- α -PHP	4-fluoro- α -pyrrolidinohexanophenone	1-(4-fluorophenyl)-2-(pyrrolidin-1-yl)hexan-1-one		x
4-HO-DET	Ethocin, CZ-74, 4-Hydroxy-diethyl-tryptamine	3-[2-(diethylamino)ethyl]-1H-indol-4-ol		x

4-HO-DiPT	Iprocin, 4-Hydroxy-di-isopropyl-tryptamine	3-[2-[di(propan-2-yl)amino]ethyl]-1 <i>H</i> -indol-4-ol		x
4-HO-MET	Metocin, Methylsybin, 4-hydroxy- <i>N</i> -methyl-nethyltryptamine	3-[2-[ethyl(methyl)amino]ethyl]-1 <i>H</i> -indol-4-ol		x
4-HO-MiPT	Miprocin, 4-hydroxy- <i>N</i> -methyl-Nisopropyltryptamine	3-[2-[methyl(propan-2-yl)amino]ethyl]-1 <i>H</i> -indol-4-ol		x
4-Hydroxymethcathinone		1-(4-hydroxyphenyl)-2-(methylamino)propan-1-one		x
4-iodo-2,5-dimethoxyphenylisopropylamine	DOI, 2,5-dimethoxy-4-iodoamphetamine	1-(4-iodo-2,5-dimethoxyphenyl)propan-2-amine		x
4-MeOPBP*		4'-methoxy- α -pyrrolidinobutiophenone		x
4-MeO-PCP		1-[1-(4-methoxyphenyl)cyclohexyl]piperidine		x
4-MeO- α -PVP		4-methoxy- α -pyrrolidinovalerophenone		x
4-methoxyamphetamine	PMA, <i>Para</i> -methoxyamphetamine	1-(4-methoxyphenyl)propan-2-amine	P I	x
4-methoxybutyrfentanyl	4-MeO-BF	N-[1-(2-phenylethyl)piperidin-4-yl]-N-(4-methoxyphenyl)butanamide		x
4-methoxymethamphetamine	PMMA, <i>Para</i> -methoxymethamphetamine	1-(4-methoxyphenyl)- <i>N</i> -methylpropan-2-amine	P I	x
4-methylaminorex	4-MAX	4-methyl-5-phenyl-4,5-dihydro-1,3-oxazol-2-amine	P I	x
4-methylamphetamine	4-MA	1-(4-methylphenyl)propan-2-amine		x
4-methylbuphedrone	4-Me-MABP	2-(methylamino)-1-(4-methylphenyl)butan-1-one		x
4-methylethcathinone	4-MEC	2-ethylamino-1-(4-methylphenyl)propan-1-one	P II	x
4-methylmethamphetamine	4-MMA	<i>N</i> -methyl-1-(4-methylphenyl)propan-2-amine		x
4-methylmethylphenidate		methyl-2-(4-methylphenyl)-2-(piperidin-2-yl)acetate		x
4-methylthioamphetamine	4-MTA	1-(4-(methylthio)phenyl)propan-2-amine	P I	x
4-methyl- α -ethylaminopentiophenone		2-(ethylamino)-1-(4-methylphenyl)-1-pentanone		x
4-methyl- α -PiHP	4-methyl- α -pyrrolidinoisohexanophenone	4-methyl-1-(4-methylphenyl)-2-(pyrrolidin-1-yl)pentan-1-one		x
5-(2-aminopropyl)benzofuran	5-APB	1-(1-benzofuran-5-yl)propan-2-amine		x
5-(2-Aminopropyl)indole	5-IT, 5-API	1-(1 <i>H</i> -indol-5-yl)propan-2-amine		x
5Cl-AB-PINACA		N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(Schloropentyl)-1 <i>H</i> -indazol-3-carboxamide		x

5Cl-AKB-48		N-(adamantyl)-1-(5-chloropentyl)-1H-indazol-3carboxamide		x
5Cl-APINACA		N-(1-adamantyl)-1-(5-chloropentyl)-1H-indazol-3carboxamide		x
5-DBFPV		5-dihydrobenzofuranpyrovalerone		x
5-EAPB		5-(N-ethyl-2-aminopropyl)benzofuran		x
5F-AB-PINACA		N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(5fluoropentyl)-1H-indazol-3-carboxamide		x
5F-ADBICA		N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(5fluoropentyl)-1H-indol-3-carboxamide		x
5F-AKB-48	5F-APINACA	N-(1-adamantyl)-1-(5-fluoropentyl)-1H-indazol-3carboxamid	PII	x
5F-AKB-57		adamantyl-1-(5-fluoropentyl)-1H-indazol-3-carboxylate		x
5F-AMB-PICA		N-(1-methoxycarbonyl-2-methylpropyl)-1-(5fluoropentyl)-1H-indol-3-carboxamide		x
5F-CUMYL-PeGACLONE		2-(2-phenylpropan-2-yl)-5-(5-fluoropentyl)-2,5-dihydro-1H-pyrido[4,3-b]indol-1-one		x
5F-EDMB-PINACA		ethyl-2-[1-(5-fluoropentyl)-1H-indazol-3-carboxamido]3,3-dimethylbutanoate		x
5F-MDMB-PICA		methyl-2-[1-(5-fluoropentyl)-1H-indol-3-carboxamido]3,3-dimethylbutanoate	P II	x
5F-MDMB-PINACA	5F-ADB	N-(1-methoxycarbonyl-2,2-dimethylpropyl)-1(5fluoropentyl)-1H-indazol-3-carboxamid	P II	x
5F-PB-22		8-quinolinyl-1-(5-fluoropentyl)-1H-indol-3-carboxylate	PII	x
5-FUR-144	XLR-11	[1-(5-fluoropentyl)-1H-indol-3-yl](2,2,3,3-tetramethylcyclopropyl)methanone	PII	x
5-MAPDB		1-(2,3-dihydrobenzofuran-5-yl)-N-methylpropan-2-amine		x
5-MAPDI		1-(2,3-dihydro-1H-inden-5-yl)-N-methylpropan-2-amine		x
5-MeO-DALT	N,N-diallyl-5-methoxytryptamine	N-allyl-N-[2-(5-methoxy-1H-indol-3-yl)ethyl]prop-2-en-1-amine		x
5-MeO-DET		N,N-diethyl-2-(5-methoxy-1H-indol-3-yl)ethanamine		x

5-MeO-DiPT	5-methoxy- <i>N,N</i> -diisopropyltryptamine	<i>N</i> -[2-(5-methoxy-1 <i>H</i> -indol-3-yl)ethyl]- <i>N</i> -propan-2ylpropan-2-amine		x
5-MeO-DMT	5-methoxy- <i>N,N</i> -dimethyltryptamine	2-(5-methoxy-1 <i>H</i> -indol-3-yl)- <i>N,N</i> -dimethylethanamine		x
5-MeO-EIPT		5-methoxy- <i>N</i> -ethyl- <i>N</i> -isopropyltryptamine		x
5-MeO-MALT		<i>N</i> -[2-(5-methoxy-1 <i>H</i> -indol-3-yl)ethyl]- <i>N</i> -methylpropan-2-en-1-amine		x
5-MeO-MET	5-methoxy- <i>N</i> -methyl- <i>N</i> -ethyltryptamine			x
5-MeO-MiPT	5-methoxy- <i>N</i> -methyl- <i>N</i> -isopropyltryptamine	<i>N</i> -[2-(5-methoxy-1 <i>H</i> -indol-3-yl)ethyl]- <i>N</i> -methylpropan-2-amine		x
5-MeO-NIPT		<i>N</i> -[2-(5-methoxy-1 <i>H</i> -indol-3-yl)ethyl]propan-2-amine		x
5-Metoksymetylon	bk-MMDMA	β -keto-5-methoxy-3,4-methylenedioxyamphetamin		x
6-(2-aminopropyl)benzofuran	6-APB	1-(1-benzofuran-6-yl)propan-2-amine		x
6-allyl-6-norLSD	AL-LAD, 6-allylnorlysergide	6-allyl- <i>N,N</i> -diethyl-9,10-didehydroergolin-8carboxamide		x
6-MAM	6-monoacetylmorphine	(5 α ,6 α)-7,8-didehydro-4,5-epoxy-17-methylmorphinan-3,6-diol 6-acetate		x
6-methoxy-MDA		6-methoxy-3,4-methylenedioxyamphetamin		x
7-hydroxymitragynine	Mitragynine hydroxyindolenine	methyl (E)-2-[3-ethyl-7a-hydroxy-8-methoxy-1,2,3,4,6,7,7a,12b-octahydro-1 <i>H</i> -indolo[2,3-a]quinolizin-2-yl]-3-methoxyprop-2-enoate		x
AB-001		(1-adamantyl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanone		x
AB-CHMINACA		<i>N</i> -(1-aminocarbonyl-2-methylpropyl)-1-(cyclohexylmethyl)-1 <i>H</i> -indazol-3-carboxamide	PII	x
AB-PINACA		<i>N</i> -[(2 <i>S</i>)-1-amino-3-methyl-1-oxobutan-2-yl]-1-pentylindazole-3-carboxamide	PII	x
Acetorphine		4,5-epoxy-7-(1-hydroxy-1-methylbutyl)-6-methoxy-17-methyl-6,14-ethenomorphinan-3-yl acetate	N I+IV	x
Acetyldihydrocodeine		4,5-epoxy-3-methoxy-17-methylmorphinan-6-yl acetate	N II+III	
Acetylfentanyl		<i>N</i> -(1-phenethylpiperidin-4-yl)- <i>N</i> -phenylacetamide	N I + III	x
Acetylmethadol	Methadyl acetate	6-(dimethylamino)-4,4-diphenylheptan-3-yl acetate	N I	

Acetyl- α -methylfentanyl	α -methylacetylfentanyl	<i>N</i> -phenyl- <i>N</i> -[1-(1-phenylpropan-2-yl)piperidin-4-yl]acetamide	N I+IV	x
A-CHMINACA		<i>N</i> -(1-adamantyl)-1-(cyclohexylmethyl)-1 <i>H</i> -indazol-3-carboxamide		x
Acrylfentanyl	ACRYLOYLFENTANYL	<i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]-2-propenamide	N I	
ADB-4en-PINACA		<i>N</i> -(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(pent-4-en-1-yl)-1 <i>H</i> -indazole-3-carboxamide		x
ADB-5Br-INACA		<i>N</i> -(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-5-bromo-1 <i>H</i> -indazole-3-carboxamide		x
ADB-BUTINACA	ADB-BINACA	<i>N</i> -[(1 <i>S</i>)-1-(aminocarbonyl)-2,2-dimethylpropyl]-1-butyl-1 <i>H</i> -indazole-3-carboxamide	P II	x
ADB-CHMINACA	MAB-CHMINACA	<i>N</i> -[(2 <i>S</i>)-1-amino-3,3-dimethyl-1-oxobutan-2-yl]-1-(cyclohexylmethyl)-1 <i>H</i> -indazole-3-carboxamide	P II	
ADB-FUBINACA		<i>N</i> -[1-(aminocarbonyl)-2,2-dimethylpropyl]-1-[(4-fluorophenyl)methyl]-1 <i>H</i> -indazol-3-carboxamide	P II	x
ADB-HEXINACA		(<i>S</i>)- <i>N</i> -(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-hexyl-1 <i>H</i> -indazole-3-carboxamide		x
Adinazolam		1-(6-phenyl-8-chloro-4 <i>H</i> -[1,2,4]triazolo[4,3 <i>a</i>][1,4]benzodiazepin-1-yl)- <i>N,N</i> -dimethylmethanamine		x
AH-7921		3,4-dichloro- <i>N</i> -[[1-(dimethylamino)cyclohexylmethyl]benzamide]	N I	x
ALD-52		1-acetyl- <i>N,N</i> -diethyl-6-methyl-9,10-didehydroergoline-8-carboxamide		x
Alfentanil		<i>N</i> -[1-[2-(4-ethyl-5-oxo-4,5-dihydro-1 <i>H</i> -tetrazol-1-yl)ethyl]-4-(methoxymethyl)piperidin-4-yl]- <i>N</i> -phenylpropanamide	NI	x
Allobarbital	Allobarbitone	5,5-bis(prop-2-enyl)-1,3-diazinane-2,4,6-trione	P IV	x
Allylescaline	4-allyloxy-3,5-dimethoxyphenethylamine	2-(3,5-dimethoxy-4-prop-2-enoxyphenyl)ethanamine		x
Allylprodine		1-methyl-4-phenyl-3-prop-2-enylpiperidin-4-yl propionate	N I	
Alphacetylmethadol (AAM)		[(3 <i>R</i> ,6 <i>R</i>)-6-(dimethylamino)-4,4-diphenylheptan-3-yl]acetate	N I	
Alphameprodine	α -meprodine	[(3 <i>S</i> ,4 <i>R</i>)-3-ethyl-1-methyl-4-phenylpiperidin-4-yl]propanoate	N I	

Alphamethadol	α -methadol, Alfametadol	(3R,6R)-6-(dimethylamino)-4,4-diphenylheptan-3-ol	N I	
Alphaprodine		[(3R,4S)-1,3-dimethyl-4-phenylpiperidin-4-yl]propanoate	N I	
Alpha-PiHP		4-methyl-1-phenyl-2-pyrrolidin-1-ylpentan-1-one	P II	x
Alprazolam		8-chloro-1-methyl-6-phenyl-4 <i>H</i> -[1,2,4]triazolo[4,3a][1,4]benzodiazepine	P IV	x
AM-1220		[1-[(1-methylpiperidin-2-yl)methyl]-1 <i>H</i> -indol-3-yl](naphthalen-1-yl)methanone		x
AM-2201	1-(5-fluoropentyl)-3-(1-naphthoyl)indole	1-[(5-fluoropentyl)-1 <i>H</i> -indol-3-yl](naphthalen-1-yl)methanone	P II	x
AM-2201 chlorine analog		(1-(5-chloropentyl)-1 <i>H</i> -indol-3-yl)(naphthalen-1-yl)methanone		x
AM-2201 N-(3-fluoropentyl) isomer		(1-(3-fluoropentyl)-1 <i>H</i> -indol-3-yl)(naphthalen-1-yl)methanone		x
AM-2233		(2-iodophenyl)-[1-[(1-methylpiperidin-2-yl)methyl]-1 <i>H</i> indol-3-yl]methanone		x
AM-679		(1-pentyl-1 <i>H</i> -indol-3-yl)(2-iodophenyl)methanone		x
AM-694	1-(5-fluoropentyl)-3-(2-iodobenzoyl)indole	1-[(5-fluoropentyl)-1 <i>H</i> -indol-3-yl]-(2-iodophenyl)methanone		x
AMB-CHMINACA		methyl-2-([1-(cyclohexylmethyl)-1 <i>H</i> -indazol-3-carbonyl]amino)-3-methylbutanoate		x
AMB-FUBINACA	MMB-FUBINACA, FUB-AMB	N-(1-methoxycarbonyl-2-methylpropyl)-1-(pfluorobenzyl)-1 <i>H</i> -indazol-3-carboxamide	PII	x
Amfepramone	Diethylpropion, Diethylcathinone	2-(diethylamino)-1-phenylpropan-1-one	P IV	x
Amineptine		7-[(10,11-dihydro-5 <i>H</i> -dibenzo[<i>a,d</i>]-cyclohepten-5-yl)amino]heptanoic acid	P II	
Aminorex		5-phenyl-4,5-dihydro-1,3-oxazol-2-amine	P IV	
Amobarbital	Amylobarbitone	5-ethyl-5-(3-methylbutyl)-1,3-diazinane-2,4,6-trione	P III	
Amphetamine	Amfetamín (íslenska)	1-phenylpropan-2-amine	P II	x
Amphetaminil		2-phenyl-2-(1-phenylpropanyl-2-amino)acetonitrile		x
Amyl nitrite	Allir isomerar	Pentyl nitrite		x
Anileridine		ethyl 1-[2-(4-aminophenyl)ethyl]-4-phenylpiperidine-4carboxylate	N I	

AP-237	Bucinnazine	1-[4-([2E]-3-phenyl-2-propen-1-yl)-1-piperazinyl]-1-butanone		x
Apinaca		N-(1-adamantyl)-1-pentyl-1H-indazol-3-carboxamide		x
Aprobarbital	Aprobarbitone, Allylpropymal	5-propan-2-yl-5-prop-2-enyl-1,3-diazinane-2,4,6-trione		x
Azaprocín		1-[3-[(E)-3-phenyl-2-propen-1-yl]-3,8-diazabicyclo[3.2.1]octan-8-yl]propan-1-one		x
Barbital	Barbitone	5,5-diethyl-1,3-diazinane-2,4,6-trione	P IV	x
Bentazepam	Thiadipone	1,3,6,7,8,9-hexahydro-5-phenyl--2 <i>H</i> -[1]benzothieno[2,3- <i>e</i>]-1,4-diazepin-2-one		x
Benzethidine		ethyl 4-phenyl-1-(2-(benzyloxy)ethyl)piperidine-4-carboxylate	N I	
Benzodioxole-fentanyl		N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-2 <i>H</i> -1,3-benzodioxole-5-carboxamide		x
Benzoylbenzylfentanyl		N-(1-benzylpiperid-4-yl)-N-phenylbenzamide		x
Benzoylcegonin		(1 <i>R</i> ,2 <i>R</i> ,3 <i>S</i> ,5 <i>S</i>)-3-benzoyloxy-8-methyl-8-azabicyclo[3.2.1]octane-2-carboxylic acid		x
Benzoylfentanyl		N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-benzamid		x
Benzphetamine	Benzylamphetamine	<i>N</i> -benzyl- <i>N</i> -methyl-1-phenylpropan-2-amine	P IV	x
Benzylfentanyl		N-(1-benzylpiperidin-4-yl)-N-phenylpropionamide		x
Benzylmorphine	Peronine	3-(benzyloxy)-7,8-didehydro-4,5-epoxy-17methylmorphinan-6-ol	N I	x
Benzylpiperazine	BZP	1-benzylpiperazine	P II	x
Betacetylmethadol		[(3 <i>S</i> ,6 <i>R</i>)-6-(dimethylamino)-4,4-diphenylheptan-3-yl]acetate	N I	
Betameprodine		[(3 <i>R</i> ,4 <i>R</i>)-3-ethyl-1-methyl-4-phenylpiperidin-4-yl]propanoate	N I	
Betamethadol	betametadol, β-methadol	(3 <i>S</i> ,6 <i>R</i>)-6-(dimethylamino)-4,4-diphenylheptan-3-ol	N I	
Betaprodine		[(3 <i>R</i> ,4 <i>R</i>)-1,3-dimethyl-4-phenylpiperidin-4-yl]propanoate	N I	
Bezitramide		4-[4-(2-oxo-3-propanoylbenzimidazol-1-yl)piperidin-1-yl]-2,2-diphenylbutanenitrile	N I	
bk-2C-B		2-amino-1-(4-bromo-2,5-dimethoxyphenyl)ethanone		x

bk-3,4-MDPA	Propylon	β -keto-3,4-methylenedioxypropylamphetamine		x
bk-6-metoxý-MDMA	N-Methyl-bk-MMDA-2;	β -keto-6-metoxý-3,4-methylenedioxymethamphetamine		x
bk-IMP		1-(2,3-dihydro-1H-inden-5-yl)-2-(methylamino)propan-1-one		x
bk-IVP		1-(2,3-dihydro-1H-inden-5-yl)-2-(ethylamino)pentan-1-one		x
bk-MDEA		β -keto-methylenedioxy-N-ethylamphetamine		x
bk-MDMA		β -keto-3,4-methylenedioxymethamphetamine	P II	x
bk-PBDB	β -keto-N-propylbenzodioxolylbutanamine	1-(1,3-benzodioxol-5-yl)-2-(propylamino)butan-1-one		x
BMDB*		2-benzylamino-1-(3,4-methylenedioxyphenyl)butan-1-one		x
BMDP		1-(1,3-benzodioxol-5-yl)-2-(benzylamino)propan-1-one		x
Brallobarbitál	Brallobarbitone	5-(2-bromoprop-2-en-1-yl)-5-(prop-2-en-1-yl)-1,3-diazinane-2,4,6-trione		x
Bromadolín		4-bromo-N-[2-(dimethylamino)cyclohexyl]benzamide		x
Bromazepam	Heptabarbitone	7-bromo-1,3-dihydro-5-(pyridin-2-yl)-2H-1,4-benzodiazepin-2-one	P IV	x
Bromazolam		8-bromo-6-phenyl-1-methyl-4H-[1,2,4]triazolo[4,3a][1,4]benzodiazepine	P IV	x
Bromo-DragonFLY	Bromo-benzodifuranyl-isopropylamine	1-(4-bromofuro[2,3-f][1]benzofuran-8-yl)propan-2-amine		x
Bromo-STP		2-(3-bromo-2,5-dimethoxy-4-methylphenyl)ethanamine		x
Brorphín		1-(1-(1-(4-bromophenyl)ethyl)piperidin-4-yl)-1,3-dihydro-2H-benzo[d]imidazol-2-one	N I	x
Brotizolam		2-bromo-4-(2-chlorophenyl)-9-methyl-6H-thieno[3,2f][1,2,4]triazolo[4,3-a][1,4]diazepine	P IV	x
Bufotenín	5-HO-DMT, N,N-dimethyl-5-hydroxytyptamine, N,N-dimethylserotonin	3-[2-(dimethylamino)ethyl]-1H-indol-5-ol		x
Buphedrone	α -methylamino-butyrophenone, MABP	2-methylamino-1-phenylbutan-1-one		x
Buprenorphín		17-cyclopropylmethyl-4,5-epoxy-6,14-ethano-3-hydroxy-6-methoxymorphinan-7-yl]-3,3-dimethylbutan-2-ol	P III	x

Butabital		5-(2-methylpropyl)-5-(prop-2-enyl)-1,3-diazinane-2,4,6-trione	P III	x
Butobarbital	Butobarbitone, Butethal	5-butyl-5-ethyl-1,3-diazinane-2,4,6-trione	P IV	x
Butonitazene	Butoxynitazene	2-(2-(4-butoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)-N,N-diethylethan-1-amine	N I	x
Butylone	β -keto-N-methylbenzodioxolylbutanamine bkMBDB	1-(1,3-benzodioxol-5-yl)-2-(methylamino)butan-1-one		x
Butyrfentanyl		N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]butanamide	N I	x
BZO-4en-POXIZID	4-en-pentyl MDA-19	(Z)-N'-(2-oxo-1-(pent-4-en-1-yl)indolin-3-ylidene)benzohydrazide		x
C30-NBOMe		2-(4-chloro-2,5-dimethoxyphenyl)-N-(3,4,5-trimethoxybenzyl)ethanamine		x
Camazepam		7-chloro-1,3-dihydro-1-methyl-2-oxo-5-phenyl-2H-1,4benzodiazepin-3-yl N,N-dimethylcarbamate	P IV	x
Cannabis	Kannabis, Hass, Marijuana, Marihuana		N I+IV	x
Cannabis-harpix	Kannabis harpax		N I+IV	x
Carfentanil	Carfentanyl	Methyl 4-[(1-oxopropyl)phenylamino]-1-(2-phenylethyl)-4-piperidinecarboxylate	N I + IV	x
Carisoprodol		[2-(carbamoyloxymethyl)-2-methylpentyl] N-propan-2ylcarbamate	P IV	x
Cathine	(+)-Norpseudoephedrine, D-Norpseudoephedrine	2-amino-1-phenylpropan-1-ol	P III	x
Cathinone	Benzoyl-ethanamine, Hagigat	2-amino-1-phenylpropan-1-one	P I	x
CB-13	SAB-378, CRA-13	naphthalen-1-yl-(4-pentyloxynaphthalen-1-yl)methanone		x
Chloral hydrate	Chlorali hydras	2,2,2-trichloroethane-1,1-diol		x
Chloralodol	Chlorhexadol	2-methyl-4-(2,2,2-trichloro-1-hydroxyethoxy)pentan-2-ol		x
Chlordiazepoxide		7-Chloro-2-methylamino-5-phenyl-3H-1,4benzodiazepine 4-oxide	P IV	x
Chloro-isobutyrylfentanyl		N-(2-chlorophenyl)-2-methyl-N-[1-(2-phenylethyl)-4-piperidyl]propanamide, N-(3-chlorophenyl)-2-methyl-N[1-(2-phenylethyl)-4-piperidyl]propanamide, N-(4chlorophenyl)-2-methyl-N-[1-(2-phenylethyl)-4-piperidyl]propanamide		x

Chlorphentermine		1-(4-chlorophenyl)-2-methylpropan-2-amine		x
Chlorphine		1-[1-[1-(4-chlorophenyl)ethyl]-4-piperidinyl]-1,3-dihydro-2H-benzimidazol-2-one		x
Clobromazolam		8-bromo-6-(2-chlorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine		x
Clobazam		7-chloro-1-methyl-5-phenyl-1,5-benzodiazepine-2,4dione	P IV	x
Clobenzorex		N-[(2-chlorophenyl)methyl]-1-phenylpropan-2-amine		x
Clomethiazole	Chlormethiazole	5-(2-chloroethyl)-4-methyl-1,3-thiazole		x
Clonazepam		5-(2-chlorophenyl)-1,3-dihydro-7-nitro-2H-1,4benzodiazepin-2-one	P IV	x
Clonazolam		6-(2-chlorophenyl)-1-methyl-8-nitro-4Hbenzo[f][1,2,4]triazolo[4,3-a][1,4]diazepine	P IV	x
Cloniprazepam		1-(cyclopropylmethyl)-5-(2-chlorophenyl)-7-nitro-1,3dihydro-2H-[1,4]-benzodiazepin-2-one		x
Clonitazene		2-[2-[(4-chlorophenyl)methyl]-5-nitrobenzimidazol-1yl]-N,Ndiethylethanamine	N I	
Clorazepate	Clorazepate	7-chloro-1,3-dihydro-2-oxo-5-phenyl-1H-1,4benzodiazepine-3-carboxylic acid	P IV	
Clotiazepam		5-(2-chlorophenyl)-7-ethyl-1-methyl-2H-thieno[2,3e][1,4]diazepin-2-one	P IV	x
Cloxazolam		10-chloro-11b-(2-chlorophenyl)-2,3,7,11b-tetrahydro-[1,3]oxazolo[3,2-d][1,4]benzodiazepin-6-one	P IV	x
Coca blöð	Folium coca		N I	x
Cocaine	Benzoylmethylecgonine	Methyl 3-benzoyloxy-8-methyl-8azabicyclo[3.2.1]octane-4-carboxylate	N I+III	x
Codeine	3-methylmorphine	7,8-didehydro-4,5-epoxy-3-methoxy-17methylmorphinan-6-ol	N II+III	
Codeine-N-oxide	Genocodeine	7,8-didehydro-4,5-epoxy-3-methoxy-17methylmorphinan-6-ol 17-oxide	N I	x
Codoxime	Codossima	(Epoxy-3-methoxy-17-methylmorphinan-6ylidene)amino)oxy)acetic acid	N I	
CP 47,497-C6	CP 47,497 dimethylhexyl homologue	2-[3-hydroxycyclohexyl]-5-(2-methylheptan-2-yl)phenol		x

CP 47,497-C7	CP 47,497	2-[3-hydroxycyclohexyl]-5-(2-methyloctan-2-yl)phenol		x
CP 47,497-C8	Cannabicyclohexanol, CP 47,497 dimethyloctyl homologue	2-[3-hydroxycyclohexyl]-5-(2-methylnonan-2-yl)phenol		x
CP 47,497-C9	CP 47,497 dimethylnonyl homologue	2-[3-hydroxycyclohexyl]-5-(2-methyldecan-2-yl)phenol		x
CP 55,940		2-[5-hydroxy-2-(3-hydroxypropyl)cyclohexyl]-5-(2-methyloctan-2-yl)phenol		x
Crotonylfentanyl		(E)-N-(1-phenethylpiperidin-4-yl)-N-phenylbut-2-enamide	NI	x
CUMYL-4CN-BINACA		N-(1-methyl-1-phenylethyl)-1-(4-cyanobutyl)-1H-indazol-3-carboxamide	P II	x
CUMYL-5F-P7AICA		N-(2-phenylpropan-2-yl)-1-(5-fluoropentyl)-7-azaindol-3-carboxamid		x
CUMYL-5F-PINACA		N-(2-phenylpropan-2-yl)-1-(5-fluoropentyl)-1H-indazol-3-carboxamide		x
CUMYL-CHMGACLONE		5-(cyclohexylmethyl)-2-(2-phenylpropan-2-yl)-2,5-dihydro-1H-pyrido[4,3-b]indol-1-one		x
CUMYL-PeGACLONE		2-(2-phenylpropan-2-yl)-5-pentyl-2,5-dihydro-1H-pyrido[4,3-b]indol-1-one	P II	x
CUMYL-PICA		N-(2-phenylpropan-2-yl)-1-pentyl-1H-indol-3-carboxamide		x
Cyclorphine	N-Propionitrile Chlorphine	3-(1-[1-(4-chlorophenyl)ethyl]piperidin-4-yl)-2-oxo-2,3-dihydro-1H-benzimidazol-1-propanitrile		x
Cyclobarbitol	Cyclobarbitol, Cyclobarbitone	5-(cyclohexen-1-yl)-5-ethyl-1,3-diazinane-2,4,6-trione	P III	
Cyclopentylfentanyl		N-phenyl-N-[1-(2-phenylethyl)-4-piperidyl]cyclopentanecarboxamide		x
Cyclopropylfentanyl		N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]cyclopropanecarboxamide	N I	x
delta-6a(10a)-THC		7,8,9,10-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-ol	P I	x
delta-7-THC		(6 <i>aR</i> ,9 <i>R</i> ,10 <i>aR</i>)-6,6,9-trimethyl-3-pentyl-6 <i>a</i> ,9,10,10 <i>a</i> -tetrahydrobenzo[c]chromen-1-ol	P I	x
delta-8-THC-acetate		6 <i>a</i> ,7,10,10 <i>a</i> -tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-yl-acetate		x

delta-8-THCP		3-octyl-6a,7,10,10a-tetrahydro-6,6,9-trimethyl-6H-dibenzo[b,d]pyran-1-ol		x
delta-9(11)-THC	Delta(9-11)-Tetrahydrocannabinol	(6aR,10aR)-6,6-dimethyl-9-methylidene-3-pentyl-7,8,10,10a-tetrahydro-6aH-benzo[c]chromen-1-ol	P I	x
delta-9-THC-acetate		6a,7,8,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-yl-acetate		x
Desalkylgidazepam		7-bromo-5-phenyl-1,3-dihydro1,4-benzodiazepin-2-one		x
Delorazepam	Chlordesmethylidiazepam	7-chloro-5-(2-chlorophenyl)-1,3-dihydro-2H-1,4benzodiazepin-2-one	P IV	x
Deschloroetizolam		2-ethyl-9-methyl-4-phenyl-6H-thieno[3,2f][1,2,4]triazolo[4,3-a][1,4]diazepine		x
Deschloro-N-ethylorketamine	O-PCE	2-(ethylamino)-2-phenylcyclohexan-1-one		x
Desmethylprodine	MPPP, 1-Methyl-4-phenyl-4propionoxypiperidine	1-methyl-4-phenylpiperidin-4-yl propionate	N I+IV	
Desomorphine	Dihydrodesoxymorphine „Krokodil“	4,5-epoxy-17-methylmorphinan-3-ol	N I+IV	x
Desoximetoxetamine	DMXE	2-(ethylamino)-2-(3-methylphenyl)-cyclohexanone		x
Desoxy-D2PM		2-(diphenylmethyl)pyrrolidine		x
Desoxyipradrol	2-diphenylmethylpiperidine, 2-DPMP	2-benzhydrylpiperidine		x
Despropionylfluorofentanyl		N-(2-Fluorophenyl)-1-(2-phenylethyl)piperidin-4-amine, N-(3-Fluorophenyl)-1-(2-phenylethyl)piperidin-4-amine, N-(4-Fluorophenyl)-1-(2-phenylethyl)piperidin-4-amine		x
Dextroamphetamine	Dexamphetamine	(2S)-1-phenylpropan-2-amine	P II	x
Dextromoramide		(3S)-3-methyl-4-morpholin-4-yl-2,2-diphenyl-1pyrrolidin-1-ylbutan-1-one	N I	
Dextropropoxyphene		1-benzyl-3-(dimethylamino)-2-methyl-1-phenylpropyl propionate	N II+III	
Diampromide		N-[2-[methyl(2-phenylethyl)amino]propyl]-Nphenylpropanamide	N I	
Diazepam		7-chloro-1,3-dihydro-1-methyl-5-phenyl-2H-1,4benzodiazepin-2-one	P IV	
Dibenzylpiperazine	DBZP	1,4-dibenzylpiperazine		x

Dibutylone	β -keto-dimethylbenzodioxolylbutanamine, bk-DMBDB	1-(1,3-benzodioxol-5-yl)-2-(dimethylamino)butan-1-one		x
Dichloropane	RTI-111	methyl-3-(3,4-dichlorophenyl)-8-methyl-8azabicyclo[3.2.1]octan-2-carboxylate		x
Diclazepam	Chlorodiazepam	7-chloro-5-(2-chlorophenyl)-1-methyl-3 <i>H</i> -1,4-benzodiazepin-2-one	P IV	x
Diethylthiambutene		<i>N,N</i> -diethyl-4,4-dithien-2-ylbut-3-en-2-amine	N I	
Diethyltryptamine	DET, <i>N,N</i> -diethyltryptamine	<i>N,N</i> -diethyl-2-(1 <i>H</i> -indol-3-yl)ethanamine	P I	x
Difenoxin	Motofen	1-(3-cyano-3,3-diphenylpropyl)-4-phenylpiperidine-4-carboxylic acid	N I+III	
Difludiazepam		7-chloro-5-(2,6-difluorophenyl)-1-methyl-3 <i>H</i> -1,4-benzodiazepin-2-one		x
Dihydrocodeine		4,5-epoxy-3-methoxy-17-methylmorphinan-6-ol	N II+III	
Dihydroetorphine		7-[2-Hydroxypentan-2-yl]-6-methoxy-17-methyl-4,5-epoxy-6,14-ethanonmorphinan-3-ol	N I	x
Dihydromorphine	Paramorfan, Paramorphan	3,6-dihydroxy-4,5-epoxy-17-methylmorphinan	N I	x
Dimenoxadol	Dimenoxadole	2-(dimethylamino)ethyl 2-ethoxy-2,2-diphenylacetate	N I	
Dimepheptanol	Methadol, Racemethadol	6-dimethylamino-4,4-diphenylheptan-3-ol	N I	
Dimethocaine		[3-(diethylamino)-2,2-dimethylpropyl] 4-aminobenzoate		x
Dimethoxyamphetamine	DMA	1-(2,3-dimethoxyphenyl)propan-2-amine	P I	x
Dimethylheptylpyran	DMHP	6,6,9-trimethyl-3-(3-methyloctan-2-yl)-7,8,9,10-tetrahydrobenzo[<i>c</i>]chromen-1-ol	P I	x
Dimethylone	β -keto-3,4-metylendioksydimetylamfetamin, bk-MDDMA	1-(1,3-benzodioxol-5-yl)-2-(dimethylamino)propan-1-one		x
Dimethylthiambutene	DMTB	<i>N,N</i> -dimethyl-4,4-dithien-2-ylbut-3-en-2-amine	N I	
Dimethyltryptamine	DMT, <i>N,N</i> -dimethyltryptamine	2-(1 <i>H</i> -indol-3-yl)- <i>N,N</i> -dimethylethanamine	P I	x
Dioxaphetyl butyrate		ethyl 4-morpholin-4-yl-2,2-diphenylbutanoate	N I	
Dipentylone		1-(1,3-benzodioxol-5-yl)-2-(dimethylamino)pentan-1-one	P II	x
Diphenidine	Difenidin	1-(1,2-diphenylethyl)piperidine	P II	x

Diphenoxylate		ethyl 1-(3-cyano-3,3-diphenylpropyl)-4phenylpiperidine-4-carboxylate	N I+III	x
Dipipanone		4,4-diphenyl-6-(piperidin-1-yl)heptan-3-one	N I	
Dipropyltryptamine	DPT, <i>N,N</i> -dimethylpropyltryptamine	<i>N</i> -[2-(1 <i>H</i> -indol-3-yl)ethyl]- <i>N</i> -propylpropan-1-amine		x
DiPT	<i>N,N</i> -diisopropyltryptamine	<i>N</i> -[2-(1 <i>H</i> -indol-3-yl)ethyl]- <i>N</i> -propan-2-ylpropan-2-amine		x
DL-4662		1-(3,4-dimethoxyphenyl)-2-(ethylamino)pentan-1-one		x
DOPR		2,5-dimethoxy-4-propylamphetamine		x
DOT		2,5-dimethoxy-4-methylthioamphetamine		x
Dronabinol	(-)-trans- Δ^9 -tetrahydrocannabinol og stereoisomerar	6,6,9-trimethyl-3-pentyl-6a,7,8,10-tetrahydrobenzo[<i>c</i>]chromen-1-ol	P II	x
Drotebanol	Oxymetebanol	3,4-dimethoxy-17-methylmorphinan-6,14-diol	N I	
EAM-2201		(4-ethylnaphthalen-1-yl)-[1-(5-fluoropentyl)indol-3yl]methanone		x
Egonine	Ásamt estum og afbrigðum þeirra sem hægt er að breyta í ecgonin eða kókaín, þ.m.t. benozyl-, ethyl- og methyl-ecgonine	3-hydroxy-8-methyl-8-azabicyclo[3.2.1]octane-4carboxylic acid	N I	x
Efla		<i>N</i> -[1-(2,3-dihydro-1,4-benzodioxin-6-yl)propan-2-yl]- <i>N</i> methylhydroxylamine		x
Ephenidine		<i>N</i> -ethyl-1,2-diphenylethylamine		x
Escaline	3,5-dimethoxy-4-ethoxyphenylethylamine	2-(4-ethoxy-3,5-dimethoxyphenyl)ethanamine		x
Estazolam		8-chloro-6-phenyl-4 <i>H</i> -[1,2,4]triazolo[4,3 <i>a</i>][1,4]benzodiazepine	P IV	
Etaqualone		3-(2-ethylphenyl)-2-methylquinazolin-4(3 <i>H</i>)-one		x
Etazene	Etodesnitazene	2-[2-[(4-ethoxyphenyl)methyl]benzimidazol-1-yl]- <i>N,N</i> diethylethanamine	N I	x
Ethcathinone	<i>N</i> -ethylaminopropiophenone, <i>N</i> -ethylcathinone	2-ethylamino-1-phenylpropan-1-one		x
Ethchlorvynol		1-chloro-3-ethylpent-1-en-4-yn-3-ol	P IV	
Ethinamate		1-ethynylcyclohexyl carbamate	P IV	
ETH-LAD		<i>N,N</i> ,6-triethyl-9,10-didehydroergoline-8-carboxamide		x
Ethyl loflazepate		ethyl 7-chloro-5-(2-fluorophenyl)-2,3-dihydro-2-oxo-1 <i>H</i> 1,4-benzodiazepine-3-carboxylate	P IV	

Ethylamphetamine	Etílamfetamín, <i>N</i> -ethylamphetamine	<i>N</i> -ethyl-1-phenylpropan-2-amine	P IV	x
ethyleneoxynitazene		2-(2-((2,3-dihydrobenzofuran-5-yl)methyl)-5-nitro-1Hbenzo[d]imidazol-1-yl)- <i>N,N</i> -diethylethan-1-amine		x
Ethylmethylthiambutene	Emethibutin	<i>N</i> -ethyl- <i>N</i> -methyl-4,4-dithien-2-ylbut-3-en-2-amine	N I	
Ethylmorphine	Dionine, Codethyline	7,8-didehydro-4,5-epoxy-3-ethoxy-17-methylmorphinan-6-ol	N II+III	x
Ethylon	etylon, ethylone	1-(benzo[d][1,3]dioxol-5-yl)-2-(ethylamino)propan-1-on	P II	
Ethylphenidate		ethyl 2-phenyl-2-piperidin-2-ylacetate	P II	
Eticyclidine	PCE	<i>N</i> -ethyl-1-phenylcyclohexan-1-amine	P I	x
Etizolam		4-(2-chlorophenyl)-2-ethyl-9-methyl-6 <i>H</i> thieno[3,2f][1,2,4]triazolo[4,3-a][1,4]diazepine	P IV	x
Etonitazene		2-[2-[(4-ethoxyphenyl)methyl]-5-nitrobenzimidazol-1yl]- <i>N,N</i> -diethylethanamine	N I	
Etonitazepyne		2-[(4-ethoxyphenyl)methyl]-5-nitro-1-(2-pyrrolidin-1ylethyl)benzimidazole	N I	x
Etorphine	M99	7-[2-Hydroxypentan-2-yl]-6-methoxy-17-methyl-4,5epoxy-6,14-ethenomorphinan-3-ol	N I+IV	x
Etoxidine	Carbetidine	ethyl 1-[2-(2-hydroxyethoxy)ethyl]-4-phenylpiperidine-4-carboxylate	N I	
Etryptamine	α -Ethyltryptamine, α -ET	1-(1 <i>H</i> -indol-3-yl)butan-2-amine	P I	x
Eutylone		1-(1,3-benzodioxol-5-yl)-2-(ethylamino)-1-butanone	P II	x
Fencamfamine		<i>N</i> -ethyl-2-phenylbicyclo[2.2.1]heptan-3-amine	P IV	
Fenethylline	Phenethylline	1,3-dimethyl-7-[2-(1-phenylpropan-2ylamino)ethyl]purine-2,6-dione	P II	x
Fenfluramine	3-trifluoromethyl- <i>N</i> -ethylamphetamine	<i>N</i> -ethyl-1-[3-(trifluoromethyl)phenyl]propan-2-amine		x
Fenproporex		3-(1-phenylpropan-2-ylamino)propanenitrile	P IV	
Fentanyl	Fentanil	<i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4yl]propanamide	N I	
Flephedrone	4-fluoromethcathinone, 4-FMC	1-(4-fluorophenyl)-2-(methylamino)propan-1-one		x

Flualprazolam		6-(2-fluorophenyl)-8-chloro-1-methyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine	P IV	X
Flubromazepam		7-bromo-5-(2-fluorophenyl)-1H-benzo[e][1,4]diazepin-2(3H)-one		X
Flubromazolam		8-bromo-6-(2-fluorophenyl)-1-methyl-4Hbenzo[f][1,2,4]triazolo[4,3-a][1,4]diazepine	P IV	X
Flubrotizolam		2-Bromo-4-(2-fluorophenyl)-9- methyl-6Hthieno(3,2f)(1,2,4)triazolo(4,3a)(1,4)diazepine		x
Fluetizolam		2'-Fluorodeschloroetizolam 2-ethyl-4-(2-fluorophenyl)-9- methyl-6H-thieno[3,2- f][1,2,4]triazolo[4,3- a][1,4]diazepine		x
Fludiazepam		7-chloro-5-(2-fluorophenyl)-1,3-dihydro-1-methyl-2 <i>H</i> -1,4-benzodiazepin-2-one	P IV	X
Flunitazene		<i>N,N</i> -diethyl-2-(2-(4-fluorobenzyl)-5-nitro-1 <i>H</i> benzimidazol-1-yl)ethan-1-amine		X
Flunitrazepam	Rohypnol, Rohipnol	5-(2-fluorophenyl)-1-methyl-7-nitro-3 <i>H</i> -1,4benzodiazepin-2-one	P III	X
Fluorobutyrylfentanyl		<i>N</i> -(2-fluorophenyl)- <i>N</i> -[(1-(2-phenylethyl)-4piperidinyl)]butanamid, <i>N</i> -(3-fluorophenyl)- <i>N</i> -[(1-(2-phenylethyl)-4piperidinyl)]butanamid, <i>N</i> -(4-fluorophenyl)- <i>N</i> -[(1-(2-phenylethyl)-4piperidinyl)]butanamid		X
Fluoro-isobutyrylfentanyl		<i>N</i> -(2-fluorophenyl)-2-methyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]propanamid, <i>N</i> -(3-fluorophenyl)-2-methyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]propanamid, <i>N</i> -(4-fluorophenyl)-2-methyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]propanamid	NI	x
Flurazepam		7-chloro-1-[2-(diethylamino)ethyl]-5-(2-fluorophenyl)-1,3dihydro-2 <i>H</i> -1,4-benzodiazepin-2-one	P IV	x
FUB-144		(1-(4-fluorobenzyl)-1 <i>H</i> -indol-3-yl)(2,2,3,3-tetramethylcyclopropyl)metanone		x

Furanylethylfentanyl		N-[1-[2-(2-furanyl)ethyl]piperidin-4-yl]-N-phenylpropanamide		x
Furanylfentanyl		N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-furan-2-carboxamide	N I	x
Furethidine		ethyl 1-[2-(oxolan-2-ylmethoxy)ethyl]-4-phenylpiperidine-4-carboxylate	N I	
Gamma-Butyrolactone	GBL, 4-butyrolactone	oxolan-2-one		x
Gamma-hydroxybutyrate	GHB, Sodium Oxypate	4-hydroxybutanoate		x
Gamma-hydroxybutyric acid	GHB, smjörσύra	4-hydroxybutanoic acid	P II	x
Gidazepam		7-bromo-2,3-dihydro-2-oxo-5-phenyl-1H-1,4-benzodiazepine-1-acetic acid, hydrazide		x
Glutethimide		3-ethyl-3-phenylpiperidine-2,6-dione	P III	
Halazepam		7-chloro-1,3-dihydro-5-phenyl-1-(2,2,2-trifluoroethyl)-2H-1,4-benzodiazepin-2-one	P IV	x
Haloxazolam		10-bromo-11b-(2-fluorophenyl)-2,3,5,7-tetrahydro-[1,3]oxazolo[3,2-d][1,4]benzodiazepin-6-one	P IV	x
Heptabarbital	Heptabarbitalone, Heptabarb	5-(1-cyclohepten-1-yl)-5-ethyl-1,3-diazinane-2,4,6-trione		x
Heroin	Diacetylmorphine, Morphine diacetate, Diamorphine	3-acetoxy-7,8-didehydro-4,5-epoxy-17methylmorphinan-6-yl acetate	N I+IV	x
Hexahydrocannabinol	HHC	6,6,9-trimethyl-3-pentyl-6a,7,8,9,10,10a-hexahydro-6H-benzo[c]chromen-1-ol	P II	x
Hexahydrocannabinol acetate	HHC-O	6,6,9-trimethyl-3-pentyl-6a,7,8,9,10,10a-hexahydro-6H-benzo[c]chromen-1-yl acetate		x
Hexahydrocannabiphorol	HHC-P	(3-heptyl-6a,7,8,9,10,10a-hexahydro-6,6,9-trimethyl-6H-dibenzo[b,d]pyran-1-ol		x
Hexapropymate		1-(prop-2-ynyl)cyclohexyl carbamate		x
Hexedrone		2-methylamino-1-phenylhexan-1-one		x
Hexobarbital	Hexobarbitone	5-(1-cyclohexen-1-yl)-1,5-dimethyl-1,3-diazinane-2,4,6-trione		x
HHCP-acetate	HHCPO	3-heptyl-6,6,9-trimethyl-6a,7,8,9,10,10a-hexahydro-6H-dibenzo[b,d]pyran-1-yl acetate		x
HU-210	11-Hydroxy- Δ^8 -THC-DMH	9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-tetrahydro-6H-benzo[c]chromen-1-ol		x

HU-308		4-[4-(1,1-dimethylheptyl)-2,6-dimethoxyphenyl]-6,6-dimethyl-bicyclo[3.1.1]hept-2-ene-2-methanol		x
Hydrocodone		4,5-epoxy-3-methoxy-17-methylmorphinan-6-one	N I	
Hydromorfinol	14-Hydroxydihydromorphine	3,6,14-trihydroxy-4,5-epoxy-17-methylmorphinan	N I	
Hydromorphone	Dihydromorphinone	4,5-epoxy-3-hydroxy-17-methyl morphinan-6-one	N I	
Hydroxyamphetamine	4-hydroxyamphetamine	4-(2-aminopropyl)phenol		x
Hydroxypethidine	Bemidone	ethyl 4-(3-hydroxyphenyl)-1-methylpiperidine-4carboxylate	N I	x
I-AMB		methyl-2-([1-(5-fluoropentyl)-1H-indol-3yl]carboxamido)-3-methylbutanoate		x
Iboga	<i>Tabernanthe iboga</i>			x
Ibogaine		12-methoxyibogamine		x
Isobutyl nitrite		2-methylpropyl nitrite		x
Isomethadone	Isoamidone	6-(dimethylamino)-5-methyl-4,4-diphenylhexan-3-one	N I	
isopropylphenidate		Isopropyl-2-phenyl-2-(piperidin-2-yl)acetate		x
Isopropyl-U-47700		N-[2-(dimethylamino)cyclohexyl]-3,4-dichloro-N(propan-2-yl)benzamide		x
Isotonitazene		N,N-diethyl-2-[2-(4-isopropoxybenzyl)-5-nitro-1Hbenzo[d]imidazol-1-yl]ethan-1-amine	NI	x
JWH-007		(2-methyl-1-pentyl-1H-indol-3-yl)(naphthalen-1yl)methanone		x
JWH-011		(1-(heptan-2-yl)-2-methyl-1H-indol-3-yl)(naphthalen-1yl)methanone		x
JWH-015		(2-methyl-1-propyl-1H-indol-3-yl)(naphthalen-1yl)methanone		x
JWH-016		(1-butyl-2-methyl-1H-indol-3-yl)(naphthalen-1yl)methanone		x
JWH-018	AM-678	(naphthalen-1-yl)(1-pentyl-1H-indol-3-yl)methanone	P II	x
JWH-018, N-(5-chloropentyl) analog		[1-(5-chloropentyl)-1H-indol-3-yl](naphthalen-1yl)methanone		x
JWH-019		(1-hexyl-1H-indol-3-yl)(naphthalen-1-yl)methanone		x
JWH-020		(1-heptyl-1H-indol-3-yl)(naphthalen-1-yl)methanone		x
JWH-022		(naphthalen-1-yl)[1-(pent-4-en-1-yl)-1H-indol-3yl]methanone		x
JWH-030		(naphthalen-1-yl)(1-pentyl-1H-pyrrol-3-yl)methanone		x

JWH-031	(1-hexyl-1 <i>H</i> -pyrrol-3-yl) (naphthalen-1-yl)methanone	x
JWH-047	(1-butyl-2-methyl-1 <i>H</i> - indol-3-yl)(7- methylnaphthalen- 1-yl)methanone	x
JWH-048	(2-methyl-1-pentyl-1 <i>H</i> - indol-3-yl)(7- methylnaphthalen- 1-yl)methanone	x
JWH-071	(1-ethyl-1 <i>H</i> -indol-3-yl) (naphthalen-1-yl)methanone	x
JWH-072	(naphthalen-1-yl)(1-propyl- 1 <i>H</i> -indol-3-yl)methanone	x
JWH-073	(1-butyl-1 <i>H</i> -indol-3-yl) (naphthalen-1-yl)methanone	x
JWH-081	(4-methoxynaphthalen-1-yl) (1-pentyl-1 <i>H</i> -indol- 3-yl)methanone	x
JWH-098	(4-methoxynaphthalen-1-yl) (2-methyl-1-pentyl- 1 <i>H</i> indol-3-yl)methanone	x
JWH-116	(2-ethyl-1-pentyl-1 <i>H</i> -indol- 3-yl)(naphthalen- 1-yl)methanone	x
JWH-120	(4-methylnaphthalen-1-yl) (1-propyl-1 <i>H</i> -indol- 3-yl)methanone	x
JWH-122	(4-methylnaphthalen-1-yl) (1-pentyl-1 <i>H</i> -indol- 3-yl)methanone	x
JWH-145	(naphthalen-1-yl)(1-pentyl- 5-phenyl-1 <i>H</i> -pyrrol- 3-yl)methanone	x
JWH-147	(1-hexyl-5-phenyl-1 <i>H</i> - pyrrol-3-yl)(naphthalen- 1-yl)methanone	x
JWH-148	(4-methylnaphthalen-1-yl) (2-methyl-1-propyl-1 <i>H</i> - indol- 3-yl)methanone	x
JWH-149	(4-methylnaphthalen-1-yl) (2-methyl-1-pentyl-1 <i>H</i> - indol- 3-yl)methanone	x
JWH-164	(7-methoxynaphthalen-1- yl)-(1-pentyl-1 <i>H</i> -indol- 3-yl)methanone	x
JWH-166	(6-methoxynaphthalen-1- yl)-(1-pentyl-1 <i>H</i> -indol- 3-yl)methanone	x
JWH-167	1-(1-pentyl-1 <i>H</i> -indol-3- yl)-2-phenylethan-1-one	x
JWH-171	(<i>Z</i>)-1-((3-pentyl-1 <i>H</i> -inden- 1- ylidene)methyl)naphthalen	x
JWH-175	3-(naphthalen-1- ylmethyl)-1-pentyl-1 <i>H</i> - indole	x
JWH-176	(<i>E</i>)-1-((3-pentyl-1 <i>H</i> -inden- 1- ylidene)methyl)naphthalen	x

JWH-180		(1-propyl-1 <i>H</i> -indol-3-yl)(4-propylnaphthalen-1-yl)methanone	x
JWH-181		(2-methyl-1-pentyl-1 <i>H</i> -indol-3-yl)(4-propylnaphthalen-1-yl)methanone	x
JWH-182		(1-pentyl-1 <i>H</i> -indol-3-yl)(4-propylnaphthalen-1-yl)methanone	x
JWH-184		3-((4-methylnaphthalen-1-yl)methyl)-1-pentyl-1 <i>H</i> -indole	x
JWH-185		3-((4-methoxynaphthalen-1-yl)methyl)-1-pentyl-1 <i>H</i> indole	x
JWH-192		4-(2-(3-((4-methylnaphthalen-1-yl)methyl)-1 <i>H</i> -indol-1-yl)ethyl)morpholine	x
JWH-193		(4-methylnaphthalen-1-yl)(1-(2-morpholinoethyl)-1 <i>H</i> indol-3-yl)-methanone	x
JWH-194		2-methyl-3-((4-methylnaphthalen-1-yl)methyl)-1-pentyl-1 <i>H</i> -indole	x
JWH-195		4-(2-(3-(naphthalen-1-yl)methyl)-1 <i>H</i> -indol-1-yl)ethyl)morpholine	x
JWH-196		2-methyl-3-(naphthalen-1-yl)methyl)-1-pentyl-1 <i>H</i> -indole	x
JWH-197		3-((4-methoxynaphthalen-1-yl)methyl)-2-methyl-1-pentyl-1 <i>H</i> -indole	x
JWH-198		(4-methoxynaphthalen-1-yl)(1-(2-morpholinoethyl)-1 <i>H</i> indol-3-yl)methanone	x
JWH-199		4-(2-(3-((4-methoxynaphthalen-1-yl)methyl)-1 <i>H</i> -indol-1-yl)ethyl)morpholine	x
JWH-200	WIN-55,225	[1-[2-(morpholin-4-yl)ethyl]-1 <i>H</i> -indol-3-yl](naphthalen-1-yl)methanone	x
JWH-201		2-(4-methoxyphenyl)-1-(1-pentyl-1 <i>H</i> -indol-3-yl)ethanone	x
JWH-203		2-(2-chlorophenyl)-1-(1-pentyl-1 <i>H</i> -indol-3-yl)ethanone	x
JWH-205		1-(2-methyl-1-pentyl-1 <i>H</i> -indol-3-yl)-2-phenylethanone	x
JWH-210		(4-ethylnaphthalen-1-yl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanone	x
JWH-250		2-(2-methoxyphenyl)-1-(1-pentyl-1 <i>H</i> -indol-3-yl)ethanone	x

JWH-251		2-(2-methylphenyl)-1-(1-pentyl-1 <i>H</i> -indol-3-yl)ethan-1-one		x
JWH-308		naphthalen-1-yl[5-(4-fluorophenyl)-1-pentyl-1 <i>H</i> -pyrrol-3-yl]methanone		x
JWH-309		naphthalen-1-yl[5-(1-naphthalenyl)-1-pentyl-1 <i>H</i> -pyrrol-3-yl]-methanone		x
JWH-368		naphthalen-1-yl[5-(3-fluorophenyl)-1-pentyl-1 <i>H</i> -pyrrol-3-yl]methanone		x
JWH-369		[5-(2-chlorophenyl)-1-pentyl-1 <i>H</i> -pyrrol-3-yl]-1-naphthalenyl-methanone		x
JWH-398		(4-chloronaphthalen-1-yl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanone		x
Kaktusar sem innihalda mescaline	Kaktus og fræ af tegundunum <i>Echinopsis pachanoi</i> og <i>Echinopsis peruviana</i> og aðrar sem innihalda mescaline (3,4,5-trimethoxyphenethylamine)			x
Ketamine		2-(2-chlorophenyl)-2-(methylamino)cyclohexan-1-one		x
Ketazolam		11-chloro-8,12b-dihydro-2,8-dimethyl-12b-phenyl-6 <i>H</i> -[1,2]oxazino[3,2- <i>d</i>][1,4]benzodiazepine-4,7-dione	P IV	x
Ketobemidone	Cliradon, Cymido, Ketorax	1-[4-(3-hydroxyphenyl)-1-methylpiperidin-4-yl]propan-1-one	N I+IV	x
Khat	<i>Catha edulis</i> , Allir hlutar plöntunnar			x
Kratom	<i>Mitragyna speciosa</i>			x
Lefetamine	SPA	<i>N,N</i> -dimethyl-1,2-diphenylethanamine	P IV	x
Levoamphetamine	Levamphetamine, (R)-amphetamine, (-)amphetamine	(2 <i>R</i>)-1-phenylpropan-2-amine	P II	x
Levomethamphetamine	Levmetamphetamine, Lcodesoxyephedrine (ldesoxyephedrine)	(2 <i>R</i>)- <i>N</i> -methyl-1-phenylpropan-2-amine	P II	x
Levomethorphan		(1 <i>R</i> ,9 <i>R</i> ,10 <i>R</i>)-4-methoxy-17-methyl-17-azatetracyclo[7.5.3.0 ^{1,10} .0 ^{2,9}]heptadeca-2,4,6-triene	N I	
Levomoramide		(3 <i>R</i>)-3-methyl-4-morpholin-4-yl-2,2-diphenyl-1-pyrrolidin-1-ylbutan-1-one	N I	
Levonantradol	CP 50,556-1	9-hydroxy-6-methyl-3-[5-phenylpentan-2-yl]oxy-5,6,6a,7,8,9,10,10a-octahydrophenanthridin-1-yl acetate		x

Levophenacymorphan	Benzorphanol	2-(3-Hydroxymorphan-17-yl)-1-phenylethanone	N I	
Levorphanol			N I	
Lisdexamfetamine		2,6-diamino- <i>N</i> -(1-phenylpropan-2-yl)hexanamide		x
Lofentanil		methyl (3 <i>S</i> ,4 <i>R</i>)-3-methyl-1-(2-phenylethyl)-4-[phenyl(propionyl)amino]piperidin-4-carboxylat		x
Loprazolam	Triazulenone, Loprazolam mesylate	6-(2-chlorophenyl)-2,4-dihydro-2-[(4-methyl-1piperazinyl)methylene]-8-nitro-1 <i>H</i> imidazo[1,2 <i>a</i>][1,4]benzodiazepine-1-one	P IV	x
Lorazepam		7-chloro-5-(2-chlorophenyl)-1,3-dihydro-3-hydroxy-2 <i>H</i> -1,4-benzodiazepin-2-one	P IV	x
Lormetazepam	methyl-lorazepam	7-chloro-5-(2-chlorophenyl)-1,3-dihydro-3-hydroxy-1-methyl-2 <i>H</i> -1,4-benzodiazepin-2-one	P IV	x
LSZ		8 <i>b</i> -(2,4-dimethylazetidín-1-yl)carbonyl-9,10-didehydro-6-methylergoline		x
Lysergic Acid Diethylamide	Lysergide, LSD, LSD-25	<i>N,N</i> -diethyl-7-methyl-6,6 <i>a</i> ,8,9-tetrahydro-4 <i>H</i> -indolo[4,3 <i>fg</i>]quinoline-9-carboxamide	P I	x
MAM-2201		(1-(5-fluoropentyl)-1 <i>H</i> -indol-3-yl)(4-methyl-1naphthalen-1-yl)methanone		x
MAM-2201 klór analog		(1-(5-chloropentyl)-1 <i>H</i> -indol-3-yl)(4-methylnaphthalen-1-yl)methanone		x
MAM-2201 <i>N</i> -(3-fluoropentyl) analog		(1-(3-fluoropentyl)-1 <i>H</i> -indol-3-yl)(4-methylnaphthalen-1-yl)methanone		x
Mazindol	Mazanor, Sanorex	5-(4-chlorophenyl)-2,3-dihydroimidazo[1,2- <i>b</i>]isindol-5ol	P IV	x
MDAI	5,6-methylenedioxy-2-aminoindane	(6,7-dihydro-5 <i>H</i> -cyclopenta[<i>f</i>][1,3]benzodioxol-6-amine)		x
MDMA	3,4-methylenedioxy- <i>N</i> -methylamphetamine, „exctacy“, „alsæla“, „Molly“	1-(1,3-benzodioxol-5-yl)- <i>N</i> -methylpropan-2-amine	P I	x
MDMB-4en-PINACA		methyl-3,3-dimethyl-2-[1-(pent-4-en-1-yl)-1 <i>H</i> -indazol-3-carboxamido]butanoate	P II	x
MDMB-CHMICA		(methyl-2-(1-(cyclohexylmethyl)-1 <i>H</i> -indol-3-carboxamido)-3,3-dimethylbutanoat)	P II	x

MDMB-CHMINACA		methyl-2-([1-(cyclohexylmethyl)-1H-indazol-3-carbonyl]amino)-3,3-dimethylbutanoate		x
MDPBP		1-(1,3-benzodioxol-5-yl)-2-(pyrrolidin-1-yl)butan-1-one		x
MDPHP		1-(1,3-benzodioxol-5-yl)-2-(pyrrolidin-1-yl)hexan-1-one		x
Meclonazepam		5-(2-chlorophenyl)-3-methyl-7-nitro-1,3-dihydro-2H-[1,4]-benzodiazepin-2-one		x
Mecloqualone	Nubarene, Casfen	3-(2-chlorophenyl)-2-methylquinazolin-4-one	P II	x
Medazepam		7-Chloro-2,3-dihydro-1-methyl-5-phenyl-1 <i>H</i> -1,4benzodiazepine	P IV	x
Mefenorex		<i>N</i> -(3-chloropropyl)-1-phenylpropan-2-amine	P IV	
MeO-diphenidine		1-(1-(2-methoxyphenyl)-2-phenylethyl)piperidine, 1-(1(3-methoxyphenyl)-2-phenylethyl)piperidine, 1-(1-(4methoxyphenyl)-2-phenylethyl)piperidine		x
3-MeO-PCP	3-Methoxy phencyclidine	1-(1-(3methoxyphenyl)cyclohexyl)piperidine	P II	x
Mephedrone	4-methylmethcathinone, 4-MMC, 4methylphedrone	2-(methylamino)-1-(4-methylphenyl)propan-1-one	P II	x
Meprobamate		2-(carbamoyloxymethyl)-2-methylpentyl carbamate	P IV	
Mescaline	3,4,5-trimethoxyphenethylamine	2-(3,4,5-trimethoxyphenyl)ethanamine	P I	x
Mesocarb	Sidnocarb, Sydnocarb	<i>N</i> -phenyl- <i>N'</i> -[3-(1-phenylpropan-2-yl)oxadiazol-3-ium5-yl]carbamimidate	P IV	
MET		<i>N</i> -methyl- <i>N</i> -ethyltryptamine		x
<i>meta</i> -chlorophenylpiperazine	mCPP	1-(3-chlorophenyl)piperazine		x
Metamfepramone	Dimepropion	2-dimethylamino-1-phenylpropan-1-one		x
Metazocine	Methobenzmorphan	1,2,3,4,5,6-hexahydro-3,6,11-trimethyl-2,6-methano-3benzazocin-8-ol	N I	
Methacrylfentanyl		<i>N</i> -(1-phenethylpiperidin-4-yl)- <i>N</i> -phenylmethacrylamide		x
Methadone	Dolophine, Amidone, Physeptone	6-dimethylamino-4,4-diphenylheptan-3-one	N I	x
Methadone intermediate	Premethadone	4-dimethylamino-2,2-diphenylpentanenitrile	N I	x
Methallylescaline	MAL	2-[3,5-dimethoxy-4-(2-methylprop-2enoxy)phenyl]ethanamine		x

Methamnetamine		N-methyl-1-(naphthalen-2-yl)propan-2-amine		x
Methamphetamine	N-methylamphetamine, Pervertine, „Meth“, N-methyl-alpha-methylphenethylamine	N-methyl-1-phenylpropan-2-amine	P II	x
Methamphetamine racemate	Methamphetamine racemate	methyl[(2RS)-1-phenylpropan-2-yl]amine	P II	x
Methaqualone	Metolquizolone	2-methyl-3-(2-methylphenyl)quinazolin-4-one	P II	x
Metharbital	Endiemal	5,5-diethyl-1-methyl-1,3-diazinane-2,4,6-trione		x
Methcathinone	Ephedrone, α -methylaminopropiophenone	2-(methylamino)-1-phenylpropan-1-one	P I	x
Methedrone	Para-methoxymethcathinone, bk-PMMA, PMMC	1-(4-methoxyphenyl)-2-(methylamino)propan-1-one		x
Methiopropamine	MPA	N-methyl-1-(thiophen-2-yl)propan-2-amine	P II	
Methohexital	Methohexitone	5-(hex-3-yn-2-yl)-1-methyl-5-(prop-2-en-1-yl)-1,3diazinane-2,4,6-trione		x
Methoxetamine	MXE, 3-MeO-2-Oxo-PCE	2-(3-methoxyphenyl)-2-(ethylamino)cyclohexanone	P II	x
Methoxyacetylfentanyl		2-methoxy-N-phenyl-N-[1-(2-phenylethyl)piperidin-4yl]acetamide	N I	
Methoxybutyrylfentanyl		N-(2-methoxyphenyl)-N-[1-(2-phenylethyl)piperidin-4yl]butanamid, N-(3-methoxyphenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]butanamid, N-(4-methoxyphenyl)-N-[1-(2-phenylethyl)piperidin-4yl]butanamid		x
Methylclonazepam		5-(2-chlorophenyl)-1-methyl-7-nitro-1,3-dihydro-2H-1,4benzodiazepin-2-one		x
Methyldesorphine		6,17-dimethyl-6,7-didehydro-4,5-epoxymorphinan-3-ol	N I	
Methyldihydromorphine	Dihydroheterocodeine	6-Methoxy-17-methyl-4,5-epoxymorphinan-3-ol	N I	
methylenedioxynitazene		2-(2-((1,3-Benzodioxol-5-yl)methyl)-5-nitro-1Hbenzo[d]imidazol-1-yl)-N,N-diethylethan-1-amine		x
Methylenedioxypropylvaleron	MDPV	1-(1,3-benzodioxol-5-yl)-2-(pyrrolidin-1-yl)pentan-1-one	P II	x
Methylnaphthidate	HDMP-28	methyl-naphthalen-2-yl(piperidin-2-yl)acetate		x
Methylone	β -keto-3,4-methylenedioxyamphetamine, bk-MDMA	1-(1,3-benzodioxol-5-yl)-2-(methylamino)propan-1-one	P II	x
Methylpentynol		3-methylpent-1-yn-3-ol		x
Methylphenidate	Phenidylate	methyl 2-phenyl-2-(piperidin-2-yl)acetate	P II	x

Methylphenobarbital	Mephobarbital, Mephobarbitone	5-ethyl-1-methyl-5-phenyl- 1,3-diazinane-2,4,6-trione	P IV	x
Methyprylon		3,3-diethyl-5- methylpiperidine-2,4-dione	P IV	
Metizolam		4-(2-chlorophenyl)-2-ethyl- 6H-thieno[3,2f] [1,2,4]triazolo[4,3-a] [1,4]diazepine		x
Metodesnitazene	metazene	<i>N,N</i> -diethyl-2-(2-(4- methoxybenzyl)-1 <i>H</i> - benzimidazol-1-yl)ethan-1- amine		x
Metopon	5-methyl-dihydromorphone	4,5-epoxy-3-hydroxy-5,17- dimethylmorphinan-6-one	N I	
Metonitazene		<i>N,N</i> -diethyl-2-(2-(4- methoxybenzyl)-5-nitro- 1Hbenzo[d]imidazol-1- yl)ethan-1-amine	N I	x
Metoxisopropamine	MXiPr	2-(isopropylamino)-2-(3- methoxyphenyl)cyclohexan- one		x
Metoxpropamine	MXPr	2-(3-methoxyphenyl)-2- (propylamino)cyclohexan- 1-one		x
MFPVP	3-Me-4F-PVP	1-(4-fluoro-3- methylphenyl)-2- (pyrrolidin-1-yl)pentan- 1-one		x
Midazolam		8-Chloro-6-(2- fluorophenyl)-1-methyl-4 <i>H</i> - imidazo[1,5a] [1,4]benzodiazepine	P IV	x
MIPT		<i>N</i> -[2-(1 <i>H</i> -indol-3-yl)ethyl]- <i>N</i> -methylpropan-2-amine		x
Mitragynine		Methyl (E)-2-(3-ethyl-8- methoxy- 1,2,3,4,6,7,12,12b-octa- hydroindolo[2,3- a]quinolizin-2-yl)-3- methoxyprop-2-enoate		x
MMB-022	AMB-4en-PICA	methyl-3-methyl-2-[1- (pent-4-en-1-yl)-1 <i>H</i> -indol- 3-carboxamido]butanoate		x
MMB-CHMICA	AMB-CHMICA	methyl-2-[1- (cyclohexylmethyl)-1 <i>H</i> - indol-3-carboxamido]-3- methylbutanoate		x
MMB-FUBICA	AMB-FUBICA, FUB-AMB	methyl-2-[1-(4- fluorobenzyl)-1 <i>H</i> -indol-3- carboxamido]3- methylbutanoate	P II	x
MMDA	3-methoxy-4,5- methylenedioxyamphetamin e, 3-methoxy-MDA	1-(7-methoxy-1,3- benzodioxol-5-yl)propan-2- amine	P I	x
MMDA-2	6-metoxy-MDA	6-methoxy-3,4- methylenedioxyamphetamin e		x
Modafinil		2- [(diphenylmethyl)sulfinyl]a- cetamide		x
MOPPP*		4'-methoxy- α - pyrrolidinopropiophenone		x

Moramide-intermediate		3-methyl-4-(morpholin-4-yl)-2,2-diphenylbutanoic acid	N I	
Morpheridine	Morpholinoethylnorpethidine	ethyl 1-[(2-morpholin-4-yl)ethyl]-4-phenylpiperidine-4-carboxylate	N I	
Morphine		7,8-didehydro-4,5-epoxy-17-methylmorphinan-3,6-diol	N I	x
Morphine methylbromide	Morphine methobromide, Morphosan og önnur morfinúrefni með 5-gildu köfnunarefni	3,6-dihydroxy-17,17-dimethyl-7,8-didehydro-4,5-epoxymorphinan-17-ium bromide	N I	x
Morphine-N-oxide	Genomorphine	7,8-didehydro-4,5-epoxy-17-methylmorphinan-3,6-diol 17-oxide	N I	x
MPHP*		4-methylphenylpyrrolidinylhexanone		x
MPhP-2201		methyl-3-phenyl-2-[1-(5-fluoropentyl)-1H-indol-3-carboxamido]propanoate		x
MT-45		1-cyclohexyl-4-(1,2-diphenylethyl)-piperazine	N I	x
Myrophine	Myristylbenzylmorphine	7,8-didehydro-4,5-epoxy-17-methyl-3-(phenylmethoxy)morphinan-6-yl tetradecanoate	N I	
N,N-dimethylpentylon		1-(1,3-benzodioxol-5-yl)-2-(dimethylamino)-1-pentanone		x
Nabilone		1-hydroxy-6,6-dimethyl-3-(2-methyl-2-octanyl)-6,6a,7,8,10,10a-hexahydro-9H-benzo[c]chromen-9-one		x
N-acetylmescaline		N-[2-(3,4,5-trimethoxyphenyl)ethyl]acetamide		x
Naphyrone	Naphthylpyrovalerone	1-naphthalen-2-yl-2-pyrrolidin-1-ylpentan-1-one		x
N-Desethyl isotonitazene		N-ethyl-2-[2-[(4-isopropoxyphenyl)methyl]-5-nitrobenzimidazol-1-yl]ethanamine	N I	x
N-desetyletonitazene		2-[2-[(4-ethoxyphenyl)methyl]-5-nitrobenzimidazol-1-yl]-N-ethyl-ethanamine		x
n-desethylprotonitazene		N-ethyl-2-(5-nitro-2-(4-propoxybenzyl)-1Hbenzo[d]imidazol-1-yl)ethan-1-amine		x
N-desetylisotonitazene		N-ethyl-2-[2-[(4-isopropoxyphenyl)methyl]-5-nitrobenzimidazol-1-yl]ethanamine		x
N-ethylbuphedrone	NEB	2-(ethylamino)-1-phenylbutan-1-one		x
N-ethyl-heptedrone		2-(ethylamino)-1-phenylheptan-1-one		x
N-ethylhexedrone	NEH	2-(ethylamino)-1-phenylhexan-1-one	P II	x

N-ethylisohexedrone		2-(ethylamino)-4-methyl-1-phenyl-pentan-1-one		x
N-ethylorketamine		2-(ethylamino)-2-(2-chlorophenyl)cyclohexan-1-one		x
N-ethylorpentylone	Efylon, ephylone	1-(1,3-benzodioxol-5-yl)-2-(ethylamino)-1-pentanone	P II	
N-ethyl-pentedron	NEP	2-(ethylamino)-1-phenyl-pentan-1-one		x
N-hydroxyamphetamine		N-(1-phenylpropan-2-yl)hydroxylamine		x
N-hydroxy-MDA	N-OH-MDA	N-hydroxy- α -methyl-1,3-benzodioxole-5-ethanamine		x
Nicocodine	Lyopect, Nicocodeine	3-methoxy-17-methyl-7,8-didehydro-4,5epoxymorphinan-6-yl nicotinate	N II+III	
Nicodicodine	Nicodicodeine	3-methoxy-17-methyl-4,5-epoxymorphinan-6-yl nicotinate	N II+III	
Nicomorphine		7,8-didehydro-4,5-epoxymorphinan-17-methyl-3nicotinoyloxy-6-yl nicotinate	N I	
Nifoxipam	3-hydroxydesmethylflunitrazepam	5-(2-fluorophenyl)-3-hydroxy-7-nitro-1Hbenzo[e][1,4]diazepin-2(3H)-one		x
Nimetazepam		1,3-dihydro-1-methyl-7-nitro-5-phenyl-2H-1,4benzodiazepin-2-one	P IV	x
Nitrazepam		7-nitro-5-phenyl-1,3-dihydro-1,4-benzodiazepin-2-one	P IV	x
Nitrazolam		6-phenyl-1-methyl-8-nitro-4H-[1,2,4]triazolo[4,3a][1,4]benzodiazepine		x
NM-2201		naphthalen-1-yl-1-(5-fluoropentyl)-1H-indol-3carboxylate		x
N-Methyl-2-AI	N-metyl-2AI, N-methyl-2-aminoindane	N-methyl-2,3-dihydro-1H-inden-2-amine		x
N-methylmescaline		N-methyl-2-(3,4,5-trimethoxyphenyl)ethanamine		x
Noracymethadol		6-(methylamino)-4,4-diphenylheptan-3-yl acetate	N I	
Norcodeine		7,8-didehydro-4,5-epoxy-3-methoxymorphinan-6-ol	N II+III	
Nordazepam	Desoxydemoxepam, Nordiazepam, Desmethyliazepam	7-chloro-1,3-dihydro-5-phenyl-2H-1,4-benzodiazepin-2one	P IV	x
Norfludiazepam		5-(2-fluorophenyl)-7-chloro-1,3-dihydro-2H-1,4benzodiazepin-2-one		x
Norlevorphanol		morphinan-3-ol	N I	
Normethadone	Desmethylmethadone, Phenylidimazone	6-(dimethylamino)-4,4-diphenylhexan-3-one	N I	
Normorphine	Desmethylmorphine	7,8-didehydro-4,5-epoxymorphinan-3,6-diol	N I	x
Norpipanone		4,4-diphenyl-6-(piperidin-1-yl)hexan-3-one	N I	

N,N-dimethyl etonitazene	N,N-dimethylamino etonitazene, Etonitazene N,N-dimethylamine analogue	N,N-dimethyl-2-[(4-ethoxyphenyl)methyl]-5-nitro-1H-benzimidazole-1-ethanamine		x
N-Piperidinyl etonitazene	etonitazepipne	2-(4-ethoxybenzyl)-5-nitro-1-(2-(pyrrolidin-1-yl)ethyl)-1H-benzimidazole	N I	x
N-piperidinyl isotonitazene	Isotonitazepipne	2-(4-isopropoxybenzyl)-5-nitro-1-(2-(piperidin-1-yl)ethyl)-1H-benzo[d]imidazole		x
N-Propylnorpentedrone		1-phenyl-2-(propylamino)pentan-1-one		x
N-pyrrolidino metonitazene	Metonitazepyne	2-(4-methoxybenzyl)-5-nitro-1-(2-(pyrrolidin-1-yl)ethyl)-1H-benzo[d]imidazole	N I	x
N-pyrrolidino protonitazene		5-nitro-2-[(4-propoxyphenyl)methyl]-1-(2-pyrrolidin-1ylethyl)benzimidazole	N I	x
Ocfentanil	ocfentanyl	N-(2-fluorophenyl)-2-methoxy-N-(1-phenethylpiperidin-4-yl)acetamide	N I	
O-Desmethyltramadol	O-DSMT, O-demethyltramadol	3-[2-[(dimethylamino)methyl]-1-hydroxycyclohexyl]phenol		x
Ohmefentanyl	β -hydroxy-3-methylfentanyl, OMF	N-[1-[2-hydroxy-2-phenylethyl]-3-methylpiperidin-4-yl]N-phenylpropanamide	N I+IV	x
Opium	Þ.e. hverslags vara úr hrá-ópíum sem unnin er með ýmsum framleiðsluaðferðum, svo sem upplausn, suðu, ristun og gerjun í þeim tilgangi að umbreyta þykkni og gera það hæft til neyslu. Einnig leyfar sem verða eftir við reykingu á ópíum.		N I+III	x
Oripavine	3-O-demethyl-thebaine	6,7,8,14-tetrahydro-4,5-epoxy-6-methoxy-17methylmorphinan-3-ol	N I	
Ortetamine	2-methylamphetamine	1-(2-methylphenyl)propan-2-amine		x
Orthofluorofentanyl	2-fluorofentanyl	N-[1-(2-phenylethyl)piperidin-4-yl]-N-(2fluorophenyl)propanamide	N I	
Oxazepam		7-chloro-1,3-dihydro-3-hydroxy-5-phenyl-2H-1,4benzodiazepin-2-one	P IV	x
Oxazolam		10-chloro-2-methyl-11b-phenyl-2,3,5,7-tetrahydro-[1,3]oxazolo[3,2-d][1,4]benzodiazepin-6-one	P IV	x
Oxycodone		4,5-epoxy-14-hydroxy-3-methoxy-17-methylmorphinan-6-one	N I	x

Oxymorphone	Opana, Numorphan	4,5 α -epoxy-3,14-dihydroxy-17-methylmorphinan-6-one	N I	x
Parafluorobutyrylfentanyl		N-(4-fluorophenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]butanamide	N I	x
Para-fluorofentanyl		N-(4-fluorophenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]propanamide	N I+IV	x
Parahexyl	Synhexyl	3-hexyl-6,6,9-trimethyl-7,8,9,10-tetrahydrobenzo[c]chromen-1-ol	P I	x
para-methyl-AP-237		(1-[4-[2E]-3-(4-methylphenyl)-2-propen-1-yl]-1-piperazinyl-1-butanone		x
para-Methoxyphenylpiperazine	MeOPP, 4-MPP	1-(4-methoxyphenyl)piperazine		x
Pemoline		2-amino-5-phenyl-1,3-oxazol-4-one	P IV	x
Pentazocine		6,11-dimethyl-3-(3-methylbut-2-enyl)-1,2,3,4,5,6-hexahydro-2,6-methano-3-benzazocin-8-ol	P III	
Pentedrone		1-phenyl-2-(methylamino)pentan-1-one	PII	
Pentobarbital	Pentobarbitone	5-ethyl-5-(pentan-2-yl)-1,3-diazinane-2,4,6-trione	P III	x
Pentylone		1-(1,3-benzodioxol-5-yl)-2-(methylamino)pentan-1-one		x
PEPAP	1-(2-phenylethyl)-4-phenyl-4-acetoxypiperidine	4-phenyl-1-(2-phenylethyl)piperidin-4-yl acetate	N I+IV	
Pethidine	Meperidine	ethyl 1-methyl-4-phenylpiperidine-4-carboxylate	N I	x
Pethidine intermediate A		1-methyl-4-phenylpiperidine-4-carbonitrile	N I	x
Pethidine intermediate B	Norpethidine, Normeperidine	ethyl 4-phenylpiperidine-4-carboxylate	N I	x
Pethidine intermediate C	Pethidinic acid	1-methyl-4-phenylpiperidine-4-carboxylic acid	N I	x
Phenadoxone		6-(morpholin-4-yl)-4,4-diphenylheptan-3-one	N I	
Phenamproide		N-phenyl-N-[(1-piperidin-1-yl)propan-2-yl]propanamide	N I	
Phenazepam		7-bromo-5-(2-chlorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one	P IV	x
Phenazocine		6,11-Dimethyl-3-(2-phenylethyl)-1,2,3,4,5,6-hexahydro-2,6-methano-3-benzazocin-8-ol	N I	
Phencyclidine	PCP, „Englaryk“	1-(1-phenylcyclohexyl)piperidine	P II	x
Phendimetrazine	Bontril	3,4-dimethyl-2-phenylmorpholine	P IV	x

Phenibut		4-amino-3-phenylbutanoic acid		x
Phenmetrazine	Oxazimedrine, Preludin	3-methyl-2-phenylmorpholine	P II	x
Phenobarbital	Phenobarbitone	5-ethyl-5-phenyl-1,3-diazinane-2,4,6-trione	P IV	x
Phenomorphan		17-(2-phenylethyl)morphinan-3-ol	N I	x
Phenoperidine		ethyl 1-(3-hydroxy-3-phenylpropyl)-4-phenylpiperidine-4-carboxylate	N I	
Phentermine	Phenyl-tertiary-butylamine	2-methyl-1-phenylpropan-2-amine	P IV	
Phenylisobutylamine	PBA	1-phenylbutan-2-amine		x
Pholcodine		7,8-didehydro-4,5-epoxy-17-methyl-3-[2-(morpholin-4yl)ethoxy]morphinan-6-ol	N II+III	
Piminodine	Alvodine	ethyl 1-(3-anilinopropyl)-4-phenylpiperidine-4carboxylate	N I	
Pinazepam		7-chloro-1,3-dihydro-5-phenyl-1-(prop-2-ynyl)-2H-1,4benzodiazepin-2-one	P IV	x
Pipradrol		diphenyl(piperidin-2-yl)methanol	P IV	
Piritramide		1-(3-cyano-3,3-diphenylpropyl)-4-(piperidin-1yl)piperidine-4-carboxamide	N I	
p-MePPP		1-(4-methylphenyl)-2-(pyrrolidin-1-yl)propan-1-one		x
Poppy straw	Valmúastrá ásamt þykkni unnu úr valmúastrái		N I	
Prazepam		7-chloro-1-(cyclopropylmethyl)-1,3-dihydro-5-phenyl-2H-1,4-benzodiazepin-2-one	P IV	x
Pregabalin		(3S)-3-(aminomethyl)-5-methylhexanoic acid		
Proheptazine		1,3-dimethyl-4-phenylazepan-4-yl propionate	N I	
Properidine		propan-2-yl 1-methyl-4-phenylpiperidine-4-carboxylate	N I	
Propiram		N-(1-(piperidin-1-yl)propan-2-yl)-N-(pyridin-2yl)propanamide	N II+III	
Propylhexedrine		1-cyclohexyl-N-methylpropan-2-amine		x
Propylphenidate		propyl-2-phenyl-2-(piperidin-2-yl)acetate		x
Proscaline	4-Propoxy-3,5-DMPEA proscaline	3,5-dimethoxy-4-propoxyphenethylamine		x
Protonitazene		N,N-diethyl-2-[5-nitro-2-[(4-propoxyphenyl)methyl]benzimidazol-1-yl]ethanamine	N I	x

Psilocin	Psilotsin, 4-OH-DMT, 4-Hydroxy-N,Ndimethyltryptamine	3-[2-(dimethylamino)ethyl]-1 <i>H</i> -indol-4-ol	PI	x
Psilocybin		3-[2-(dimethylamino)ethyl]-1 <i>H</i> -indol-4-yl dihydrogen phosphate	PI	x
PV9	α -POP	1-phenyl-2-(pyrrolidin-1-yl)octan-1-one		x
Pyrazolam		8-bromo-1-methyl-6-(pyridin-2-yl)-4Hbenzo[f][1,2,4]triazolo[4,3-a][1,4]diazepine		x
Pyrithyldione		3,3-diethyl-1 <i>H</i> -pyridine-2,4-dione		x
Pyrovalerone	4-methyl- β -ketone-prolintane, Centroton	1-(4-methylphenyl)-2-(pyrrolidin-1-yl)pentan-1-one	P IV	
Racemethorphan		(1 <i>RS</i> ,9 <i>RS</i> ,10 <i>RS</i>)-4-methoxy-17-methyl-17-azatetracyclo[7.5.3.0 ^{1,10} .0 ^{2,0}]heptadeca-2,4,6-triene	N I	
Racemoramide		(3 <i>RS</i>)-3-methyl-4-morpholin-4-yl-2,2-diphenyl-1pyrrolidin-1-ylbutan-1-one	N I	
Racemorphan		17-methylmorphinan-3-ol	N I	
RCS-4	SR-19, OBT-199, BTM-4, E-4	(4-methoxyphenyl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanone		x
RCS-4 4-hydroxyphenyl analogue		(4-hydroxyphenyl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanone		x
RCS-4 C4 homologue		(1-butyl-1 <i>H</i> -indol-3-yl)(4-methoxyphenyl)methanone		x
RCS-4 meta Isomer	RCS-4 3-methoxy Isomer	(3-methoxyphenyl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanone		x
RCS-4 ortho Isomer	RCS-4 2-methoxy Isomer	(2-methoxyphenyl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanone		x
Remifentaniil		methyl 1-(3-methoxy-3-oxopropyl)-4-(Npropanoylanilino)piperidine-4-carboxylate	N I	x
Remimazolam		methyl 3-((4 <i>S</i>)-8-bromo-1-methyl-6-(pyridin-2-yl)-4Himidazo[1,2-a][1,4]benzodiazepin-4-yl}propanoate		x
Rilmazafone		5-(((2-aminoacetyl)amino)methyl)-1-[4-chloro-2-(2-chlorobenzoyl)phenyl]-N,Ndimethyl-1,2,4-triazole-3-carboxamide		x
Rolicyclidine	PCPy, PHP	1-(1-phenylcyclohexyl)pyrrolidine	PI	x
<i>Salvia divinorum</i>				x

Salvinorin A		methyl 9-acetyloxy-2-(furan-3-yl)-6a,10b-dimethyl-4,10dioxo-2,4a,5,6,7,8,9,10a-octahydro-1Hbenzo[f]isochromene-7-carboxylate		x
SDB-001		N-(1-adamantyl)-1-pentyl-1H-indol-3-carboxamide		x
SDB-006		N-benzyl-1-pentyl-1H-indol-3-carboxamide		x
Sec-butonitazene		2-[2-[(4-butan-2-yloxyphenyl)methyl]-5-nitrobenzimidazol-1-yl]-N,N-diethylethanamine		x
Secbutobarbital	Secbutobarbitone, Butabarbital, Butabarbitone	5-butan-2-yl-5-ethyl-1,3-diazinane-2,4,6-trione	P IV	x
Secobarbital	Quinalbarbitone, Secobarbitone, Secobarbital sodium	5-pentan-2-yl-5-prop-2-enyl-1,3-diazinane-2,4,6-trione	P II	x
Senecioylfentanyl	β' -methyl Crotonyl fentanyl, 3,3Dimethylacrylfentanyl	3-methyl-N-(1-phenethylpiperidin-4-yl)-N-phenylbut-2-enamide		x
SL-164		5-chloro-3-(4-chloro-2-methylphenyl)-2methylquinazolin-4(3H)-one		x
STS-135		N-(1-adamantyl)-1-(5-fluoropentyl)-1H-indol-3carboxamide		x
Sufentanil		N-[4-(methoxymethyl)-1-(2-thien-2-ylethyl)piperidin-4yl]-N-phenylpropanamide	N I	x
Tapentadol		3-[1-(dimethylamino)-2-methylpentan-3-yl]phenol		x
Temazepam		7-chloro-1,3-dihydro-3-hydroxy-1-methyl-5-phenyl-2H-1,4-benzodiazepin-2-one	P IV	x
Tenamphetamine	3,4-methylenedioxyamphetamin e, MDA	1-(1,3-benzodioxol-5-yl)propan-2-amine	P I	x
Tenocyclidine	TCP	1-(1-(thien-2-yl)cyclohexyl)piperidine	P I	x
Tetrahydrocannabinolacetate	THC-O-acetate	[(6aR,10aR)-6,6,9-trimethyl-3-pentyl-6a,7,8,10atetrahydrobenzo[c]chromen-1-yl]acetate		x
Tetrahydrocannabinol	H4-CBD	2-(2-isopropyl-5-methylcyclohexyl)-5-pentylbenzene 1,3-diol		x
Tetrahydrocannabinol	THC, (-)-trans- Δ^9 -tetrahydrocannabinol og öll isomer þess og afleiður, þ.m.t. tetrahydrocannabinolsýra	6,6,9-trimethyl-3-pentyl-6a,7,8,10atetrahydrobenzo[c]chromen-1-ol	P I	x
Tetrahydrocannabinophorol	THCP	3-heptyl-6,6,9-trimethyl-6a,7,8,10a-tetrahydro-6Hbenzo[c]chromen-1-ol		x
Tetrahydrofuranlyfentanyl	tetrahydrofuranfentanyl, THF-F	N-phenyl-N-[1-(2-phenylethyl)piperidin-4yl]tetrahydrofuran-2-carboxamide	N I	x

Tetramethylcyclopropylfentanyl		N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-2,2,3,3-tetramethylcyclopropane-1-carboxamide		x
Tetrazepam		7-chloro-5-(cyclohexen-1-yl)-1,3-dihydro-1-methyl-2H-1,4-benzodiazepin-2-one	P IV	x
Thebacon	Dihydrocodeinone enol acetate	6,7-Didehydro-4,5-epoxy-3-methoxy-17methylmorphinan-6-yl acetate	N I	
Thebaine	Paramorphine, Codeine methyl enol ether	6,7,8,14-tetrahydro-4,5-epoxy-3,6-dimethoxy-17methylmorphinan	N I	
Thiafentanil		methyl-4-[phenyl(methoxyacetyl)amino]-1-[2-(2thienyl)ethyl]piperidin-4-carboxylate		x
Thiofentanyl		N-phenyl-N-[1-(2-(thien-2-yl)ethyl)piperidin-4yl]propanamide	N I+IV	x
Thiopental		5-ethyl-5-(pentan-2-yl)-2-sulfanylidene-1,3-diazinane-4,6-dione		x
THJ-2201		(1-(5-fluoropentyl)-1H-indazol-3-yl)(naphthalen-1yl)methanone		x
TH-PHP		2-(pyrrolidin-1-yl)-1-(5,6,7,8-tetrahydronaphthalen-2yl)hexan-1-one		x
TH-PVP		2-(pyrrolidin-1-yl)-1-(5,6,7,8-tetrahydronaphthalen-2yl)pentan-1-one		x
Tiletamine		2-(ethylamino)-2-(thiophen-2-yl)cyclohexan-1-one		x
Tilidine	Tilidate	ethyl 2-dimethylamino-1-phenylcyclohex-3-ene-1carboxylate	N I	
TMA	3,4,5-trimethoxyamphetamine, 3,4,5trimethoxyphenylisopropylamine	1-(3,4,5-trimethoxyphenyl)propan-2-amine	P I	x
TMA-2	2,4,5-trimethoxyamphetamine, 2,4,5trimethoxyphenylisopropylamine	1-(2,4,5-trimethoxyphenyl)propan-2-amine		x
TMA-6	2,4,6-trimethoxyamphetamine, 2,4,6trimethoxyphenylisopropylamine	1-(2,4,6-trimethoxyphenyl)propan-2-amine		x
Tramadol		2-[(dimethylamino)methyl]-1-(3methoxyphenyl)cyclohexan-1-ol		x
Triazolam	Chlorotriazolam	8-Chloro-6-(2-chlorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine	P IV	x

Trifluoromethylphenylpiperazine	TFMPP	1-[3-(trifluoromethyl)phenyl]piperazine		x
Trimeperidine		1,2,5-trimethyl-4-phenylpiperidin-4-yl propionate	N I	
Tybamate		[2-(carbamoyloxymethyl)-2-methylpentyl]Nbutylcarbamate		x
U-47700		3,4-dichlor-N-(2-(dimethylamino)cyclohexyl)-Nmethylbenzamide	N I	x
U-49900		N-[2-(diethylamino)cyclohexyl]-3,4-dichloro-Nmethylbenzamide		x
UR-144		(1-pentyl-1H-indol-3-yl)(2,2,3,3-tetramethylcyclopropyl)methanone	PII	x
Valeryl fentanyl		N-phenyl-N-[1-(2-phenylethyl)-4-piperidyl]pentanamide	NI	x
Vinbarbital	Vinbarbitone	5-ethyl-5-[(E)-pent-2-en-2-yl]-1,3-diazinane-2,4,6-trione		x
Vinylbital	Butylvinal, Vinylbitone	5-ethenyl-5-pentan-2-yl-1,3-diazinane-2,4,6-trione	P IV	x
W-15		4-chloro-N-(1-(2-phenylethyl)-piperidin-2ylidene)benzenesulfonamide		x
W-18		4-chloro-N-(1-[2-(4-nitrophenyl)ethyl]piperidin-2ylidene)benzenesulfonamide		x
WIN 55,212-2		[2,3-Dihydro-5-methyl-3-(4-morpholinylmethyl)pyrrolo[1,2,3-de]-1,4-benzoxazin-6yl](1-naphthalenylmethanone)		x
Zapizolam		8-chloro-6-(2-chlorophenyl)-4H-pyrido[2,3f][1,2,4]triazolo[4,3-a][1,4]diazepine		x
Zipeprol		1-methoxy-3-[4-(2-methoxy-2-phenylethyl)piperazin-1yl]-1-phenylpropan-2-ol	P II	x
Zolpidem		N,N-dimethyl-2-[6-methyl-2-(4-methylphenyl)imidazo[1,2-a]pyridin-3-yl]acetamide	P IV	x
zópíklón	Zopiklon			x
α-D2PV		1,2-diphenyl-2-(1-pyrrolidinyl)-ethanone		x
α-diethylmethylaminopentienone		1-fenyl-2-(1-metyletylamino)pentan-1-on		x

α - Dimethylaminopentiopheno ne				x
α -EPP		α -ethylaminopentiophenone		x
α -methylfentanyl		<i>N</i> -phenyl- <i>N</i> -[1-(1-phenylpropan-2-yl)piperidin-4yl]propanamide	N I+IV	x
α -methylthiofentanyl		<i>N</i> -phenyl- <i>N</i> -[1-(1-thien-2-yl)propan-2-yl]piperidin-4-yl] propanamide	N I+IV	x
α -methyltryptamine	AMT, Indopan	1-(1 <i>H</i> -indol-3-yl)propan-2-amine		x
α -PCYP		2-cyclohexyl-1-phenyl-2-(pyrrolidin-1-yl)ethan-1-one		x
α -PEP		1-phenyl-2-(pyrrolidin-1-yl)heptan-1-one		x
α -PHP		1-phenyl-2-(pyrrolidin-1-yl)hexan-1-one	P II	x
α -PHPP		α -pyrrolidinoheptophenone		x
α -PNP		1-phenyl-2-(pyrrolidin-1-yl)nonan-1-one		x
α -POP		1-phenyl-2-(pyrrolidin-1-yl)octan-1-one		x
α -pyrrolidinobutiophenone	α -PBP	1-phenyl-2-(pyrrolidin-1-yl)butan-1-one		x
α -pyrrolidinopentiophenone	α -pyrrolidinovalerophenone, α -PVP	1-phenyl-2-(pyrrolidin-1-yl)pentan-1-one	P II	x
α -pyrrolidinopropiophenone	α -PPP	1-phenyl-2-(pyrrolidin-1-yl)propan-1-one		x
α -TMT		α - <i>N,N</i> -trimethyltryptamin		x
β -hydroxy-3-methylfentanyl		<i>N</i> -[1-(β -hydroxyphenethyl)-3-methyl-4piperidyl]propionanilide	N I + IV	x
β -hydroxyfentanyl		<i>N</i> -[1-(2-hydroxy-2-phenylethyl)piperidin-4-yl]- <i>N</i> phenylpropanamide	N I+IV	x
Δ 8-THC	Δ 8-tetrahydrocannabinol	6a,7,10,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6Hdibenzo[b,d]pyran-1-ol	P I	x

FYLGISKJAL II**Fylgiskjal II.***Skýringar*

D I - II: Efni listuð á fylgiskjöllum I-II með alþjóðasamningi gegn ólöglegri verslun með ávana- og fíkniefni 1988 (Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances 1988).

Efni	Annað nafn	D I - II
1-boc-4-AP	4-(phenylamino)-1-piperidinecarboxylic acid	D I
1-phenyl-2-propanone	Fenýlaseton, benzýlmetýlketón	D I
3,4-MDP-2-P methyl glycidate		D I
3,4-MDP-2-P methyl glycidic acid		D I
3,4-MDP-2-P methyl glycidic acid, butyl ester		D I
3,4-MDP-2-P methyl glycidic acid, ethyl ester		D I
3,4-MDP-2-P methyl glycidic acid, isobutyl ester		D I

3,4-MDP-2-P methyl glycidic acid, isopropyl ester		D I
3,4-MDP-2-P methyl glycidic acid, propyl ester		D I
3,4-MDP-2-P methyl glycidic acid, <i>sec</i> -butyl ester		D I
3,4-MDP-2-P methyl glycidic acid, <i>tert</i> -butyl ester		D I
4-Anilino-N-phenethylpiperidine	ANPP	D I
4-Piperidone		D I
Acetic anhydride	Ediksýruanhýdríð	D I
Acetone	Asetón	D II
alpha-Phenylacetoacetamide	APAA	D I
alpha-Phenylacetoacetonitrile	APAAN	D I
Anthranilic acid	Antranílsýra	D II
Ephedrine	Efedrín	D I
Ergometrine	Ergometrín, Ergónóvín	D I
Ergotamine	Ergotamín	D I
Ethyl ether	Etýleter, eter, díetýleter	D II
Hydrochloric acid	Saltsýra, múratínsýra	D II
Isosafrole	Ísósafról	D I
Lysergic acid	Lýsergsýra	D I
Methyl <i>alpha</i> -phenylacetoacetate	MAPA	D I
Methyl ethyl ketone	2-bútanón, MEK	D II
N-acetylanthranilic acid	N-asetylantranílsýra	D I
Norephedrine		D I
Norfentanyl		D I
N-Phenethyl-4-piperidone	NPP	D I
N-Phenyl-4-piperidinamine	4-AP	D I
Phenylacetic acid	Fenýlediksýra	D I
P-2-P methyl glycidic acid	BMK glycidic acid	D I
P-2-P methyl glycidic acid, butyl ester		D I
P-2-P methyl glycidic acid, ethyl ester		D I
P-2-P methyl glycidic acid, isobutyl ester		D I
P-2-P methyl glycidic acid, isopropyl ester		D I
P-2-P methyl glycidic acid, methyl ester		D I
P-2-P methyl glycidic acid, propyl ester		D I
P-2-P methyl glycidic acid, <i>sec</i> -butyl ester		D I
P-2-P methyl glycidic acid, <i>tert</i> -butyl ester		D I
Piperidine	Piperidín, hexahydropyridín	D II
Piperonal	Piperonal, heliótrópín	D I
Potassium permanganate	Kalíumpermanganat	D I
Pseudoephedrine	Pseudóefedrín	D I
Safrole	Safról	D I
Sulphuric acid	Brennisteinssýra, vítríólóla	D II
<i>tert</i> -Butyl 4-oxopiperidine-1-carboxylate	1-boc-4-piperidone	D I
Toluene	Tólúen, metýlbensen	D II

Fyrirvari

Reglugerðir eru birtar í B-deild Stjórnartíðinda skv. 3. gr. laga um Stjórnartíðindi og Lögbirtingablað, nr. 15/2005, sbr. reglugerð um útgáfu Stjórnartíðinda nr. 958/2005.

Sé misræmi milli þess texta sem birtist hér í safninu og þess sem birtur er í útgáfu B-deildar Stjórnartíðinda skal sá siðarnefndi ráða.