

REGLUGERÐ

um ávana- og fíkniefni og önnur eftirlitsskyld efni.

I. KAFLI

Almenn ákvæði.

1. gr.

Ávana- og fíkniefni.

Með ávana- og fíkniefnum og öðrum eftirlitsskyldum efnum er átt við:

- Efni, sem skráð eru á listum I - IV í alþjóðasamningi um ávana- og fíkniefni 1961 með síðari breytingum, (Single Convention on Narcotic Drugs 1961), merkt N I – N IV í fylgiskjali I með þessari reglugerð.
- Efni, sem skráð eru á listum I - IV í alþjóðasamningi um ávana- og fíkniefni 1971 ásamt viðaukum, (Convention on Psychotropic Substances 1971), merkt P I – P IV í fylgiskjali I með þessari reglugerð.
- Efni, sem nota má við ólöglega ræktun, framleiðslu eða tilbúning ávana- og fíkniefna og annarra eftirlitsskyldra efna og skráð eru í listum I - II í alþjóðasamningi gegn ólöglegri verslun með ávana- og fíkniefni 1988, (United Nations Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances 1988), merkt D I – D II í fylgiskjali II með þessari reglugerð.

- Ennfremur Enn fremur sölt, esta, amíð, peptíð og hvers konar afleiður (afbrigði) efnanna sem tilgreind eru í fylgiskjölum I og II, þar með taldir afleiður, sem eru frábrugðnar upprunalega efninu (viðmiðunarefninu) að því er varðar staðsetningu efnahóps eða efnahópa á kolefni, köfnunarefni, súrefni og/eða brennisteini.

Einnig er átt við lyfjaform áðurgreindra efnasambanda (t.d. töflur, hylki, stungulyf) svo og önnur lyf og efni sem misnota má á svipaðan hátt og hafa skaðleg áhrif á heilsu manna.

Hugtakið ávana- og fíkniefni tekur einnig til ávana- og fíknilyfja.

- Ávana- og fíknilyf eru þau lyf, sem ætla má að geti haft skaðleg áhrif vegna fíkni- eða ávanahættu, enda geti þau vegna eiginleika sinna valdið því að notandi þeirra þeirri verði háður þeim vegna vanabindingar eða líkamlegrar fíknar.

2. gr.

Bannákvæði.

Innflutningur, útflutningur, sala, kaup, skipti, afhending, móttaka, framleiðsla, tilbúningur og varsla ávana- og fíkniefna, sem merkt eru með "x" í dálki B í fylgiskjali I með reglugerð þessari er óheimil á íslensku forráðasvæði.

Heilbrigðis Bann skv. 1. mgr. gildir ekki um:

- Efni sem hefur fengið undanþágu skv. 3. mgr. 2. gr. laga um ávana- og tryggingamálaráðherra fíkniefni, nr. 65/1974.
- Lyf sem hefur markaðsleyfi Lyfjastofnunar samkvæmt lyfjalögum.
- Lyf sem heimilað er samkvæmt lyfjalögum.
- Efni sem heimilt er að flytja inn eða út, framleiða og selja í heilðsölu, sbr. 1. mgr. 6. gr.

Lyfjastofnun getur veitt undanþágu frá þessu banni skv. 1. mgr. vegna vísindalegra rannsókna eða af öðrum sérstökum ástæðum. Nú er reglum eða skilyrðum, sem ráðherra Lyfjastofnun setur um slíkar undanþágur ekki fullnægt og er ráðherra Lyfjastofnun þá heimilt að nema þegar í stað úr gildi eða takmarka slíkar undanþágur.

II. KAFLI

Eftirritunarskylda og förgun.

3. gr.

Eftirritunarskylda.

Ávana- og fíknilyf eru eftirritunarskyld, ef þau vegna eiginleika sinna geta haft í för með sér sérstaka hættu á misnotkun.

Lyf, sem innihalda efni sem merkt eru N I - N IV og P I - P III í fylgiskjali I eru eftirritunarskyld.

Lyfjastofnun er heimilt að höfðu samráði við landlækni, að bæta við eða undanskilja eftirritunarskyldu ákveðin lyf, lyfjaform eða styrkleika. Um eftirritunarskyld lyf gilda sérstakar reglur um ávísun þeirra, afgreiðslu, móttöku og skráningu upplýsinga, sbr. reglugerð um ~~ávísun lyfja og gerð lyfseðla og reglugerð um afgreiðslu lyfseðla, áritun lyfjaávisanir~~ og afhendingu lyfja, með síðari breytingum.

4. gr.

Ákvörðun um eftirritunarskyldu.

Við veitingu markaðsleyfis vegna lyfs, sem fellur undir ákvæði 3. gr., skal Lyfjastofnun kveða á um eftirritunarskyldu. Þegar um er að ræða lyf í ATC-flokkum N 05 B A og N 05 C skal takmarka það magn, sem ~~ávísu afgreiða~~ má hverju sinni og miða við ákvæði 10. gr. þessarar reglugerðar.

Lyfjastofnun skal á aðgengilegan hátt birta upplýsingar um eftirritunarskyldu lyfs við veitingu markaðsleyfis.

5. gr.

Förgun eftirritunarskyldra lyfja ávana- og efna. fíkniefna

Fyrnd eða ónýt eftirritunarskyld lyf úr birgðum lyfjabúða skulu send Lyfjastofnun til förgunar með ábyrgðarpósti eða afhent starfsmanni stofnunarinnar. Í fylgibréfi skal tilgreina hvaða lyf er um að ræða og í hvað magni, auk þess sem fram skal koma dagsetning og hver sendandinn er. Lyfjastofnun skal staðfesta skriflega móttöku eftirritunarskyldra lyfja til förgunar.

Þrátt fyrir ákvæði 1. mgr. er heimilt að skila fyrndum eftirritunarskyldum lyfjum til lyfjaheildsölu, ef unnt er að fá þau endurgreidd að hluta eða fullu. Staðfestingu lyfjaheildsölu á móttöku lyfjanna skal varðveita í lyfjabúð í að minnsta kosti 2 ár.

Lyfjastofnun getur heimilað, að eftirritunarskyldum lyfjum sé fargað á vegum lyfjabúðar. Slík heimild skal vera skrifleg og setja má skilyrði um framkvæmd og annað er stofnunin telur nauðsynlegt. Eftirritunarskyld lyf, sem skilað er til lyfjabúðar, skal senda með tryggilegum hætti til förgunar með öðrum lyfjum.

Óheimilt er að farga ávana- og fíkniefnum nema í samráði við Lyfjastofnun og að viðstöddum starfsmanni stofnunarinnar.

~~Aðilar, sem annast vörslu og meðferð efna skv. reglugerð þessari skulu gera ársskýrslur varðandi umrædd efni á sérstöku eyðublaði, sem látið er í té af heilbrigðis- og tryggingamálaráðuneytinu. Ennfremur skulu þeir gefa á hverjum tíma þær skýrslur og upplýsingar, sem ráðuneytið telur nauðsynlegar til eftirlits.~~

III. KAFLI

Inn- og útflutningur.

6. gr.

Inn- og útflutningur ávana- og fíkniefna.

Efni, sem merkt eru N I - N IV, P I - P IV og D I í fylgiskjöllum með reglugerð þessari ~~eða efni sem merkt eru með "x" í dálki B í fylgiskjali I með reglugerð þessari~~ er aðeins heimilt að flytja inn eða út, framleiða og selja í heildsölu að fengnu leyfi ~~heilbrigðis- og tryggingamálaráðherra~~ Lyfjastofnunar.

Þeir sem hyggjast flytja inn efni samkvæmt 1. mgr., hvort sem er í formi hráefnis eða lyfjaforma, skulu sækja um innflutningsleyfi til ~~heilbrigðis- og tryggingamálaráðuneytisins~~ Lyfjastofnunar í hvert sinn, áður en pöntun er gerð. Í umsókn skal greina:

1. Nafn og heimilisfang umsækjanda.

2. Nafn og heimilisfang seljanda/kaupanda.
3. Heiti og magn efnis, sem um er að ræða (INN nafn).
4. Til hvers á að nota efnið.

7. gr.

Inn- og útflutningur efna, sem nota notuð má við eruvið ólöglega ræktun, framleiðslu eða tilbúning ávana- og fíkniefna og annarra eftirlitsskyldra efna.

Efni, sem merkt eru D II í fylgiskjali II er aðeins heimilt að flytja inn eða út, framleiða og selja í heildsölu að fengnu leyfi heilbrigðis- og tryggingamálaráðherra Lyfjastofnunar og skal leyfið bundið hverju einstöku efni. Aðilar, sem annast vörslu og meðferð þessara efna skulu fylgja ákvæðum um skráningu á afhendingu eftirlitsskyldra efna skv. nánari leiðbeiningum þar að lútandi. Innflytjandi skal hafa leyfi heilbrigðis- og tryggingamálaráðherra Lyfjastofnunar til innflutnings og framvísa tollyfirvöldum sé þess krafist.

Þeir sem hyggjast flytja inn efni samkvæmt 1. mgr., hvort sem er í formi hráefnis eða lyfjaforma, skulu sækja um innflutningsleyfi til heilbrigðis- og tryggingamálaráðuneytis Lyfjastofnunar í hvert sinn, áður en pöntun er gerð, þegar um er að ræða efni, sem merkt eru D I og efni, sem merkt eru D-H, ef magn er meira en það hámark, sem tilgreint er í fylgiskjali II. Í umsókn skal greina sömu atriði og kveðið er á um í 2. mgr. 6. gr.

Leyfishöfum er einum heimilt að afhenda umrædd efni öðrum aðila, sem hefur leyfi ráðherra Lyfjastofnunar til vörslu, meðferðar eða sölu þeirra. Þetta ákvæði nær ekki til afhendingar lyfjabúða og annarra, er leyfi hafa til lyfjasölu.

8. gr.

Skilyrði fyrir tollafgreiðslu.

Það Óheimilt er skilyrði að fyrir tollafgreiða tollafgreiðslu efni efna, sem skv. 7. gr. tekur til, að í bókhaldi viðkomandi inn- eða og útflytjanda liggja nema fyrir liggja leyfi heilbrigðis- og tryggingamálaráðherra Lyfjastofnunar. Í sendingum skulu koma fram upplýsingar um heiti efna sem skulu vera í samræmi við inn- eða útflutningsleyfi hverju sinni, en slík áritun skal ekki vera á ytri umbúðum sendinga. Jafnskjótt og innflytjandi hefur veitt efninu viðtöku, skal hann rita dagsetningu, heiti og magn efnisins sem hann veitti viðtöku á afrit sitt af innflutningsleyfinu og senda afritið til heilbrigðis- og tryggingamálaráðuneytisins Lyfjastofnunar.

9. gr.

Inn- og útflutningsleyfi.

Innflutningsleyfið Inn- eða útflutningsleyfi skv. 7. gr. gildir að jafnaði í fjóra mánuði nema heilbrigðis-annað og sé tryggingamálaráðuneytið tekið heimili fram annað í leyfi Lyfjastofnunar. Sé útgefið leyfi ekki notað skal tilkynna Lyfjastofnun um það ráðuneytinu með skriflega rafrænum hætti í síðasta lagi þann dag, er sem leyfið rennur út. Ef um óunnið eða hálfunnið hráefni er að ræða, skal flytja inn heimilað magn í einu lagi.

Lyfjastofnun Sömu er heimilt að fella úr gildi inn- eða útflutningsleyfi uppfylli leyfið ekki ákvæði og reglugerðar að framan greinir um innflutning gilda einnig, ef um útflutning er að ræða þessarar.

Ákvæði þessi 1. um mgr. innflutning gildir og útflutning eiga ekki við hvorki um þau ávana- og fíknilyf, sem samkv. samkvæmt gildandi reglum skulu vera í lyfjakistum skipa eða og lofffara og ekki heldur né um þau lyf, sem einstaklingar með búsetu í landi, sem á aðild að Schengen-samningnum, flytja með sér til eigin nota og enda ávísað fer hefur innflutningurinn verið fram á í lögmatan samræmi hátt til allt að 30 daga notkunar, ef fyrirmælum læknis er hlítt, sbr. ákvæði 75. gr. Schengen-samningsins og við reglugerð um innflutning einstaklinga á lyfjum til eigin nota. Á sama hátt er einstaklingum með búsetu utan Schengen heimilt að flytja með sér lyf til eigin nota og ávísað hefur verið á lögmatan hátt til allt að 14 daga notkunar, ef fyrirmælum læknis er hlítt, sbr. ákvæði reglugerðar um innflutning einstaklinga á lyfjum til eigin nota.

IV. KAFLI

Lyf, sem ávísa afgreiða má í takmörkuðu magni.

10. gr.

Leyfilegt magn til afgreiðslu.

Lyfjum Lyf í ATC-flokkum N 05 B A og N 05 C, sem eru merkt P IV í fylgiskjali I má einungis ávísa afgreiða í magni, sem svarar til 30 daga notkunar og skal að öllu jöfnu miðað við skilgreindan dagskammt (Defined Daily Dose (DDD)).

Við veitingu markaðsleyfis ofangreindra lyfja skal Lyfjastofnun ákveða það magn, sem leyfilegt er að ávísa afgreiða hverju sinni og taka tillit til þeirra þakninga, sem veitt er markaðsleyfi fyrir. Að jafnaði skal miðað við, að fremur sé heimilað minna magn en meira.

Lyfjastofnun getur í samráði við landlækni, heimilað að ákveðin lyf, lyfjaform eða styrkleika sé megi ávísað afgreiða í meira magni, en svarar til 30 daga notkunar.

Upplýsingar um það magn, sem leyfilegt er að ávísa afgreiða skulu birtar í sérlyfjaskrá, en Lyfjastofnun skal á aðgengilegan hátt birta upplýsingar um leyfilegt hámarks magn á lyfseðli við veitingu markaðsleyfis.

11. gr.

Skilgreindur dagskammtur ekki tilgreindur.

Hafi skilgreindur dagskammtur lyfs, sem fellur undir 10. gr., ekki verið ákveðinn, skal Lyfjastofnun við veitingu markaðsleyfis ákveða leyfilegt magn, sem heimilað er að ávísa afgreiða hverju sinni.

Telji Lyfjastofnun að lyf, sem ekki fellur undir 10. gr. geti haft ávana- eða fiknihættu í för með sér, skal stofnunin ákveða það magn, sem leyfilegt er að ávísa afgreiða hverju sinni og taka mið af almennum ákvæðum í 10. gr.

12. gr.

Eftirritunarskylda og takmörkun á afgreiddu magni lyfja sem ekki hafa markaðsleyfi hér á landi.

Þegar Lyfjastofnun veitir heimild til notkunar lyfs er ekki hefur markaðsleyfi hér á landi, skal stofnunin ákvarða eftirritunarskyldu og takmörkun á ávísuðu afgreiddu magni í samræmi við ákvæði þessarar reglugerðar.

V. KAFLI

Eftirlit, viðurlög og gildistaka

13. gr.

Eftirlit.

Sérstakt eftirlit er haft með ávísunum á eftirritunarskyld ávana- og fiknilyf, sbr. 3. gr. Lyfjastofnun tilkynnir landlækni leiki grunur á óeðlilegum lyfjaávísunum lækna eða tannlækna á ávana- og fiknilyf, en yfirdýralækni leiki grunur á óeðlilegum lyfjaávísunum dýralækna á ávana- og fiknilyf.

Lyfjastofnun hefur eftirlit með að farið sé að ákvæðum reglugerðar þessarar. Skylt er að láta Lyfjastofnun í té þau gögn eða upplýsingar sem stofnunin telur nauðsynleg vegna eftirlitsins, sbr. samkvæmt lyfjalögum. 42.

gr. Aðilar lyfjalaga sem með annast síðari vörslu breytingum og meðferð efna samkvæmt reglugerð þessari skulu árlega gefa Lyfjastofnun skýrslu um efnin á sérstöku eyðublaði sem stofnunin útvegar og veita aðrar upplýsingar sem stofnunin telur nauðsynlegar til eftirlits.

14. gr.

Viðurlög.

Brot Um gegn viðurlög við brotum á reglugerð þessari varða fer sektum eftir eða fangelsi allt að 6 árum, nema þyngri refsing liggi við skv 5. lögum gr. Tilraun laga og hlutdeild í brotum gegn reglugerð þessari eru refsiverð samkvæmt III. kafla almennra hegningarlaga.

Ávana- og fíkniefni og önnur eftirlitsskyld efni, sem aflað hefur verið á ólögmatan hátt eða eru á annan hátt í ólögmatri vörslu, skal gera upptækt til ríkissjóðs. Þá skal og heimilt að gera upptækt til ríkissjóðs andvirði ólögmatrar sölu um ávana- og fíkniefna svo og hvers konar muni og áhöld fíkniefni, sem nr. notuð hafa verið eða ætluð eru til ólögmatrar meðferðar efnanna 65/1974.

15. gr.

Gildistaka.

Reglugerð þessi, sem sett er með heimild í 12. gr. lyfjalaga nr. 93/1994 með síðari breytingum og 2. gr. laga um ávana- og fíkniefni nr. 65 frá 21. maí 1974 með síðari breytingum öðlast gildi 1. apríl 2001. Jafnframt falla þá úr gildi 15. – 21. gr. og 43. gr. reglugerðar nr. 421/1988 um gerð lyfseðla og ávísun lyfja, afgreiðslu þeirra og merkingu. Einnig er úr gildi felld reglugerð um sölu og meðferð ávana- og fíkniefna nr. 16/1986 með síðari breytingum svo og auglýsing nr. 84/1986 um takmarkanir á ávísun lækna á amfetamín og nokkur fleiri lyf.

- Heilbrigðis- og tryggingamálaráðuneytinu, 23. mars 2001. -

- Ingibjörg Palmadóttir. -

- Ingolf J. Petersen. -

FYLGISKJALI:

- Skýringar: -

- B -

-Efni sem bönnuð eru á íslensku yfirráðasvæði, sbr. 2. gr. laga um ávana- og fíkniefni, nr. 65/1974 með síðari breytingum og 2. gr. þessarar reglugerðar.

- NI-IV -

-Efni listuð á fylgiskjöllum I-IV með alþjóðasamningi um ávana- og fíkniefni 1961 með síðari breytingum (Single Convention on Narcotic Drugs of 1961, and the Protocol of 25 March 1972 amending the Single Convention on Narcotic Drugs of 1961).

- PI-IV -

-Efni listuð á fylgiskjöllum I-IV með alþjóðasamningi um ávana- og fíkniefni 1971 með síðari breytingum (Convention on Psychotropic Substances 1971).

Efni	Annað nafn	NI – IV og PI – PIV	B	Undanbágur og athugasemdir
-3-methylfentanyl	-	NI+IV	-	-
-3-methylthiofentanyl	-	NI+IV	-	-
-4-methylaminorex	-	PI	x	-
-Acetorphine	-	NI+IV	x	-
-Acetyl-alpha-methylfentanyl	-	NI+IV	-	-
-Acetyldihydrocodeine	-	NI+III	-	†)
-Acetylmethadol	-	NI	-	-
-Alfentanil	-	NI	-	-
-Allobarbital	-	P IV	x	-
-Allylprodine	-	NI	-	-
-Alphacetylmethadol	-	NI	-	-
-Alphameprodine	-	NI	-	-
-Alphamethadol	-	NI	-	-
-Alpha-methylfentanyl	-	NI+IV	-	-
-Alpha-methylthiofentanyl	-	NI+IV	-	-
-Alphaprodine	-	NI	-	-
-Alprazolam	-	P IV	-	2 (30 mg))
-Amfepramone	-diethylpropion	P IV	-	-
-Amfetamine	-amphetamine	PII	x	-
-Aminorex	-	P IV	-	-
-Amobarbital	-	P III	-	-
-Antileridine	-	NI	-	-
-Barbital	-	P IV	-	-
-Benzethidine	-	NI	-	-
-Benzfetamine	-benzphetamine	P IV	-	-
-Benzylmorphine	-	NI	-	-
-Betaacetylmethadol	-	NI	-	-
-Beta-hydroxy-3-methylfentanyl	-	NI+IV	-	-
-Beta-hydroxyfentanyl	-	NI+IV	-	-
-Betameprodine	-	NI	-	-
-Betamethadol	-	NI	-	-
-Betaprodine	-	NI	-	-
-Bezitramide	-	NI	-	-
-Brolamfetamine	-DOB	PI	x	-
-Bromazepam	-	P IV	-	2 (300 mg))
-Brotizolam	-	P IV	x	-
-Buprenorphine	-	P III	-	-
-Butalbital	-	P III	-	-
-Butobarbital	-	P IV	x	-
-Camazepam	-	P IV	-	-
-Cannabis	-Kannabis, hass, marihuana	NI+IV	x	-
-Cannabis-harpix	-Kannabis harpax	NI+IV	x	-
-Cathine	-norpseudoephedrine	P III	x	-
-Cathinone	-	PI	x	-

Chlordiazepoxide	4-oxide	P-IV	-	-2 (0,9/1,5 g))
Clobazam	-	P-IV	-	-
Clonazepam	-	P-IV	-	-
Clonitazene	-	N-I	-	-
Clorazepate	-	P-IV	-	-
Clotiazepam	-	P-IV	-	-
Cloxazolam	-	P-IV	-	-
Coca-blöð	Folium coea	N-I	-	-
Cocaine	-	N-I+III	x	-
Codeine	-	N-II+III	-	-1) 10)
Codoxime	-	N-I	-	-
Cyclobarbitat	-	P-III	-	-
Delorazepam	-	P-IV	-	-
Desomorphine	-	N-I+IV	x	-
DET	-	P-I	x	-
Dexamfetamine	dexaphetamine	P-II	x	-
Dextromoramide	-	N-I	-	-
Dextropropoxyphene	-	N-II+III	-	-4)
Diampromide	-	N-I	-	-
Diazepam	-	P-IV	-	-2 (300 mg))
Diethylthiambutene	-	N-I	-	-
Difenoxin	-	N-I+III	-	-
Dihydrocodeine	-	N-II+III	-	-1)
Dihydroetorphine	-	N-I	x	-
Dihydromorphine	-	N-I	-	-
Dimenoxadol	-	N-I	-	-
Dimepheptanol	-	N-I	-	-
Dimethylthiambutene	-	N-I	-	-
Dioxaphetyl butyrate	-	N-I	-	-
Diphenoxylate	-	N-I+III	-	-3)
Dipipanone	-	N-I	-	-
DMA	-	P-I	x	-
DMHP	-	P-I	x	-
DMT	-	P-I	x	-
DOET	-	P-I	x	-
Drönaniból	delta-9-tetrahydrocannabinol og stereoaflíður	P-II	x	-
Drötebanól	-	N-I	-	-
Ecgonine	Ásamt estum og afbrigðum þeirra sem hægt er að breyta í ecgonin eða kókain	N-I	-	-
Estazolam	-	P-IV	-	-
Ethelhorvynól	-	P-IV	-	-
Ethinamat	-	P-IV	-	-
Ethylloflazepate	-	P-IV	-	-
Ethylmethylthiambutene	-	N-I	-	-
Ethylmorphine	-	N-II+III	-	-1)
Eticyclidine	PCE	P-I	x	-

Etonitazene	-	NI	-	-
Etorphine	-	NI+IV	x	-
Etoxadine	-	NI	-	-
Etryptamine	-	PI	x	-
Fencamfamin	-	PIV	-	-
Fencylline	-	PH	x	-
Fenproporex	-	PIV	-	-
Fentanyl	-	NI	-	-
Fludiazepam	-	PIV	-	-
Flunitrazepam	-	PHI	-	-2 (30 mg))
Flurazepam	-	PIV	-	-2 (0,9 g))
Folium-coea	(sjá Coca-blöð)	NI	-	-
Furethidine	-	NI	-	-
Glutethimide	-	PHI	-	-
Halazepam	-	PIV	-	-
Haloxazolam	-	PIV	-	-
Heroin	diacetylmorphine	NI+IV	x	-
Hydrocodone	-	NI	-	-
Hydromorfinol	-	NI	-	-
Hydromorphone	-	NI	-	-
Hydroxypethidine	-	NI	-	-
Isomethadone	-	NI	-	-
Ketazolam	-	PIV	-	-
Ketobemidone	-	NI+IV	-	-
Lefetamine	SPA	PIV	x	-
Levamphetamine	levamphetamine	PH	x	-
Levomethamphetamine	-	PH	x	-
Levomethorphan	-	NI	-	-
Levomoramide	-	NI	-	-
Levophenacymorphan	-	NI	-	-
Levorphanol	-	NI	-	-
Loprazolam	-	PIV	-	-
Lorazepam	-	PIV	-	-2 (75 mg))
Lormetazepam	-	PIV	-	-
Lysergide	LSD, LSD-25	PI	x	-
Mazindol	-	PIV	x	-
MDMA	-	PI	x	-
Mecloqualone	-	PH	x	-
Medazepam	-	PIV	-	-
Mefenorex	-	PIV	-	-
Meprobamate	-	PIV	-	-2 (36 g))
Mescaline	-	PI	x	-
Mesocarb	-	PIV	-	-
Metazocine	-	NI	-	-
Methadone	-	NI	-	-
Methadone-intermediate	2,2-difenyl-4-dimetylaminopentan-nitril	NI	-	-
Methamphetamine	methamphetamine	PH	x	-

Methaqualone	-	P-H	x	-
Methcathinone	-	P-I	x	-
Methyldesorphine	-	N-I	-	-
Methylidihydromorphine	-	N-I	-	-
Methylphenidate	-	P-H	-	-
Methylphenobarbital	-	P-IV	-	-
Methyprylon	-	P-IV	-	-
Metopon	-	N-I	-	-
Midazolam	-	P-IV	-	2 (450 mg))
MMDA	-	P-I	x	-
Moramide-intermediate	2-methyl-3-morphino-1,1-diphenylpropane carboxylic acid	N-I	-	-
Morpheridine	-	N-I	-	-
Morphine	-	N-I	-	-
Morphine methobromide	og önnur morfínarefni með 5-gildu köfnunarefni	N-I	-	-
Morphine-N-oxide	-	N-I	-	-
MPPP	1-methyl-4-phenyl-4-piperidinol propionate	N-I+IV	-	-
Myrophine	-	N-I	-	-
N-ethyl-MDA	-	P-I	x	-
N-hydroxy-MDA	-	P-I	x	-
Nicocodine	-	N-II+III	-	+))
Nicodicodine	-	N-II+III	-	+))
Nicomorphine	-	N-I	-	-
Nimetazepam	-	P-IV	-	-
Nitrazepam	-	P-IV	-	2 (150 mg))
Noraacymethadol	-	N-I	-	-
Norecodeine	-	N-II+III	-	+))
Nordazepam	-	P-IV	-	-
Norlevorphanol	-	N-I	-	-
Normethadone	-	N-I	-	-
Normorphine	-	N-I	-	-
Norpipanone	-	N-I	-	-
Opium	-	N-I+III	-	-
Oxazepam	-	P-IV	-	2 (1,5 g))
Oxazolam	-	P-IV	-	-
Oxycodone	-	N-I	-	-
Oxymorphone	-	N-I	-	-
Para-fluorofentanyl	-	N-I+IV	-	-
Parahexyl	-	P-I	x	-
Pemoline	-	P-IV	-	-
Pentazocine	-	P-III	-	-
Pentobarbital	-	P-III	-	-
PEPAP	1-phenethyl-4-phenyl-4-piperidinol acetate	N-I+IV	-	-
Pethidine	-	N-I	-	-
Pethidine intermediate, A	4-phenyl-1-methylpiperidinkarbonitril-(4)	N-I	-	-

-Pethidine intermediate, B	-Etyl-4-fenylpiperidinkarboxylat-(4)	-NI	-	-
-Pethidine intermediate, C	-4-fenyl-1-metylpiperidinkarboxylsýra-(4)	-NI	-	-
-Phenadoxone	-	-NI	-	-
-Phenampromide	-	-NI	-	-
-Phenazocine	-	-NI	-	-
-Phencyclidine	-PCP	-PH	-*	-
-Phendimetrazine	-	-PIV	-*	-
-Phenmetrazine	-	-PH	-*	-
-Phenobarbital	-	-PIV	-	-
-Phenomorphan	-	-NI	-	-
-Phenoperidine	-	-NI	-	-
-Phentermine	-	-PIV	-	-
-Pholcodine	-	-NHHIII	-	-†)
-Piminodine	-	-NI	-	-
-Pinazepam	-	-PIV	-	-
-Pipradrol	-	-PIV	-	-
-Piritramide	-	-NI	-	-
-PMA	-	-PI	-*	-
-Poppy straw	-	-NI	-	-
-Prazepam	-	-PIV	-	-
-Proheptazine	-	-NI	-	-
-Propерidine	-	-NI	-	-
-Propiram	-	-NHHIII	-	-
-Psilocine (Psilotsin)	-	-PI	-*	-
-Psilocybine	-	-PI	-*	-
-Pyrovalerone	-	-PIV	-	-
-Racemethophan	-	-NI	-	-
-Racemoramide	-	-NI	-	-
-Racemorphan	-	-NI	-	-
-Remifentanyl	-	-NI	-	-
-Rolicyclidine (PHH, PCPY)	-	-PI	-*	-
-Secbutabarbital	-	-PIV	-	-
-Secobarbital	-	-PH	-*	-
-STP/DOM	-	-PI	-*	-
-Sufentanyl	-	-NI	-	-
-Temazepam	-	-PIV	-	-
-Tenamfetamine	-MDA	-PI	-*	-
-Tenoicyclidine	-TCP	-PI	-*	-
-Tetrahydrocannabinol og isomer	-	-PI	-*	-
-Tetrazepam	-	-PIV	-	-
-Thebacon	-	-NI	-	-
-Thebaine	-	-NI	-	-
-Thiofentanyl	-	-NI+IV	-	-
-Tilidine	-	-NI	-	-

-Triazolam	-	-P-IV	-	-2 (7,5 mg))
-Trimeperidine	-	-N-I	-	-
-Vinylbital	-	-P-IV	-x	-
-Zipeprol	-	-P-H	-x	-

- Undanþágur og athugasemdir -

- 1) -Innflutnings-/útflutningsleyfi þarf ekki fyrir lyf sem innihalda minna en 100 mg í hverjum afmældum skammti eða minna en 2,5% efnisins.
- 2) -Hámarks magn, sem ávísá má á lyfscðli, er getið í sviga.
- 3) -Ekki þarf innflutnings-/útflutningsleyfi vegna taflna, sem innihalda allt að 2,5 mg difenoxýlats, ef þær innihalda einnig minnst 25 meg af atrópínsúlfati í hverri töflu.
- 4) -Ekki þarf innflutnings-/útflutningsleyfi sérstaklega vegna lyfja, sem innihalda minna en 135 mg dextróprópoxyfen í hverri afmældri einingu eða 2,5% efnisins í óskömmtuðu lyfjaformi. Lyfið má hins vegar ekki innihalda nein önnur ávana- og fikniefni merkt P-I - P-IV í fylgiskjali I.
- 5) -Undanþegið eftirritunarkyldu, ef ávísáð magn er minna en 1 g, blandað öðrum virkum efnum.

FYLGISKJAL II.

- Skýringar: -

- Ð-I -H - Efni listuð á fylgiskjölum I - H með alþjóðasamningi gegn ólöglegri verslun með ávana- og fikniefni 1988 (Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances 1988).

Efni	Annað nafn	Ð-I -H	Hámark án innflutningsleyfis
N-acetylanthranilic acid	N-asetylantranilsýra	Ð-I	-
Ephedrine	Efedrín	Ð-I	-
Ergometrine	Ergometrín, Ergónóvín	Ð-I	-
Ergotamine	Ergotamín	Ð-I	-
Isosafrole	Ísósafról	Ð-I	-
Lysergic acid	Lýsergsýra	Ð-I	-
3,4-methylenedioxyphenyl-2-propanone	-	Ð-I	-
Norephedrine	-	Ð-I	-
1-phenyl-2-propanone	Fenýlaseton, bezyl metyl ketón	Ð-I	-
Piperonal	Piperonal, heliótrópín	Ð-I	-
Pseudoephedrine	Pseudóefedrín	Ð-I	-
Safrole	Safról	Ð-I	-
Acetic anhydride	Edíksýruanhýdríð	Ð-II	20 lítrar
Acetone	Asetón	Ð-II	-
Anthranilic acid	Antranilsýra	Ð-II	1 kg
Ethyl ether	Etýleter, eter, díetýleter	Ð-II	-
Hydrochloric acid	Saltsýra, múratínsýra	Ð-II	-
Methyl ethyl ketone	2-bútanón, MEK	Ð-II	-
Phenylacetic acid	Fenýledíksýra	Ð-II	1 kg
Piperidine	Piperidín, hexahydropyridín	Ð-II	0,5 kg
Potassium permanganate	Kalíumpermanganat	Ð-II	-
Sulphuric acid	Brennisteinssýra, vítríólía	Ð-II	-

FYLGISKJAL I

Efni	Annað nafn	IUPAC (Alþjóðasamtök um hreina og hagnýta efnafræði)	Alþjóðasamningar	B
(1-phenyl-1-piperidyl-(2-methyl)acetate		(1-phenyl-1-piperidyl-(2-methyl)acetate		x
1,3-benzodioxolylbutanamine	BDB	1-(1,3-benzodioxol-5-yl)butan-2-amine		x
1,3-Benzodioxolyl- N-methylbutanamine	MBDB	1-(1,3-benzodioxol-5-yl) - N -methylbutan-2-amine		x
1,4-butanediol	BD	butane-1,4-diol		x
1cP-LSD		1-cyclopropanoyl-LSD		x
1-phenethylamine	1-PEA	1-phenylethan-1-amine		x
1D-LSD	1-(1,2-Dimethylcyclobutane-1-carbonyl)lysergic acid diethylamide	(8β)-1-(1,2-Dimethylcyclobutane-1-carbonyl)-N,N-diethyl-6-methyl-9,10-didehydroergoline-8-carboxamide		x
1P-LSD	1-propionyllysergid	N,N -diethyl-6-methyl-1-propanoyl-9,10-didehydroergoline-8-carboxamide		x
1V-LSD		(6aR,9R)-N,N-Diethyl-7-methyl-4-propanoyl-4,6,6a,7,8,9-hexahydroindolo[4,3-fg]quinoline-9-carboxamide		x
2-(ethylamino)-1-(3-chlorophenyl)propan-1-one		2-(ethylamino)-1-(3-chlorophenyl)propan-1-one		x
2-(ethylamino)propiophenone		2-(ethylamino)-1-phenylpropan-1-one		x
2-(methylamino)hexanophenone		2-methylamino-1-phenylhexan-1-one		x
2,3-DMMC		2,3-dimethylmethcathinone		x
2,4-DMMC		2,4-dimethylmethcathinone		x
2,4-DMPPP		1-(2,4-dimethylphenyl)-2-pyrrolidine-1-yl-propan-1-one		x
2,5-dimethoxy-4-bromoamphetamine	DOB, Brolamfetamine, Bromo-DMA	1-(4-bromo-2,5-dimethoxyphenyl)propan-2-amine	P I	x
2,5-dimethoxy-4-ethylamphetamine	DOET	1-(4-ethyl-2,5-dimethoxyphenyl)propan-2-amine	P I	x
2,5-dimethoxy-4-fluoroamphetamine		1-(4-fluoro-2,5-dimethoxyphenyl)propan-2-amine		x
2,5-dimethoxy-4-methylamphetamine	DOM, STP	1-(2,5-dimethoxy-4-methylphenyl)propan-2-amine	P I	x
2,5-dimethoxy-4-nitroamphetamine		1-(2,5-dimethoxy-4-nitrophenyl)propan-2-amine		x
2-fluorodeschloroketamine		2-(2-fluorophenyl)-2-(methylamino)cyclohexan-1-one	P II	x

25B-NBOH		2-([2-(4-bromo-2,5-dimethoxyphenyl)ethylamino]methyl)phenol		x
25B-NBOMe	NBOMe-2C-B, Cimbi-36	2-(4-bromo-2,5-dimethoxyphenyl)- N - [(2methoxyphenyl)methyl]ethanamine	PI	x
25C-NBF		2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-fluorobenzyl)ethanamine		x
25C-NBOMe	NBOMe-2C-C, Cimbi-82	2-(4-chloro-2,5-dimethoxyphenyl)- N - [(2methoxyphenyl)methyl]ethanamine	PI	x
25D-NBOMe	NBOMe-2C-D	2-(2,5-dimethoxy-4-methylphenyl)- N - [(2methoxyphenyl)methyl]ethanamine		x
25E-NBOH		2-([(2-(4-ethyl-2,5-dimethoxyphenyl)ethylamino)methyl]phenol		x
25E-NBOMe		2-(4-ethyl-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine		x
25G-NBOMe		2-(2,5-dimethoxy-3,4-dimethylphenyl)-N-(2-methoxybenzyl)ethanamine		x
25H-NBOMe		2-(2,5-dimethoxyphenyl)- N - [(2methoxyphenyl)methyl]ethanamine		x
25I-NB34MD		2-(4-iodo-2,5-dimethoxyphenyl)-N-[(3,4-methylenedioxyphenyl)methyl]ethanamine		x
25I-NBF		2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-fluorobenzyl)ethanamine		x
25I-NBMD		2-(4-iodo-2,5-dimethoxyphenyl)-N-[(2,3-methylenedioxyphenyl)methyl]ethanamine		x
25I-NBOH		2-([2-(4-iodo-2,5-dimethoxyphenyl)ethylamino]methyl)phenol		x
25I-NBOMe	NBOMe-2C-I, Cimbi-5	2-(4-iodo-2,5-dimethoxyphenyl)- N - [(2methoxyphenyl)methyl]ethanamine	PI	x
25N-NBOMe		2-(2,5-dimethoxy-4-nitrophenyl)-N-(2-methoxybenzyl)ethanamine		x
2-aminoindane	2-AI	2,3-dihydro-1 H -inden-2-amine		x
2C-B	2,5-dimethoxy-4-bromophenethylamine	2-(4-bromo-2,5-dimethoxyphenyl)ethanamine	PII	x

2C-B-FLY		2-(8-bromo-2,3,6,7-tetrahydrofuro[2,3-f][1]benzofuran-4-yl)ethanamine		x
2C-C	2,5-dimethoxy-4-methyl-beta-phenethylamine	2-(4-chloro-2,5-dimethoxyphenyl)ethanamine		x
2C-D	2,5-dimethoxy-4-methylphenethylamine	2-(2,5-dimethoxy-4-methylphenyl)ethanamine		x
2C-E	2,5-dimethoxy-4-ethylphenethylamine	2-(4-ethyl-2,5-dimethoxyphenyl)ethanamine		x
2C-F*		2,5-dimethoxy-4-fluorophenethylamine		x
2C-H		2,5-dimethoxyphenethylamine		x
2C-I	2,5-dimethoxy-4-iodophenethylamine	2-(4-iodo-2,5-dimethoxyphenyl)ethanamine		x
2-CI-4,5-MDMA		2-chloro-4,5-methylenedioxyamphetamine		x
2-CMC	2-Chloromethcathinone	1-(2-chlorophenyl)-2-(methylamino)-1-propanone		x
2C-P	2,5-dimethoxy-4-propylphenethylamine	2-(2,5-dimethoxy-4-propylphenyl)ethanamine		x
2C-T-2	2,5-dimethoxy-4-ethylthiophenethylamine	2-(4-ethylthio-2,5-dimethoxyphenyl)ethanamine		x
2C-T-4	2,5-dimethoxy-4-isopropylthiophenethylamine	2-(2,5-dimethoxy-4-[(1-methylethyl)thio]phenyl)ethanamine		x
2C-T-7	2,5-dimethoxy-4-propylthiophenethylamine	2-(2,5-dimethoxy-4-propylthiophenyl)ethanamine		x
2-fluoroamphetamine	2-FA	1-(2-fluorophenyl)propan-2-amine		x
2-fluoromethamphetamine	2-FMA	1-(2-fluorophenyl)-N-methylpropan-2-amine		x
2-fluoromethcathinone	2-FMC	1-(2-fluorophenyl)-2-(methylamino)propan-1-one		x
3'-Me-alfa-PVP		1-(3-methylphenyl)-2-(pyrrolidin-1-yl)pentan-1-one		x
2-MEC		2-methyl-N-ethylcathinone		x
2-methylacetylfentanyl		N-[1-(2-phenylethyl)piperidin-4-yl]-N-(2-methylphenyl)acetamide		x
2-methylamphetamine	2-MA	1-(2-methylphenyl)propan-2-amine		x
2-methyl-AP-237		1-[4-(3-phenylprop-2-en-1-yl)-2-methylpiperazin-1-yl]butan-1-one	NI	x

2-methylmethcathinone	2-MMC	2-(methylamino)-1-(2-methylphenyl)propan-1-one		x
3-(4-hydroxymethylbenzoyl)-1-pentylindole		[4-(hydroxymethyl)phenyl](1-pentyl-1 H -indol-3yl)methanone		x
3,4-methylenedioxyethamphetamine	MDEA, MDE, N-ethyl-MDA	1-(1,3-benzodioxol-5-yl)-N -ethylpropan-2-amine	PI	x
3,4,5-trimethoxybenzaldehyde		3,4,5-trimethoxybenzaldehyde		x
3,4-DCEC		3,4-dichloroethcathinone		x
3,4-dichloromethylphenidate		methyl-2-(3,4-dichlorophenyl)-2-(piperidin-2-yl)acetate		x
3,4-Dichloro-N,N-cyclohexylmethylmethcathinone		2-(cyclohexyl(methyl)amino)-1-(3,4-dichlorophenyl)propan-1-one		x
3,4-Dimethoxy- α -PHP		1-(3,4-dimethoxyphenyl)-2-pyrrolidin-1-ylhexan-1-one		x
3,4-dimethylmethcathinone	3,4-DMMC	1-(3,4-dimethylphenyl)-2-(methylamino)propan-1-one		x
3,4-DMA		3,4-dimethoxyamphetamine		x
3,4-methylenedioxy- N-hydroxyamphetamine	N -hydroxy-MDA	N-[1-(1,3-benzodioxol-5-yl)propan-2-yl]hydroxylamine	PI	x
3,4-methylenedioxy-U-47700		N-[2-(dimethylamino)cyclohexyl]-N-methyl-2H-1,3benzodioxol-5-carboxamide		x
3',4'-methylenedioxy- α -pyrrolidinopropiophenone	MDPPP	1-(1,3-benzodioxol-5-yl)-2-pyrrolidin-1-ylpropan-1-one		x
3-bromomethcathinone	3-BMC	1-(3-bromophenyl)-2-(methylamino)propan-1-one		x
3-chloroethcathinone	3-CEC	2-(ethylamino)-1-(3-chlorophenyl)propan-1-one		x
3-chloromethcathinone	3-CMC	1-(3-chlorophenyl)-2-(methylamino)-1-propanone	PII	x
3-Desoxy-MDPV	5-DMFPV	5-dihydrobenzofuranpyrovalerone		x
3-fluoroamphetamine	3-FA	1-(3-fluorophenyl)propan-2-amine		x
3-fluoroethylamphetamine	3-FEA	N-ethyl-1-(3-fluorophenyl)propan-2-amine		x
3-Fluorofentanyl		N-(3-fluorophenyl)-N-[1-(2-phenylethyl)piperidin-4yl]propanamide		x
3-fluoromethamphetamine	3-FMA	1-(3-fluorophenyl)- N -methylpropan-2-amine		x
3-fluoromethcathinone	3-FMC	1-(3-fluorophenyl)-2-(methylamino)propan-1-one		x

3-fluorophenmetrazine	3-FPM	2-(3-fluorophenyl)-3-methylmorpholine		x
3-hydroxyphenazepam		7-bromo-3-hydroxy-5-(2-chlorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one		x
3-hydroxyphenacyclidine	3-HO-PCP	3-[1-(piperidin-1-yl)cyclohexyl]phenol		x
3-methoxyeticyclidine	3-MeO-PCE	N-ethyl-1-(3-methoxyphenyl)cyclohexan-1-amine		x
3-methoxymethcathinone	3-MeOMC	1-(3-methoxyphenyl)-2-(methylamino)propan-1-one		x
3-methylamphetamine	3-MA	1-(3-methylphenyl)propan-2-amine		x
3-methylcrotylfentanyl		3-methyl-N-(1-phenethylpiperidin-4-yl)-N-phenylbut-2-enamide		x
3-methylethcathinone	3-MEC	2-(ethylamino)-1-(3-methylphenyl)propan-1-one		x
3-methylfentanyl	Mefentanyl, 3-MF	N-[3-methyl-1-(2-phenylethyl)piperidin-4-yl]-Nphenylpropanamide	N I+IV	x
3-methylflephedrone		1-(3-fluorophenyl)-2-(methylamino)propan-1-one		x
3-methylmethcathinone	3-MMC	2-(methylamino)-1-(3-methylphenyl)propan-1-one	P II	x
3-methylthiofentanyl		N-[3-methyl-1-(2-thien-2-ylethyl)piperidin-4-yl]-Nphenylpropanamide	N I+IV	x
3-monoacetylmorphine	3-MAM	3-acetyl-6-hydroxy-7,8-didehydro-4,5-epoxy-17methylmorphinan		x
3-phenylpropanoylfentanyl		N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-3-phenylpropanamide		x
3-phenylpropanoylfentanyl	β'-phenyl fentanyl	N-(1-phenethylpiperidin-4-yl)-N,3diphenylpropanamide		x
3β-(p-fluorobenzoyloxy)tropane	p-FBT	(8-methyl-8-azabicyclo[3.2.1]octan-3-yl)-4fluorobenzoate		x
4,4'-dimethylaminorex	4,4'-DMAR	2-amino-4-methyl-5-(4-methylphenyl)-2-oxazoline	P II	
4'-chloro-deschloroalprazolam		6-(4-chlorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine		x
4'-chloro-α-pyrrolidinopropiophenone	4-chloro-α-PPP	1-(4-chlorophenyl)-2-(1-pyrrolidinyl)-1-propanone		x
4'-fluoro-α-pyrrolidinoctanphenone	4-fluoro-PV-9, 4-fluoro-α-POP	1-(4-fluorophenyl)-2-(pyrrolidin-1-yl)butan-1-one		x
4-Acetoxy-DET	Ethacetin, Ethylacybin, 4-Acetoxy-N,N-diethyltryptamine	3-[2-(diethylamino)ethyl]-1H-indol-4-yl acetate		x
4-Acetoxy-DiPT	Ipracetin, 4-acetoxy-N,N-			

	diisopropyltryptamine	3-[2-[di(propan-2-yl)amino]ethyl]-1 H - indol-4-yl acetate		x
4-Acetoxy-DMT	O-acetylpsilocin, Psilacetin, 4-acetoxy-N,N dimethyltryptamine	3-[2-(dimethylamino)ethyl]-1 H -indol-4-yl acetate		x
4-Acetoxy-MiPT	Mipracetin, 4-acetoxy-N -methyl-N isopropyltryptamine	3-[2-[methyl(propan-2-yl)amino]ethyl]-1 H - indol-4-yl acetate		x
4-AcO-DMT		4-acetoxy-N,N-dimethyltryptamine		x
4-AcO-MET		4-acetoxy-N-methyl-N-ethyltryptamine		x
4-BMC		4-bromomethcathinone		x
4Br-α-PPP		4-bromo-α-pyrrolidinopropiophenone		x
4Br-α-PVP		4-bromo-α-pyrrolidinovalerophenone		x
4-CA		4-chloroamphetamine		x
4-CBC		4-chloro-N-butylcathinone		x
4-CEC		4-chloroethcathinone		x
4-chloro-2,5-dimethoxyamphetamine	DOC, 2,5-dimethoxy-4-chloroamphetamine	1-(4-chloro-2,5-dimethoxyphenyl)propan-2-amine	P I	x
4-chloro-isobutyrfentanyl	Para-chloroisobutyrfentanyl	N-(4-chlorophenyl)-2-methyl-N-[1-(2-phenylethyl)-4piperidinyl]-propanamide		x
4-chloromethcathinone	4-CMC	1-(4-chlorophenyl)-2-(methylamino)propan-1-one	P II	x
4-chloropentedrone		4-chloro-α-methylaminovalerophenone		x
4-CIC		4-chloroisopropylcathinone		x
4-CMA		4-chloromethamphetamine		x
4-EMC		1-(4-ethylphenyl)-2-(methylamino)propan-1-one		x
4-FEC		4-fluoroethcathinone		x
4-fluoroamphetamine	4-FA, Para-fluoroamphetamine, PFA	1-(4-fluorophenyl)propan-2-amine	P II	x
4-fluorobufedrone		1-(4-fluorophenyl)-2-(methylamino)butan-1-one		x
4-fluorobutyrfentanyl	4F-BF	N-[1-(2-phenylethyl)piperidin-4-yl]-N-(4-fluorophenyl)butanamide		x
4-Fluoroethylamphetamine	4-FEA	N-ethyl-4-fluoro-α-methyl-benzeneethanamine		x
4-fluoroisobutyrfentanyl	4F-Ibf, pFIBF	N-[1-(2-phenylethyl)piperidin-4-yl]-N-(4-fluorophenyl)-2-methylpropanamide	N I	x
4-fluoromethamphetamine	4-FMA	1-(4-fluorophenyl)- N -methylpropan-2-amine		x

		2-yl)acetate		x
4-Fluoro-N-isopropylnorpentedrone		1-(4-fluorophenyl)-2-(1-methylethylamino)pentan-1-one		x
4-fluoropentedrone	4-FPD	1-(4-fluorophenyl)-2-(methylamino)pentan-1-one		x
4'-Fluoro- α -pyrrolidinopentiophenone	4-fluoro- α -PVP, 4F-alfa-PVP	1-(4-fluorophenyl)-2-(1-pyrrolidinyl)-1-pentanone		x
4F-MDMB-BINACA		methyl-2-[1-(4-fluorobutyl)-1H-indazol-3-carboxamido]3,3-dimethylbutanoate	P II	x
4F-NEB*		4-fluoro-N-ethylbuphedrone,2-(ethylamino)-1-(4fluorophenyl)butan-1-one		x
4F-NEP		4-fluoro-N-ethylpentedrone		x
4F-PBP		4-fluoro- α -pyrrolidinobutyrophenone		x
4F- α -PHiP	4-fluoro- α -pyrrolidinoisohexanophenone	4-methyl-1-(4-fluorophenyl)-2-(pyrrolidin-1-yl)pentan-1-one		x
4F- α -PHP	4-fluoro- α -pyrrolidinohexanophenone	1-(4-fluorophenyl)-2-(pyrrolidin-1-yl)hexan-1-one		x
4-HO-DET	Ethocin, CZ-74, 4-Hydroxy-diethyl-tryptamine	3-[2-(diethylamino)ethyl]-1 H -indol-4-ol		x
4-HO-DiPT	Iprocin, 4-Hydroxy-diisopropyl-tryptamine	3-[2-[di(propan-2-yl)amino]ethyl]-1 H -indol-4-ol		x
4-HO-MET	Metocin, Methylsybin, 4-hydroxy- N -methyl- n ethyltryptamine	3-[2-[ethyl(methyl)amino]ethyl]-1 H -indol-4-ol		x
4-HO-MiPT	Miprocin, 4-hydroxy- N -methyl- N isopropyltryptamine	3-[2-[methyl(propan-2-yl)amino]ethyl]-1 H -indol-4-ol		x
4-Hydroxymethcathinone		1-(4-hydroxyphenyl)-2-(methylamino)propan-1-one		x
4-iodo-2,5-dimethoxyphenylisopropylamine	DOI, 2,5-dimethoxy-4-iodoamphetamine	1-(4-iodo-2,5-dimethoxyphenyl)propan-2-amine		x
4-MeOPBP*		4'-methoxy- α -pyrrolidinobutiophenone		x
4-MeO-PCP		1-[1-(4-methoxyphenyl)cyclohexyl]piperidine		x
4-MeO- α -PVP		4-methoxy- α -pyrrolidinovalerophenone		x
4-methoxyamphetamine	PMA, Para -methoxyamphetamine	1-(4-methoxyphenyl)propan-2-amine	P I	x
4-methoxybutyrfentanyl	4-MeO-BF	N-[1-(2-phenylethyl)piperidin-4-yl]-N-(4-methoxyphenyl)butanamide		x

4-methylaminorex	4-MAX	4-methyl-5-phenyl-4,5-dihydro-1,3-oxazol-2-amine	PI	x
4-methylamphetamine	4-MA	1-(4-methylphenyl)propan-2-amine		x
4-methylbuphedrone	4-Me-MABP	2-(methylamino)-1-(4-methylphenyl)butan-1-one		x
4-methylethcathinone	4-MEC	2-ethylamino-1-(4-methylphenyl)propan-1-one	P II	x
4-methylmethamphetamine	4-MMA	N-methyl-1-(4-methylphenyl)propan-2-amine		x
4-methylmethylphenidate		methyl-2-(4-methylphenyl)-2-(piperidin-2-yl)acetate		x
4-methylthioamphetamine	4-MTA	1-(4-(methylthio)phenyl)propan-2-amine	PI	x
4-methyl- α -ethylaminopentiophenone		2-(ethylamino)-1-(4-methylphenyl)-1-pentanone		x
4-methyl- α -PiHP	4-methyl- α -pyrrolidinoisohexanophenone	4-methyl-1-(4-methylphenyl)-2-(pyrrolidin-1-yl)pentan-1-one		x
5-(2-aminopropyl)benzofuran	5-APB	1-(1-benzofuran-5-yl)propan-2-amine		x
5-(2-Aminopropyl)indole	5-IT, 5-API	1-(1H-indol-5-yl)propan-2-amine		x
5CI-AB-PINACA		N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(5chloropentyl)-1H-indazol-3-carboxamide		x
5CI-AKB-48		N-(adamantyl)-1-(5-chloropentyl)-1H-indazol-3-carboxamide		x
5CI-APINACA		N-(1-adamantyl)-1-(5-chloropentyl)-1H-indazol-3-carboxamide		x
5-DBFPV		5-dihydrobenzofuranpyrovalerone		x
5-EAPB		5-(N-ethyl-2-aminopropyl)benzofuran		x
5F-AB-PINACA		N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(5fluoropentyl)-1H-indazol-3-carboxamide		x
5F-ADBICA		N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(5fluoropentyl)-1H-indol-3-carboxamide		x
5F-AKB-48	5F-APINACA	N-(1-adamantyl)-1-(5-fluoropentyl)-1H-indazol-3-carboxamid	PII	x
5F-AKB-57		adamantyl-1-(5-fluoropentyl)-1H-indazol-3-carboxylate		x
5F-AMB-PICA		N-(1-methoxycarbonyl-2-methylpropyl)-1-(5fluoropentyl)-1H-indol-3-carboxamide		x

		(5-fluoropentyl)-2,5-dihydro-1H-pyrido[4,3-b]indol-1-one		x
5F-EDMB-PINACA		ethyl-2-[1-(5-fluoropentyl)-1H-indazol-3-carboxamido]3,3-dimethylbutanoate		x
5F-MDMB-PICA		methyl-2-[1-(5-fluoropentyl)-1H-indol-3-carboxamido]3,3-dimethylbutanoate	P II	x
5F-MDMB-PINACA	5F-ADB	N-(1-methoxycarbonyl-2,2-dimethylpropyl)-1(5fluoropentyl)-1H-indazol-3-carboxamid	P II	x
5F-PB-22		8-quinoliny-1-(5-fluoropentyl)-1H-indol-3-carboxylate	PII	x
5-FUR-144	XLR-11	[1-(5-fluoropentyl)-1H-indol-3-yl](2,2,3,3-tetramethylcyclopropyl)methanone	PII	x
5-MAPDB		1-(2,3-dihydrobenzofuran-5-yl)-N-methylpropan-2-amine		x
5-MAPDI		1-(2,3-dihydro-1H-inden-5-yl)-N-methylpropan-2-amine		x
5-MeO-DALT	N,N -diallyl-5-methoxytryptamine	N -allyl- N -[2-(5-methoxy-1H-indol-3-yl)ethyl]prop-2-en-1-amine		x
5-MeO-DET		N,N-diethyl-2-(5-methoxy-1H-indol-3-yl)ethanamine		x
5-MeO-DIPT	5-methoxy- N,N -diisopropyltryptamine	N -[2-(5-methoxy-1H-indol-3-yl)ethyl]- N -propan-2ylpropan-2-amine		x
5-MeO-DMT	5-methoxy-N,N-dimethyltryptamine	2-(5-methoxy-1 H -indol-3-yl)- N,N -dimethylethanamine		x
5-MeO-EIPT		5-metoxo-N-ethyl-N-isopropyltryptamine		x
5-MeO-MALT		N-[2-(5-methoxy-1H-indol-3-yl)ethyl]-N-methylprop-2en-1-amine		x
5-MeO-MET	5-methoxy- N -methyl- N -ethyltryptamine			x
5-MeO-MiPT	5-methoxy- N -methyl, N -isopropyltryptamine	N-[2-(5-methoxy-1 H -indol-3-yl)ethyl]- N -methylpropan-2-amine		x
5-MeO-NIPT		N-[2-(5-methoxy-1H-indol-3-yl)ethyl]propan-2-amine		x
5-Metoksymetylon	bk-MMDMA	β-keto-5-metoxo-3,4-methylenedioxyamphetamine		x
6-(2-aminopropyl)benzofuran	6-APB	1-(1-benzofuran-6-yl)propan-2-amine		x

6-MAM	6-monoacetylmorphine	(5 α ,6 α)-7,8-didehydro-4,5-epoxy-17-methylmorphinan-3,6-diol 6-acetate		x
6-methoxy-MDA		6-methoxy-3,4-methylenedioxyamphetamine		x
7-hydroxymitragynine	Mitragynine hydroxyindolenine	methyl (E)-2-[3-ethyl-7a,1,2,3,4,6,7,7a,12b-octahydro-1 H -indolo[2,3-a]quinolizin-2-yl]-3-methoxyprop-2-enoate		x
AB-001		(1-adamantyl)(1-pentyl-1 H -indol-3-yl)methanone		x
AB-CHMINACA		N-(1-aminocarbonyl-2-methylpropyl)-1-(cyclohexylmethyl)-1H-indazol-3-carboxamide	PII	x
AB-PINACA		N-[(2S)-1-amino-3-methyl-1-oxobutan-2-yl]-1-pentylindazole-3-carboxamide	PII	x
Acetorphine		4,5-epoxy-7-(1-hydroxy-1-methylbutyl)-6-methoxy-17methyl-6,14-ethenomorphinan-3-yl acetate	N I+IV	x
Acetyldihydrocodeine		4,5-epoxy-3-methoxy-17-methylmorphinan-6-yl acetate	N II+III	
Acetylfentanyl		N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide	N I + III	x
Acetylmethadol	Methadyl acetate	6-(dimethylamino)-4,4-diphenylheptan-3-yl acetate	N I	
Acetyl- α -methylfentanyl	α -methylacetylfentanyl	N -phenyl- N -[1-(1-phenylpropan-2-yl)piperidin-4-yl]acetamide	N I+IV	x
A-CHMINACA		N-(1-adamantyl)-1-(cyclohexylmethyl)-1H-indazol-3-carboxamide		x
Acrylfentanyl	ACRYLOYLFENTANYL	N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-2-propenamide	N I	
ADB-4en-PINACA		N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(pent-4-en-1-yl)-1H-indazole-3-carboxamide		x
ADB-5Br-INACA		N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-5-bromo-1H-indazole-3-carboxamide		x

		indazole-3-carboxamide	P II		x
ADB-CHMINACA	MAB-CHMINACA	N-[(2S)-1-amino-3,3-dimethyl-1-oxobutan-2-yl]-1-(cyclohexylmethyl)-1H-indazole-3-carboxamide	P II		
ADB-FUBINACA		N-[1-(aminocarbonyl)-2,2-dimethylpropyl]-1-[(4fluorophenyl)methyl]-1H-indazol-3-carboxamide	P II		x
ADB-HEXINACA		(S)-N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-hexyl-1H-indazole-3-carboxamide			x
Adinazolam		1-(6-phenyl-8-chloro-4H-[1,2,4]triazolo[4,3a][1,4]benzodiazepin-1-yl)-N,N-dimethylmethanamine			x
AH-7921		3,4-dichloro- N -[[1-(dimethylamino)cyclohexylmethyl]benzamide	N I		x
ALD-52		1-acetyl-N,N-diethyl-6-methyl-9,10-didehydroergoline-8-carboxamide			x
Alfentanil		N-[1-[2-(4-ethyl-5-oxo-4,5dihydro-1 H -tetrazol-1yl)ethyl]-4-(methoxymethyl)piperidin-4-yl]-Nphenylpropanamide	NI		x
Allobarbitol	Allobarbitone	5,5-bis(prop-2-enyl)-1,3-diazinane-2,4,6-trione	P IV		x
Allylescaline	4-allyloxy-3,5-dimethoxyphenethylamine	2-(3,5-dimethoxy-4-prop-2-enoxyphenyl)ethanamine			x
Allylprodine		1-methyl-4-phenyl-3-prop-2-enylpiperidin-4-yl propionate	N I		
Alphacetylmethadol (AAM)		[(3R,6R)-6-(dimethylamino)-4,4-diphenylheptan-3-yl] acetate	N I		
Alphameprodine	α-meprodine	[(3S,4R)-3-ethyl-1-methyl-4-phenylpiperidin-4-yl] propanoate	N I		
Alphamethadol	α-methadol, Alfametadol	(3R,6R)-6-(dimethylamino)-4,4-diphenylheptan-3-ol	N I		
Alphaprodine		[(3R,4S)-1,3-dimethyl-4-phenylpiperidin-4-yl] propanoate	N I		
Alpha-PiHP		4-methyl-1-phenyl-2-pyrrolidin-1-ylpentan-1-one	P II		x

		[1,4]benzodiazepine	P IV	x
AM-1220		[1-[(1-methylpiperidin-2-yl)methyl]-1H-indol-3-yl](naphthalen-1-yl)methanone		x
AM-2201	1-(5-fluoropentyl)-3-(1-naphthoyl)indole	1-[(5-fluoropentyl)-1H-indol-3-yl](naphthalen-1-yl)methanone	P II	x
AM-2201 chlorine analog		(1-(5-chloropentyl)-1H-indol-3-yl)(naphthalen-1-yl)methanone		x
AM-2201 N-(3-fluoropentyl) isomer		(1-(3-fluoropentyl)-1H-indol-3-yl)(naphthalen-1-yl)methanone		x
AM-2233		(2-iodophenyl)-[1-[(1-methylpiperidin-2-yl)methyl]-1H-indol-3-yl]methanone		x
AM-679		(1-pentyl-1H-indol-3-yl)(2-iodophenyl)methanone		x
AM-694	1-(5-fluoropentyl)-3-(2-iodobenzoyl)indole	1-[(5-fluoropentyl)-1H-indol-3-yl](2-iodophenyl)methanone		x
AMB-CHMINACA		methyl-2-[(1-(cyclohexylmethyl)-1H-indazol-3-carbonyl)amino]-3-methylbutanoate		x
AMB-FUBINACA	MMB-FUBINACA, FUB-AMB	N-(1-methoxycarbonyl-2-methylpropyl)-1-(pfluorobenzyl)-1H-indazol-3-carboxamide	P II	x
Amfepramone	Diethylpropion, Diethylcathinone	2-(diethylamino)-1-phenylpropan-1-one	P IV	x
Amineptine		7-[(10,11-dihydro-5H-dibenzo[a,d]-cyclohepten-5-yl)amino]heptanoic acid	P II	
Aminorex		5-phenyl-4,5-dihydro-1,3-oxazol-2-amine	P IV	
Amobarbital	Amylobarbitone	5-ethyl-5-(3-methylbutyl)-1,3-diazinane-2,4,6-trione	P III	
Amphetamine	Amfetamín (íslenska)	1-phenylpropan-2-amine	P II	x
Amphetaminil		2-phenyl-2-(1-phenylpropanyl-2-amino)acetonitrile		x
Amyl nitrite	Allir isomerar	Pentyl nitrite		x
Anileridine		ethyl 1-[2-(4-aminophenyl)ethyl]-4-phenylpiperidine-4-carboxylate	N I	
AP-237	Bucinnazine	1-[4-([2E]-3-phenyl-2-propen-1-yl)-1-piperazinyl]-1-butanone		x
Apinaca		N-(1-adamantyl)-1-pentyl-1H-indazol-3-carboxamide		x
Aprobarbital	Aprobarbitone, Allylpropymal	5-propan-2-yl-5-prop-2-enyl-1,3-diazinane-2,4,6-trione		x
Azaprocín		1-[3-[(E)-3-phenyl-2-propen-1-yl]-3,8-diazabicyclo[3.2.1]octan-8-yl]propan-1-one		x

Barbital	Barbitone	5,5-diethyl-1,3-diazinane-2,4,6-trione	P IV	x
Benzazepam	Thiadipone	1,3,6,7,8,9-hexahydro-5-phenyl--2 H -[1]benzothieno[2,3-e]-1,4-diazepin-2-one		x
Benzethidine		ethyl 4-phenyl-1-(2-(benzyloxy)ethyl)piperidine-4-carboxylate	N I	
Benzodioxole-fentanyl		N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-2H-1,3-benzodioxole-5-carboxamide		x
Benzoylbenzylfentanyl		N-(1-benzylpiperid-4-yl)-N-phenylbenzamide		x
Benzoylcegonin		(1R,2R,3S,5S)-3-benzoyloxy-8-methyl-8azabicyclo[3.2.1]octane-2-carboxylic acid		x
Benzoylfentanyl		N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-benzamid		x
Benzphetamine	Benzylamphetamine	N -benzyl- N -methyl-1-phenylpropan-2-amine	P IV	x
Benzylfentanyl		N-(1-benzylpiperidin-4-yl)-N-phenylpropionamide		x
Benzylmorphine	Peronine	3-(benzyloxy)-7,8-didehydro-4,5-epoxy-17methylmorphinan-6-ol	N I	x
Benzylpiperazine	BZP	1-benzylpiperazine	P II	x
Betacetylmethadol		[(3S,6R)-6-(dimethylamino)-4,4-diphenylheptan-3-yl]acetate	N I	
Betameprodine		[(3R,4R)-3-ethyl-1-methyl-4-phenylpiperidin-4-yl] propanoate	N I	
Betamethadol	betametadol, β-methadol	(3S,6R)-6-(dimethylamino)-4,4-diphenylheptan-3-ol	N I	
Betaprodine		[(3R,4R)-1,3-dimethyl-4-phenylpiperidin-4-yl] propanoate	N I	
Bezitramide		4-[4-(2-oxo-3-propanoylbenzimidazol-1-yl)piperidin-1-yl]-2,2-diphenylbutanenitrile	N I	
bk-2C-B		2-amino-1-(4-bromo-2,5-dimethoxyphenyl)ethanone		x
bk-3,4-MDPA	Propylon	β-keto-3,4-methylenedioxypropylamphetamine		x
bk-6-metoxý-MDMA	N-Methyl-bk-MMDA-2;	β-keto-6-metoxý-3,4-methylenedioxyamphetamine		x
bk-IMP		1-(2,3-dihydro-1H-inden-5-yl)-2-(methylamino)propan-1-one		x
bk-IVP		1-(2,3-dihydro-1-inden-5-yl)-2-(ethylamino)pentan-1-one		x
bk-MDEA		β-keto-methylenedioxy-N-ethylamphetamine		x

bk-MDMA		β -keto-3,4-methylenedioxyamphet amine	P II	x
bk-PBDB	β -keto- <i>N</i> -propylbenzodioxolylbutanamine	1-(1,3-benzodioxol-5-yl)-2-(propylamino)butan-1-one		x
BMDB*		2-benzylamino-1-(3,4-methylenedioxyphenyl)butan-1-one		x
BMDP		1-(1,3-benzodioxol-5-yl)-2-(benzylamino)propan-1-one		x
Brallobarbitol	Brallobarbitone	5-(2-bromoprop-2-en-1-yl)-5-(prop-2-en-1-yl)-1,3-diazinane-2,4,6-trione		x
Bromadoline		4-bromo- <i>N</i> -[2-(dimethylamino)cyclohexyl]benzamide		x
Bromazepam	Heptabarbitone	7-bromo-1,3-dihydro-5-(pyridin-2-yl)-2- <i>H</i> -1,4-benzodiazepin-2-one	P IV	x
Bromazolam		8-bromo-6-phenyl-1-methyl-4 <i>H</i> -[1,2,4]triazolo[4,3- <i>a</i>][1,4]benzodiazepine	P IV	x
Bromo-DragonFLY	Bromo-benzodifuranyl-isopropylamine	1-(4-bromofuro[2,3- <i>f</i>][1]benzofuran-8-yl)propan-2-amine		x
Bromo-STP		2-(3-bromo-2,5-dimethoxy-4-methylphenyl)ethanamine		x
Brorphine		1-(1-(1-(4-bromophenyl)ethyl)piperidin-4-yl)-1,3-dihydro-2 <i>H</i> -benzo[<i>d</i>]imidazol-2-one	N I	x
Brotizolam		2-bromo-4-(2-chlorophenyl)-9-methyl-6- <i>H</i> -thieno[3,2- <i>f</i>][1,2,4]triazolo[4,3- <i>a</i>][1,4]diazepine	P IV	x
Bufotenin	5-HO-DMT, <i>N,N</i> -dimethyl-5-hydroxytyptamine, <i>N,N</i> -dimethylserotonin	3-[2-(dimethylamino)ethyl]-1- <i>H</i> -indol-5-ol		x
Buphedrone	α -methylamino-butyrophenone, MABP	2-methylamino-1-phenylbutan-1-one		x
Buprenorphine		17-cyclopropylmethyl-4,5-epoxy-6,14-ethano-3-hydroxy-6-methoxymorphinan-7-yl]-3,3-dimethylbutan-2-ol	P III	x
Butabital		5-(2-methylpropyl)-5-(prop-2-enyl)-1,3-diazinane-2,4,6-trione	P III	x
Butobarbital	Butobarbitone, Butethal	5-butyl-5-ethyl-1,3-diazinane-2,4,6-trione	P IV	x

		yl)-N,N-diethylethan-1-amine	N I	x
Butylone	β-keto- N -methylbenzodioxolylbutanamine bkMBDB	1-(1,3-benzodioxol-5-yl)-2-(methylamino)butan-1-one		x
Butyrfentanyl		N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]butanamide	N I	x
BZO-4en-POXIZID	4-en-pentyl MDA-19	(Z)-N'-(2-oxo-1-(pent-4-en-1-yl)indolin-3ylidene)benzohydrazide		x
C30-NBOMe		2-(4-chloro-2,5-dimethoxyphenyl)-N-(3,4,5-trimethoxybenzyl)ethanamine		x
Camazepam		7-chloro-1,3-dihydro-1-methyl-2-oxo-5-phenyl-2 H -1,4benzodiazepin-3-yl N,N -dimethylcarbamate	P IV	x
Cannabis	Kannabis, Hass, Marijuana, Marihuana		N I+IV	x
Cannabis-harpix	Kannabis harpix		N I+IV	x
Carfentanil	Carfentanyl	Methyl 4-[(1-oxopropyl)phenylamino]-1-(2-phenylethyl)-4-piperidinecarboxylate	N I + IV	x
Carisoprodol		[2-(carbamoyloxymethyl)-2-methylpentyl] N -propan-2ylcarbamate	P IV	x
Cathine	(+)-Norpseudoephedrine, D-Norpseudoephedrine	2-amino-1-phenylpropan-1-ol	P III	x
Cathinone	Benzylethanamine, Hagigat	2-amino-1-phenylpropan-1-one	P I	x
CB-13	SAB-378, CRA-13	naphthalen-1-yl-(4-pentyloxynaphthalen-1-yl)methanone		x
Chloral hydrate	Chlorali hydras	2,2,2-trichloroethane-1,1-diol		x
Chloralodol	Chlorhexadol	2-methyl-4-(2,2,2-trichloro-1-hydroxyethoxy)pentan-2-ol		x
Chlordiazepoxide		7-Chloro-2-methylamino-5-phenyl-3 H -1,4benzodiazepine 4-oxide	P IV	x
Chloro-isobutyrylfentanyl		N-(2-chlorophenyl)-2-methyl-N-[1-(2-phenylethyl)-4-piperidyl]propanamide, N-(3-chlorophenyl)-2-methyl-N[1-(2-phenylethyl)-4-piperidyl]propanamide, N-(4chlorophenyl)-2-methyl-N-[1-(2-phenylethyl)-4-piperidyl]propanamide		x
Chlorphentermine		1-(4-chlorophenyl)-2-methylpropan-2-amine		x
Chlorphine		1-[1-(4-chlorophenyl)ethyl]-4-		

		piperidinyl]-1,3-dihydro-2H-benzimidazol-2-one			x
Clobromazolam		8-bromo-6-(2-chlorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine			x
Clobazam		7-chloro-1-methyl-5-phenyl-1,5-benzodiazepine-2,4dione	P IV		x
Clobenzorex		N -[(2-chlorophenyl)methyl]-1-phenylpropan-2-amine			x
Clomethiazole	Chlormethiazole	5-(2-chloroethyl)-4-methyl-1,3-thiazole			x
Clonazepam		5-(2-chlorophenyl)-1,3-dihydro-7-nitro-2 H -1,4benzodiazepin-2-one	P IV		x
Clonazolam		6-(2-chlorophenyl)-1-methyl-8-nitro-4Hbenzo[f][1,2,4]triazolo[4,3-a][1,4]diazepine	P IV		x
Cloniprazepam		1-(cyclopropylmethyl)-5-(2-chlorophenyl)-7-nitro-1,3dihydro-2H-[1,4]-benzodiazepin-2-one			x
Clonitazene		2-[2-[(4-chlorophenyl)methyl]-5-nitrobenzimidazol-1yl]-N,N diethylethanamine	N I		
Clorazepate	Clorazepate	7-chloro-1,3-dihydro-2-oxo-5-phenyl-1 H -1,4benzodiazepine-3-carboxylic acid	P IV		
Clotiazepam		5-(2-chlorophenyl)-7-ethyl-1-methyl-2H-thieno[2,3e][1,4]diazepin-2-one	P IV		x
Cloxazolam		10-chloro-11b-(2-chlorophenyl)-2,3,7,11b-tetrahydro-[1,3]oxazolo[3,2-d][1,4]benzodiazepin-6-one	P IV		x
Coca blöð	Folium coca		N I		x
Cocaine	Benzoylmethylecgonine	Methyl 3-benzoyloxy-8-methyl-8azabicyclo[3.2.1]octane-4-carboxylate	N I+III		x
Codeine	3-methylmorphine	7,8-didehydro-4,5-epoxy-3-methoxy-17methylmorphinan-6-ol	N II+III		
Codeine- N -oxide	Genocodeine	7,8-didehydro-4,5-epoxy-3-methoxy-17methylmorphinan-6-ol-17-oxide	N I		x
Codoxime	Codossima	(Epoxy-3-methoxy-17-methylmorphinan-6-ylidene)amino)oxy)acetic acid	N I		

	homologue	2-[3-hydroxycyclohexyl]-5-(2-methylheptan-2-yl)phenol			x
CP 47,497-C7	CP 47,497	2-[3-hydroxycyclohexyl]-5-(2-methyloctan-2-yl)phenol			x
CP 47,497-C8	Cannabicyclohexanol, CP 47,497 dimethyloctyl homologue	2-[3-hydroxycyclohexyl]-5-(2-methylnonan-2-yl)phenol			x
CP 47,497-C9	CP 47,497 dimethylnonyl homologue	2-[3-hydroxycyclohexyl]-5-(2-methyldecan-2-yl)phenol			x
CP 55,940		2-[5-hydroxy-2-(3-hydroxypropyl)cyclohexyl]-5-(2-methyloctan-2-yl)phenol			x
Crotylfentanyl		(E)-N-(1-phenethylpiperidin-4-yl)-N-phenylbut-2-enamide	NI		x
CUMYL-4CN-BINACA		N-(1-methyl-1-phenylethyl)-1-(4-cyanobutyl)-1H-indazol-3-carboxamide	P II		x
CUMYL-5F-P7AICA		N-(2-phenylpropan-2-yl)-1-(5-fluoropentyl)-7-azaindol-3-carboxamid			x
CUMYL-5F-PINACA		N-(2-phenylpropan-2-yl)-1-(5-fluoropentyl)-1H-indazol-3-carboxamide			x
CUMYL-CHMGACLONE		5-(cyclohexylmethyl)-2-(2-phenylpropan-2-yl)-2,5-dihydro-1H-pyrido[4,3-b]indol-1-one			x
CUMYL-PeGACLONE		2-(2-phenylpropan-2-yl)-5-pentyl-2,5-dihydro-1H-pyrido[4,3-b]indol-1-one	P II		x
CUMYL-PICA		N-(2-phenylpropan-2-yl)-1-pentyl-1H-indol-3-carboxamide			x
Cyclorphine	N-Propionitrile Chlorphine	3-(1-[1-(4-chlorophenyl)ethyl]piperidin-4-yl)-2-oxo-2,3-dihydro-1H-benzimidazol-1-propanitrile			x
Cyclobarbital	Cyclobarbitol, Cyclobarbitone	5-(cyclohexen-1-yl)-5-ethyl-1,3-diazinane-2,4,6-trione	P III		
Cyclopentylfentanyl		N-phenyl-N-[1-(2-phenylethyl)-4-piperidyl]cyclopentanecarboxamide			x
Cyclopropylfentanyl		N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]cyclopropanecarboxamide	NI		x
delta-6a(10a)-THC		7,8,9,10-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-ol	PI		x
delta-7-THC		(6 <i>aR</i> ,9 <i>R</i> ,10 <i>aR</i>)-6,6,9-trimethyl-3-pentyl-6 <i>a</i> ,9,10,10 <i>a</i> -tetrahydrobenzo[c]chromen-1-ol	PI		x

delta-8-THC-acetate		6a,7,10,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-yl-acetate		x
delta-8-THCP		3-octyl-6a,7,10,10a-tetrahydro-6,6,9-trimethyl-6H-dibenzo[b,d]pyran-1-ol		x
delta-9(11)-THC	Delta(9-11)-Tetrahydrocannabinol	(6aR,10aR)-6,6-dimethyl-9-methylidene-3-pentyl-7,8,10,10a-tetrahydro-6aH-benzo[c]chromen-1-ol	PI	x
delta-9-THC-acetate		6a,7,8,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-yl-acetate		x
Desalkylgizazepam		7-bromo-5-phenyl-1,3-dihydro 1,4-benzodiazepin-2-one		x
Delorazepam	Chlordesmethyldiazepam	7-chloro-5-(2-chlorophenyl)-1,3-dihydro-2 H -1,4benzodiazepin-2-one	P IV	x
Deschloroetizolam		2-ethyl-9-methyl-4-phenyl-6H-thieno[3,2f][1,2,4]triazolo[4,3-a][1,4]diazepine		x
Deschloro-N-ethylorketamine	O-PCE	2-(ethylamino)-2-phenylcyclohexan-1-one		x
Desmethylprodine	MPPP, 1-Methyl-4-phenyl-4propionoxypiperidine	1-methyl-4-phenylpiperidin-4-yl propionate	N I+IV	
Desomorphine	Dihydrodesoxymorphine „Krokodil“	4,5-epoxy-17-methylmorphinan-3-ol	N I+IV	x
Desoximetoxetamine	DMXE	2-(ethylamino)-2-(3-methylphenyl)-cyclohexanone		x
Desoxy-D2PM		2-(diphenylmethyl)pyrrolidine		x
Desoxyipradrol	2-diphenylmethylpiperidine, 2-DPMP	2-benzhydrylpiperidine		x
Despropionylfluorofentany		N-(2-Fluorophenyl)-1-(2-phenylethyl)piperidin-4-amine, N-(3-Fluorophenyl)-1-(2-phenylethyl)piperidin-4-amine, N-(4-Fluorophenyl)-1-(2-phenylethyl)piperidin-4-amine		x
Dextroamphetamine	Dexamphetamine	(2S)-1-phenylpropan-2-amine	P II	x
Dextromoramide		(3S)-3-methyl-4-morpholin-4-yl-2,2-diphenyl-1pyrrolidin-1-ylbutan-1-one	N I	
Dextropropoxyphene		1-benzyl-3-(dimethylamino)-2-methyl-1-phenylpropyl propionate	N II+III	

		Nphenylpropanamide	N I	
Diazepam		7-chloro-1,3-dihydro-1-methyl-5-phenyl-2 H -1,4benzodiazepin-2-one	P IV	
Dibenzylpiperazine	DBZP	1,4-dibenzylpiperazine		x
Dibutylone		1-(1,3-benzodioxol-5-yl)-2-(dimethylamino)butan-1-one		x
	β-keto-dimethylbenzodioxolylbutanamine, bk-			
	DMBDB			
Dichloropane	RTI-111	methyl-3-(3,4-dichlorophenyl)-8-methyl-8azabicyclo[3.2.1]octan-2-carboxylate		x
Diclazepam	Chlorodiazepam	7-chloro-5-(2-chlorophenyl)-1-methyl-3 H -1,4-benzodiazepin-2-one	P IV	x
Diethylthiambutene		N,N -diethyl-4,4-dithien-2-ylbut-3-en-2-amine	N I	
Diethyltryptamine	DET, N,N -diethyltryptamine	N,N -diethyl-2-(1 H -indol-3-yl)ethanamine	P I	x
Difenoxin	Motofen	1-(3-cyano-3,3-diphenylpropyl)-4-phenylpiperidine-4carboxylic acid	N I+III	
Difludiazepam		7-chloro-5-(2,6-difluorophenyl)- 1-methyl-3H-1,4- benzodiazepin-2-one		x
Dihydrocodeine		4,5-epoxy-3-methoxy-17-methylmorphinan-6-ol	N II+III	
Dihydroetorphine		7-[2-Hydroxypentan-2-yl]-6-methoxy-17-methyl-4,5epoxy-6,14-ethanonmorphinan-3-ol	N I	x
Dihydromorphine	Paramorfan, Paramorphan	3,6-dihydroxy-4,5-epoxy-17-methylmorphinan	N I	x
Dimenoxadol	Dimenoxadole	2-(dimethylamino)ethyl 2-ethoxy-2,2-diphenylacetate	N I	
Dimepheptanol	Methadol, Racemethadol	6-dimethylamino-4,4-diphenylheptan-3-ol	N I	
Dimethocaine		[3-(diethylamino)-2,2-dimethylpropyl] 4-aminobenzoate		x
Dimethoxyamphetamine	DMA	1-(2,3-dimethoxyphenyl)propan-2-amine	P I	x
Dimethylheptylpyran	DMHP	6,6,9-trimethyl-3-(3-methyloctan-2-yl)-7,8,9,10tetrahydrobenzo[c]chromen-1-ol	P I	x

Dimethylthiambutene	DMTB	<i>N,N</i> -dimethyl-4,4-dithien-2-ylbut-3-en-2-amine	N I	
Dimethyltryptamine	DMT, <i>N,N</i> -dimethyltryptamine	2-(1 <i>H</i> -indol-3-yl)- <i>N,N</i> -dimethylethanamine	PI	x
Dioxaphetyl butyrate		ethyl 4-morpholin-4-yl-2,2-diphenylbutanoate	N I	
Dipentylone		1-(1,3-benzodioxol-5-yl)-2-(dimethylamino)pentan-1-one	P II	x
Diphenidine	Difenidin	1-(1,2-diphenylethyl)piperidine	P II	x
Diphenoxylate		ethyl 1-(3-cyano-3,3-diphenylpropyl)-4phenylpiperidine-4-carboxylate	N I+III	x
Dipipanone		4,4-diphenyl-6-(piperidin-1-yl)heptan-3-one	N I	
Dipropyltryptamine	DPT, <i>N,N</i> -dimethylpropyltryptamine	<i>N</i> -[2-(1 <i>H</i> -indol-3-yl)ethyl]- <i>N</i> -propylpropan-1-amine		x
DiPT	<i>N,N</i> -diisopropyltryptamine	<i>N</i> -[2-(1 <i>H</i> -indol-3-yl)ethyl]- <i>N</i> -propan-2-ylpropan-2-amine		x
DL-4662		1-(3,4-dimethoxyphenyl)-2-(ethylamino)pentan-1-one		x
DOPR		2,5-dimethoxy-4-propylamphetamine		x
DOT		2,5-dimethoxy-4-methylthioamphetamine		x
Dronabinol	(-)-trans- Δ^9 -tetrahydrocannabinol og stereoisomerar	6,6,9-trimethyl-3-pentyl-6a,7,8,10-tetrahydrobenzo[<i>c</i>]chromen-1-ol	P II	x
Drotebanol	Oxymethebanol	3,4-dimethoxy-17-methylmorphinan-6,14-diol	N I	
EAM-2201		(4-ethylnaphthalen-1-yl)-[1-(5-fluoropentyl)indol-3yl]methanone		x
Ecgonine	Ásamt estum og afbrigðum þeirra sem hægt er að breyta í ecgonin eða kókaín, þ.m.t. benzyl-, ethyl- og methyl-ecgonine	3-hydroxy-8-methyl-8-azabicyclo[3.2.1]octane-4carboxylic acid	N I	x
Eflea		<i>N</i> -[1-(2,3-dihydro-1,4-benzodioxin-6-yl)propan-2-yl]- <i>N</i> methylhydroxylamine		x
Ephenidine		<i>N</i> -ethyl-1,2-diphenylethylamine		x
Escaline	3,5-dimethoxy-4-ethoxyphenylethylamine	2-(4-ethoxy-3,5-dimethoxyphenyl)ethanamine		x
Estazolam		8-chloro-6-phenyl-4 <i>H</i> -[1,2,4]triazolo[4,3a][1,4]benzodiazepine	P IV	
Etaqualone		3-(2-ethylphenyl)-2-methylquinazolin-4(3H)-		

		one			x
Etazene	Etodesnitazene	2-[2-[(4-ethoxyphenyl)methyl]benzimidazol-1-yl]-N,N-diethylethanamine	N I		x
Ethcathinone	N-ethylaminopropiophenone, N-ethylcathinone	2-ethylamino-1-phenylpropan-1-one			x
Ethchlorvynol		1-chloro-3-ethylpent-1-en-4-yn-3-ol	P IV		
Ethinamate		1-ethynylcyclohexyl carbamate	P IV		
ETH-LAD		N,N,6-triethyl-9,10-didehydroergoline-8-carboxamide			x
Ethyl loflazepate		ethyl 7-chloro-5-(2-fluorophenyl)-2,3-dihydro-2-oxo-1 H 1,4-benzodiazepine-3-carboxylate	P IV		
Ethylamphetamine	Etilamfetamine, N-ethylamphetamine	N-ethyl-1-phenylpropan-2-amine	P IV		x
ethyleneoxynitazene		2-(2-((2,3-dihydrobenzofuran-5-yl)methyl)-5-nitro-1Hbenzo[d]imidazol-1-yl)-N,N-diethylethan-1-amine			x
Ethylmethylthiambutene	Emethibutin	N-ethyl- N-methyl-4,4-dithien-2-ylbut-3-en-2-amine	N I		
Ethylmorphine	Dionine, Codethyline	7,8-didehydro-4,5-epoxy-3-ethoxy-17-methylmorphinan-6-ol	N II+III		x
Ethylon	etylon, ethylone	1-(benzo[d][1,3]dioxol-5-yl)-2-(ethylamino)propan-1-ol	P II		
Ethylphenidate		ethyl 2-phenyl-2-piperidine-2-ylacetate	P II		
Eticyclidine	PCE	N-ethyl-1-phenylcyclohexan-1-amine	P I		x
Etizolam		4-(2-chlorophenyl)-2-ethyl-9-methyl-6 H thieno[3,2f][1,2,4]triazolo[4,3-a][1,4]diazepine	P IV		x
Etonitazene		2-[2-[(4-ethoxyphenyl)methyl]-5-nitrobenzimidazol-1-yl]-N,N-diethylethanamine	N I		
Etonitazepyne		2-[(4-ethoxyphenyl)methyl]-5-nitro-1-(2-pyrrolidin-1ylethyl)benzimidazole	N I		x
Etorphine	M99	7-[2-Hydroxypentan-2-yl]-6-methoxy-17-methyl-4,5epoxy-6,14-ethenomorphinan-3-ol	N I+IV		x
Etoxidine	Carbetidine	ethyl 1-[2-(2-hydroxyethoxy)ethyl]-4-phenylpiperidine-4-			

		carboxylate	N I	
Etryptamine	α-Ethyltryptamine, α-ET	1-(1 H -indol-3-yl)butan-2-amine	PI	x
Eutylone		1-(1,3-benzodioxol-5-yl)-2-(ethylamino)-1-butanone	PII	x
Fencamfamine		N -ethyl-2-phenylbicyclo[2.2.1]heptan-3-amine	PIV	
Fenethylline	Phenethylline	1,3-dimethyl-7-[2-(1-phenylpropan-2ylamino)ethyl]purine-2,6-dione	PII	x
Fenfluramine	3-trifluoromethyl- N -ethylamphetamine	N -ethyl-1-[3-(trifluoromethyl)phenyl]propan-2-amine		x
Fenproporex		3-(1-phenylpropan-2-ylamino)propanenitrile	PIV	
Fentanyl	Fentanil	N -phenyl- N -[1-(2-phenylethyl)piperidin-4yl]propanamide	NI	
Flephedrone	4-fluoromethcathinone, 4-FMC	1-(4-fluorophenyl)-2-(methylamino)propan-1-one		x
Flualprazolam		6-(2-fluorophenyl)-8-chloro-1-methyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine	PIV	X
Flubromazepam		7-bromo-5-(2-fluorophenyl)-1H-benzo[e][1,4]diazepin-2(3H)-one		X
Flubromazolam		8-bromo-6-(2-fluorophenyl)-1-methyl-4Hbenzo[f][1,2,4]triazolo[4,3-a][1,4]diazepine	PIV	X
Flubrotizolam		2-Bromo-4-(2-fluorophenyl)-9- methyl-6Hthieno(3,2f)(1,2,4)triazolo(4,3a)(1,4)diazepine		x
Fluetizolam		2'-Fluorodeschloroetizolam 2-ethyl-4-(2-fluorophenyl)-9-methyl-6H-thieno[3,2- f][1,2,4]triazolo[4,3- a][1,4]diazepine		x
Fludiazepam		7-chloro-5-(2-fluorophenyl)-1,3-dihydro-1-methyl-2 H -1,4-benzodiazepin-2-one	PIV	X

Flunitrazepam	Rohypnol, Rohipnol	5-(2-fluorophenyl)-1-methyl-7-nitro-3 H -1,4benzodiazepin-2-one	P III	X
Fluorobutyrylfentanyl		N-(2-fluorophenyl)-N-[(1-(2-phenylethyl)-4piperidinyl)]butanamid, N-(3-fluorophenyl)-N-[(1-(2-phenylethyl)-4piperidinyl)]butanamid, N-(4-fluorophenyl)-N-[(1-(2-phenylethyl)-4piperidinyl)]butanamid		X
Fluoro-isobutyrylfentanyl		N-(2-fluorophenyl)-2-methyl-N-[1-(2-phenylethyl)piperidin-4-yl]propanamid, N-(3-fluorophenyl)-2-methyl-N-[1-(2-phenylethyl)piperidin-4-yl]propanamid, N-(4-fluorophenyl)-2-methyl-N-[1-(2-phenylethyl)piperidin-4-yl]propanamid	NI	x
Flurazepam		7-chloro-1-[2-(diethylamino)ethyl]-5-(2-fluorophenyl)-1,3dihydro-2 H -1,4-benzodiazepin-2-one	P IV	x
FUB-144		(1-(4-fluorobenzyl)-1H-indol-3-yl)(2,2,3,3-tetramethylcyclopropyl)methanone		x
Furanylethylfentanyl		N-[1-[2-(2-furanyl)ethyl]piperidin-4-yl]-N-phenylpropanamide		x
Furanylfentanyl		N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-furan-2carboxamide	NI	x
Furethidine		ethyl 1-[2-(oxolan-2-ylmethoxy)ethyl]-4phenylpiperidine-4-carboxylate	NI	
Gamma-Butyrolactone	GBL, 4-butyrolactone	oxolan-2-one		x
Gamma -hydroxybutyrate	GHB, Sodium Oxypate	4-hydroxybutanoate		x
Gamma -hydroxybutyric acid	GHB, smjörσύra	4-hydroxybutanoic acid	P II	x
Gidazepam		7-bromo-2,3-dihydro-2-oxo-5-phenyl-1H-1,4-benzodiazepine-1-acetic acid, hydrazide		x
Glutethimide		3-ethyl-3-phenylpiperidine-2,6-dione	P III	
Halazepam		7-chloro-1,3-dihydro-5-phenyl-1-(2,2,2-trifluoroethyl)-2 H -1,4-benzodiazepin-2-one	P IV	x

		fluorophenyl)-2,3,5,7-tetrahydro-	P IV	x
		[1,3]oxazolo[3,2-d][1,4]benzodiazepin-6-one		
Heptabarbital	Heptabarbitone, Heptabarb	5-(1-cyclohepten-1-yl)-5-ethyl-1,3-diazinane-2,4,6-trione		x
Heroin	Diacetylmorphine, Morphine diacetate, Diamorphine	3-acetoxy-7,8-didehydro-4,5-epoxy-17methylmorphinan-6-yl acetate	N I+IV	x
Hexahydrocannabinol	HHC	6,6,9-trimethyl-3-pentyl-6a,7,8,9,10,10a-hexahydro-6H-benzo[c]chromen-1-ol	P II	x
Hexahydrocannabinol acetate	HHC-O	6,6,9-trimethyl-3-pentyl-6a,7,8,9,10,10a-hexahydro-6Hbenzo[c]chromen-1-yl acetate		x
Hexahydrocannabiphorol	HHC-P	(3-heptyl-6a,7,8,9,10,10a-hexahydro-6,6,9- trimethyl-6Hdibenzo[b,d]pyran-1-ol		x
Hexapropymate		1-(prop-2-ynyl)cyclohexyl carbamate		x
Hexedrone		2-methylamino-1-phenylhexan-1-one		x
Hexobarbital	Hexobarbitone	5-(1-cyclohexen-1-yl)-1,5-dimethyl-1,3-diazinane-2,4,6trione		x
HHCP-acetate	HHCPO	3-heptyl-6,6,9-trimethyl-6a,7,8,9,10,10a-hexahydro-6H-dibenzo[b,d]pyran-1-yl acetate		x
HU-210	11-Hydroxy- Δ^8 -THC-DMH	9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-tetrahydro-6H-benzo[c]chromen-1-ol		x
HU-308		4-[4-(1,1-dimethylheptyl)-2,6-dimethoxyphenyl]-6,6dimethyl-bicyclo[3.1.1]hept-2-ene-2-methanol		x
Hydrocodone		4,5-epoxy-3-methoxy-17-methylmorphinan-6-one	N I	
Hydromorphinol	14-Hydroxydihydromorphine	3,6,14-trihydroxy-4,5-epoxy-17-methylmorphinan	N I	
Hydromorphone	Dihydromorphinone	4,5-epoxy-3-hydroxy-17-methyl morphinan-6-one	N I	
Hydroxyamphetamine	4-hydroxyampetamine	4-(2-aminopropyl)phenol		x
Hydroxypethidine	Bemidone	ethyl 4-(3-hydroxyphenyl)-1-methylpiperidine-4carboxylate	N I	x

Iboga	Tabernanthe iboga				x
Ibogaine		12-methoxyibogamine			x
Isobutyl nitrite		2-methylpropyl nitrite			x
Isomethadone	Isoamidone	6-(dimethylamino)-5-methyl-4,4-diphenylhexan-3-one	NI		
isopropylphenidate		Isopropyl-2-phenyl-2-(piperidin-2-yl)acetate			x
Isopropyl-U-47700		N-[2-(dimethylamino)cyclohexyl]-3,4-dichloro-N(propan-2-yl)benzamide			x
Isotonitazene		N,N-diethyl-2-[2-(4-isopropoxybenzyl)-5-nitro-1Hbenzo[d]imidazol-1-yl]ethan-1-amine	NI		x
JWH-007		(2-methyl-1-pentyl-1 H -indol-3-yl)(naphthalen-1-yl)methanone			x
JWH-011		(1-(heptan-2-yl)-2-methyl-1 H -indol-3-yl)(naphthalen-1-yl)methanone			x
JWH-015		(2-methyl-1-propyl-1 H -indol-3-yl)(naphthalen-1-yl)methanone			x
JWH-016		(1-butyl-2-methyl-1 H -indol-3-yl)(naphthalen-1-yl)methanone			x
JWH-018	AM-678	(naphthalen-1-yl)(1-pentyl-1 H -indol-3-yl)methanone	P II		x
JWH-018, N -(5-chloropentyl) analog		[1-(5-chloropentyl)-1 H -indol-3-yl](naphthalen-1-yl)methanone			x
JWH-019		(1-hexyl-1 H -indol-3-yl)(naphthalen-1-yl)methanone			x
JWH-020		(1-heptyl-1 H -indol-3-yl)(naphthalen-1-yl)methanone			x
JWH-022		(naphthalen-1-yl)[1-(pent-4-en-1-yl)-1 H -indol-3-yl]methanone			x
JWH-030		(naphthalen-1-yl)(1-pentyl-1 H -pyrrol-3-yl)methanone			x
JWH-031		(1-hexyl-1 H -pyrrol-3-yl)(naphthalen-1-yl)methanone			x
JWH-047		(1-butyl-2-methyl-1 H -indol-3-yl)(7-methylnaphthalen-1-yl)methanone			x
JWH-048		(2-methyl-1-pentyl-1 H -indol-3-yl)(7-methylnaphthalen-1-yl)methanone			x

JWH-071		(1-ethyl-1 H -indol-3-yl) (naphthalen-1-yl)methanone	x
JWH-072		(naphthalen-1-yl)(1-propyl-1 H -indol-3-yl)methanone	x
JWH-073		(1-butyl-1 H -indol-3-yl) (naphthalen-1-yl)methanone	x
JWH-081		(4-methoxynaphthalen-1-yl)(1-pentyl-1 H -indol-3yl)methanone	x
JWH-098		(4-methoxynaphthalen-1-yl)(2-methyl-1-pentyl-1 H -indol-3-yl)methanone	x
JWH-116		(2-ethyl-1-pentyl-1 H -indol-3-yl)(naphthalen-1yl)methanone	x
JWH-120		(4-methylnaphthalen-1-yl) (1-propyl-1 H -indol-3yl)methanone	x
JWH-122		(4-methylnaphthalen-1-yl) (1-pentyl-1 H -indol-3yl)methanone	x
JWH-145		(naphthalen-1-yl)(1-pentyl-5-phenyl-1 H -pyrrol-3yl)methanone	x
JWH-147		(1-hexyl-5-phenyl-1 H -pyrrol-3-yl)(naphthalen-1yl)methanone	x
JWH-148		(4-methylnaphthalen-1-yl) (2-methyl-1-propyl-1 H -indol-3-yl)methanone	x
JWH-149		(4-methylnaphthalen-1-yl) (2-methyl-1-pentyl-1 H -indol-3yl)methanone	x
JWH-164		(7-methoxynaphthalen-1-yl)-(1-pentyl-1 H -indol-3yl)methanone	x
JWH-166		(6-methoxynaphthalen-1-yl)-(1-pentyl-1 H -indol-3yl)methanone	x
JWH-167		1-(1-pentyl-1 H -indol-3-yl)-2-phenylethan-1-one	x
JWH-171		(Z)-1-((3-pentyl-1 H -inden-1-ylidene)methyl)naphthalen	x
JWH-175		3-(naphthalen-1-ylmethyl)-1-pentyl-1 H -indole	x
JWH-176		(E)-1-((3-pentyl-1 H -inden-1-ylidene)methyl)naphthalen	x

JWH-181		(2-methyl-1-pentyl-1 H -indol-3-yl)(4-propylnaphthalen-1-yl)methanone	x
JWH-182		(1-pentyl-1 H -indol-3-yl)(4-propylnaphthalen-1-yl)methanone	x
JWH-184		3-((4-methylnaphthalen-1-yl)methyl)-1-pentyl-1 H -indole	x
JWH-185		3-((4-methoxynaphthalen-1-yl)methyl)-1-pentyl-1Hindole	x
JWH-192		4-(2-(3-((4-methylnaphthalen-1-yl)methyl)-1 H -indol-1-yl)ethyl)morpholine	x
JWH-193		(4-methylnaphthalen-1-yl)(1-(2-morpholinoethyl)-1 H indol-3-yl)-methanone	x
JWH-194		2-methyl-3-((4-methylnaphthalen-1-yl)methyl)-1-pentyl-1 H -indole	x
JWH-195		4-(2-(3-(naphthalen-1-yl)methyl)-1 H -indol-1-yl)ethyl)morpholine	x
JWH-196		2-methyl-3-(naphthalen-1-yl)methyl)-1-pentyl-1 H -indole	x
JWH-197		3-((4-methoxynaphthalen-1-yl)methyl)-2-methyl-1-pentyl-1 H -indole	x
JWH-198		(4-methoxynaphthalen-1-yl)(1-(2-morpholinoethyl)-1 H indol-3-yl)methanone	x
JWH-199		4-(2-(3-((4-methoxynaphthalen-1-yl)methyl)-1 H -indol-1-yl)ethyl)morpholine	x
JWH-200	WIN-55,225	[1-[2-(morpholin-4-yl)ethyl]-1 H -indol-3-yl](naphthalen-1-yl)methanone	x
JWH-201		2-(4-methoxyphenyl)-1-(1-pentyl-1 H -indol-3-yl)ethan-1-one	x
JWH-203		2-(2-chlorophenyl)-1-(1-pentyl-1 H -indol-3-yl)ethan-1-one	x
JWH-205		1-(2-methyl-1-pentyl-1 H -indol-3-yl)-2-phenylethan-1-one	x
JWH-210		(4-ethylnaphthalen-1-yl)(1-pentyl-1 H -indol-3-yl)methanone	x
JWH-250		2-(2-methoxyphenyl)-1-(1-pentyl-1 H -indol-3-yl)ethan-1-one	x

JWH-251		2-(2-methylphenyl)-1-(1-pentyl-1 H -indol-3-yl)ethan-1-one		x
JWH-308		naphthalen-1-yl[5-(4-fluorophenyl)-1-pentyl-1H-pyrrol-3-yl]methanone		x
JWH-309		naphthalen-1-yl[5-(1-naphthalenyl)-1-pentyl-1H-pyrrol-3-yl]-methanone		x
JWH-368		naphthalen-1-yl(5-(3-fluorophenyl)-1-pentyl-1H-pyrrol-3-yl)methanone		x
JWH-369		[5-(2-chlorophenyl)-1-pentyl-1H-pyrrol-3-yl]-1naphthalenyl-methanone		x
JWH-398		(4-chloronaphthalen-1-yl)(1-pentyl-1 H -indol-3yl)methanone		x
Kaktusar sem innihalda mescaline	Kaktus og fræ af tegundunum <i>Ecinopsis pachanoi</i> og <i>Ecinopsis peruviana</i> og aðrar sem innihalda mescaline (3,4,5-trimethoxyphenethylamine)			x
Ketamine		2-(2-chlorophenyl)-2-(methylamino)cyclohexan-1-one		x
Ketazolam		11-chloro-8,12b-dihydro-2,8-dimethyl-12b-phenyl-6 H -[1,2]oxazino[3,2-d][1,4]benzodiazepine-4,7-dione	P IV	x
Ketobemidone	Cliradon, Cymido, Ketorax	1-[4-(3-hydroxyphenyl)-1-methylpiperidin-4-yl]propan-1-one	N I+IV	x
Khat	<i>Catha edulis</i> , Allir hlutar plöntunnar			x
Kratom	<i>Mitragyna speciosa</i>			x
Lefetamine	SPA	<i>N,N</i> -dimethyl-1,2-diphenylethanamine	P IV	x
Levoamphetamine	Levamphetamine, (R)-amphetamine, (-)amphetamine	(2R)-1-phenylpropan-2-amine	P II	x
Levomethamphetamine	Levmetamphetamine, Lcodesoxyephedrine (Idesoxyephedrine)	(2R)- <i>N</i> -methyl-1-phenylpropan-2-amine	P II	x
Levomethorphan		(1R,9R,10R)-4-methoxy-17-methyl-17-azatetracyclo[7.5.3.0 ^{1,10} .0 ^{2,9}]heptadeca-2,4,6-triene	N I	
Levomoramide		(3R)-3-methyl-4-morpholin-4-yl-2,2-diphenyl-1pyrrolidin-1-ylbutan-1-one	N I	

		phenylpentan-2-yl]oxy-			x
		5,6,6a,7,8,9,10,10a-octahydrophenanthridin-1-yl acetate			
Levophenacilmorphan	Benzorphanol	2-(3-Hydroxymorphan-17-yl)-1-phenylethanone	NI		
Levorphanol			NI		
Lisdexamfetamine		2,6-diamino- <i>N</i> -(1-phenylpropan-2-yl)hexanamide			x
Lofentanil		methyl (3 <i>S</i> ,4 <i>R</i>)-3-methyl-1-(2-phenylethyl)-4-[phenyl(propionyl)amino]piperidin-4-carboxylat			x
Loprazolam	Triazulenone, Loprazolam mesylate	6-(2-chlorophenyl)-2,4-dihydro-2-[(4-methyl-1-piperazinyl)methylene]-8-nitro-1 <i>H</i> imidazo[1,2 <i>a</i>][1,4]benzodiazepine-1-one	PIV		x
Lorazepam		7-chloro-5-(2-chlorophenyl)-1,3-dihydro-3-hydroxy-2 <i>H</i> -1,4-benzodiazepin-2-one	PIV		x
Lormetazepam	methyl-lorazepam	7-chloro-5-(2-chlorophenyl)-1,3-dihydro-3-hydroxy-1methyl-2 <i>H</i> -1,4-benzodiazepin-2-one	PIV		x
LSZ		8b-(2,4-dimethylazetidini-yl)carbonyl-9,10-didehydro-6-methylergoline			x
Lysergic Acid Diethylamide	Lysergide, LSD, LSD-25	<i>N,N</i> -diethyl-7-methyl-6,6a,8,9-tetrahydro-4 <i>H</i> -indolo[4,3 <i>fg</i>]quinoline-9-carboxamide	PI		x
MAM-2201		(1-(5-fluoropentyl)-1 <i>H</i> -indol-3-yl)(4-methyl-1naphthalen-1-yl)methanone			x
MAM-2201 klór analog		(1-(5-chloropentyl)-1 <i>H</i> -indol-3-yl)(4-methylnaphthalen-1-yl)methanone			x

MAM-2201 N-(3-fluoropentyl) analog		(1-(3-fluoropentyl)-1H-indol-3-yl)(4-methylnaphthalen-1-yl)methanone		x
Mazindol	Mazanor, Sanorex	5-(4-chlorophenyl)-2,3-dihydroimidazo[1,2-b]isoindol-5ol	P IV	x
MDAI	5,6-methylenedioxy-2-aminoindane	(6,7-dihydro-5H-cyclopenta[f][1,3]benzodioxol-6-amine)		x
MDMA	3,4-methylenedioxy- N -methylamphetamine, „extacy“, „alsæla“, „Molly“	1-(1,3-benzodioxol-5-yl)-N-methylpropan-2-amine	P I	x
MDMB-4en-PINACA		methyl-3,3-dimethyl-2-[1-(pent-4-en-1-yl)-1H-indazol-3-carboxamido]butanoate	P II	x
MDMB-CHMICA		(methyl-2-(1-(cyclohexylmethyl)-1 H -indol-3-carboxamido)-3,3-dimethylbutanoat)	PII	x
MDMB-CHMINACA		methyl-2-([1-(cyclohexylmethyl)-1H-indazol-3-carbonyl]amino)-3,3-dimethylbutanoate		x
MDPBP		1-(1,3-benzodioxol-5-yl)-2-(pyrrolidin-1-yl)butan-1-one		x
MDPHP		1-(1,3-benzodioxol-5-yl)-2-(pyrrolidin-1-yl)hexan-1-one		x
Meclonazepam		5-(2-chlorophenyl)-3-methyl-7-nitro-1,3-dihydro-2H-[1,4]-benzodiazepin-2-one		x
Mecloqualone	Nubarene, Casfen	3-(2-chlorophenyl)-2-methylquinazolin-4-one	P II	x
Medazepam		7-Chloro-2,3-dihydro-1-methyl-5-phenyl-1 H -1,4benzodiazepine	P IV	x
Mefenorex		N -(3-chloropropyl)-1-phenylpropan-2-amine	P IV	
MeO-diphenidine		1-(1-(2-methoxyphenyl)-2-phenylethyl)piperidine, 1-(1(3-methoxyphenyl)-2-phenylethyl)piperidine, 1-(1-(4methoxyphenyl)-2-phenylethyl)piperidine		x
3-MeO-PCP	3-Methoxy phencyclidine	1-(1-(3methoxyphenyl)cyclohexyl)piperidine	P II	x
Mephedrone	4-methylmethcathinone, 4-MMC, 4methylphedrone	2-(methylamino)-1-(4-methylphenyl)propan-1-one	P II	x

		(carbamoyloxymethyl)-2-methylpentyl carbamate	P IV	
Mescaline	3,4,5-trimethoxyphenethylamine	2-(3,4,5-trimethoxyphenyl)ethanamine	P I	x
Mesocarb	Sidnocarb, Sydnocarb	N-phenyl-N'-[3-(1-phenylpropan-2-yl)oxadiazol-3-ium5-yl]carbamimidate	P IV	
MET		N-methyl-N-ethyltryptamine		x
meta - chlorophenylpiperazine	mCPP	1-(3-chlorophenyl)piperazine		x
Metamfepramone	Dimepropion	2-dimethylamino-1-phenylpropan-1-one		x
Metazocine	Methobenzmorphan	1,2,3,4,5,6-hexahydro-3,6,11-trimethyl-2,6-methano-3benzazocin-8-ol	N I	
Methacrylfentanyl		N-(1-phenethylpiperidin-4-yl)-N-phenylmethacrylamide		x
Methadone	Dolophine, Amidone, Physeptone	6-dimethylamino-4,4-diphenylheptan-3-one	N I	x
Methadone intermediate	Premethadone	4-dimethylamino-2,2-diphenylpentanenitrile	N I	x
Methallylescaline	MAL	2-[3,5-dimethoxy-4-(2-methylprop-2enoxy)phenyl]ethanamine		x
Methamnetamine		N-methyl-1-(naphthalen-2-yl)propan-2-amine		x
Methamphetamine	N-methylamphetamine, Pervertine, „Meth“, N methyl-alpha-methylphenethylamine	N-methyl-1-phenylpropan-2-amine	P II	x
Methamphetamine racemate	Methamfetamine racemate	methyl[(2 RS)-1-phenylpropan-2-yl]amine	P II	x
Methaqualone	Metolquizolone	2-methyl-3-(2-methylphenyl)quinazolin-4-one	P II	x
Metharbital	Endiemal	5,5-diethyl-1-methyl-1,3-diazinane-2,4,6-trione		x
Methcathinone	Ephedrone, α-methylaminopropiophenone	2-(methylamino)-1-phenylpropan-1-one	P I	x
Methedrone	Para-methoxymethcathinone, bk-PMMA, PMMC	1-(4-methoxyphenyl)-2-(methylamino)propan-1-one		x
Methiopropamine	MPA	N-methyl-1-(thiophen-2-yl)propan-2-amine	P II	
Methohexital	Methohexitone	5-(hex-3-yn-2-yl)-1-methyl-5-(prop-2-en-1-yl)-1,3diazinane-2,4,6-trione		x
Methoxetamine	MXE, 3-MeO-2-Oxo-PCE	2-(3-methoxyphenyl)-2-(ethylamino)cyclohexanone	P II	x
Methoxyacetylfentanyl		2-methoxy-N-phenyl-N-[1-(2-phenylethyl)piperidin-4yl]acetamide	N I	

		[1-(2-phenylethyl)piperidin-4yl]butanamid, N-(3-methoxyphenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]butanamid, N-(4-methoxyphenyl)-N-[1-(2-phenylethyl)piperidin-4yl]butanamid			x
Methylclonazepam		5-(2-chlorophenyl)-1-methyl-7-nitro-1,3-dihydro-2H-1,4-benzodiazepin-2-one			x
Methyldesorphine		6,17-dimethyl-6,7-didehydro-4,5-epoxymorphinan-3-ol	N I		
Methyldihydromorphine	Dihydroheterocodeine	6-Methoxy-17-methyl-4,5-epoxymorphinan-3-ol	N I		
methylenedioxyntazene		2-(2-((1,3-Benzodioxol-5-yl)methyl)-5-nitro-1Hbenzo[d]imidazol-1-yl)-N,N-diethylethan-1-amine			x
Methylenedioxypropylone	MDPV	1-(1,3-benzodioxol-5-yl)-2-(pyrrolidin-1-yl)pentan-1-one	P II		x
Methylnaphthidate	HDMP-28	methyl-naphthalen-2-yl(piperidin-2-yl)acetate			x
Methylone	β-keto-3,4-methylenedioxyamphetamine, bk-MDMA	1-(1,3-benzodioxol-5-yl)-2-(methylamino)propan-1-one	P II		x
Methylpentynol		3-methylpent-1-yn-3-ol			x
Methylphenidate	Phenidylate	methyl 2-phenyl-2-(piperidin-2-yl)acetate	P II		x
Methylphenobarbital	Mephobarbital, Mephobarbitone	5-ethyl-1-methyl-5-phenyl-1,3-diazinane-2,4,6-trione	P IV		x
Methypylon		3,3-diethyl-5-methylpiperidine-2,4-dione	P IV		
Metizolam		4-(2-chlorophenyl)-2-ethyl-6H-thieno[3,2f][1,2,4]triazolo[4,3-a][1,4]diazepine			x
Metodesnitazene	metazene	N,N -diethyl-2-(2-(4-methoxybenzyl)-1 H -benzimidazol-1-yl)ethan-1-amine			x
Metopon	5-methyldihydromorphone	4,5-epoxy-3-hydroxy-5,17-dimethylmorphinan-6-one	N I		
Metonitazene		N,N-diethyl-2-(2-(4-methoxybenzyl)-5-nitro-1Hbenzo[d]imidazol-1-yl)ethan-1-amine	N I		x
Metoxisopropamine	MXiPr	2-(isopropylamino)-2-(3-methoxyphenyl)cyclohexanone			x
Metoxpropamine	MXPr	2-(3-methoxyphenyl)-2-(propylamino)cyclohexan-1-one			x
MFPVP	3-Me-4F-PVP	1-(4-fluoro-3-methylphenyl)-2-(pyrrolidin-1-yl)pentan-1-one			x
Midazolam		8-Chloro-6-(2-fluorophenyl)-1-methyl-4 H -imidazo[1,5a]			

		[1,4]benzodiazepine	P IV	x
MIPT		N-[2-(1H-indol-3-yl)ethyl]-N-methylpropan-2-amine		x
Mitragynine		Methyl (E)-2-(3-ethyl-8-methoxy-1,2,3,4,6,7,12,12boctahydroindolo[2,3-a]quinolizin-2-yl)-3-methoxyprop2-enoate		x
MMB-022	AMB-4en-PICA	methyl-3-methyl-2-[1-(pent-4-en-1-yl)-1H-indol-3carboxamido]butanoate		x
MMB-CHMICA	AMB-CHMICA	methyl-2-[1-(cyclohexylmethyl)-1H-indol-3carboxamido]-3-methylbutanoate		x
MMB-FUBICA	AMB-FUBICA, FUB-AMB	methyl-2-[1-(4-fluorobenzyl)-1H-indol-3-carboxamido]3-methylbutanoate	P II	x
MMDA	3-methoxy-4,5-methylenedioxyamphetamine, 3methoxy-MDA	1-(7-methoxy-1,3-benzodioxol-5-yl)propan-2-amine	P I	x
MMDA-2	6-metoxo-MDA	6-methoxy-3,4-methylenedioxyamphetamine		x
Modafinil		2-[(diphenylmethyl)sulfinyl]acetamide		x
MOPPP*		4'-methoxy- α -pyrrolidinopropiophenone		x
Moramide-intermediate		3-methyl-4-(morpholin-4-yl)-2,2-diphenylbutanoic acid	N I	
Morpheridine	Morpholinoethylnorpethidine	ethyl 1-[(2-morpholin-4-yl)ethyl]-4-phenylpiperidine-4carboxylate	N I	
Morphine		7,8-didehydro- 4,5-epoxy-17-methylmorphinan-3,6-diol	N I	x
Morphine methylbromide	Morphine methobromide, Morphosan og önnur morfinúrefni með 5-gildu köfnunarefni	3,6-dihydroxy-17,17-dimethyl-7,8-didehydro-4,5epoxymorphinan-17-ium bromide	N I	x
Morphine- N -oxide	Genomorphine	7,8-didehydro-4,5-epoxy-17-methylmorphinan-3,6-diol 17-oxide	N I	x
MPHP*		4-methylphenylpyrrolidinylhexanone		x
MPhP-2201		methyl-3-phenyl-2-[1-(5-fluoropentyl)-1H-indol-3carboxamido]propanoate		x
MT-45		1-cyclohexyl-4-(1,2-diphenylethyl)-piperazin	N I	x
Myrophine	Myristylbenzylmorphine	7,8-didehydro-4,5-epoxy-17-methyl-3-(phenylmethoxy)morphinan-6-yl tetradecanoate	N I	

Nabilone		1-hydroxy-6,6-dimethyl-3-(2-methyl-2-octanyl)-6,6a,7,8,10,10a-hexahydro-9H-benzo[c]chromen-9-one			x
N -acetylmescaline		N -[2-(3,4,5-trimethoxyphenyl)ethyl]acetamide			x
Naphyrone	Naphthylpyrovalerone	1-naphthalen-2-yl-2-pyrrolidin-1-ylpentan-1-one			x
N-Desethyl isotonitazene		N-ethyl-2-[2-(4-isopropoxyphenyl)methyl]-5-nitrobenzimidazol-1-yl]ethanamine	N I		x
N-desetyletonitazene		2-[2-(4-ethoxyphenyl)methyl]-5-nitro-benzimidazol-1-yl]-N-ethyl-ethanamine			x
n-desethylprotonitazene		N-ethyl-2-(5-nitro-2-(4-propoxybenzyl)-1Hbenzo[d]imidazol-1-yl)ethan-1-amine			x
N-desetylisotonitazen		N-ethyl-2-[2-(4-isopropoxyphenyl)methyl]-5-nitrobenzimidazol-1-yl]ethanamine			x
N -ethylbuphedrone	NEB	2-(ethylamino)-1-phenylbutan-1-one			x
N-ethyl-heptedrone		2-(ethylamino)-1-phenylheptan-1-one			x
N-ethylhexedrone	NEH	2-(ethylamino)-1-phenylhexan-1-one	P II		x
N-ethylisohexedrone		2-(ethylamino)-4-methyl-1-phenyl-pentan-1-one			x
N-ethylnorketamine		2-(ethylamino)-2-(2-chlorophenyl)cyclohexan-1-one			x
N-ethylnorpentylone	Efylon, ephylone	1-(1,3-benzodioxol-5-yl)-2-(ethylamino)-1-pentanone	P II		
N-ethyl-pentedron	NEP	2-(ethylamino)-1-phenylpentan-1-one			x
N -hydroxyamphetamine		N-(1-phenylpropan-2-yl)hydroxylamine			x
N-hydroxy-MDA	N-OH-MDA	N-hydroxy- α -methyl-1,3-benzodioxole-5-ethanamine			x
Nicocodine	Lyopect, Nicocodeine	3-methoxy-17-methyl-7,8-didehydro-4,5epoxymorphinan-6-yl nicotinate	N II+III		
Nicodicodine	Nicodicodeine	3-methoxy-17-methyl-4,5-epoxymorphinan-6-yl nicotinate	N II+III		
Nicomorphine		7,8-didehydro-4,5-epoxymorphinan-17-methyl-3nicotinoyloxy-6-yl nicotinate	N I		

Nimetazepam				P IV	x
		1,3-dihydro-1-methyl-7-nitro-5-phenyl-2 H -1,4benzodiazepin-2-one			
Nitrazepam				P IV	x
		7-nitro-5-phenyl-1,3-dihydro-1,4-benzodiazepin-2-one			
Nitrazolam					x
		6-phenyl-1-methyl-8-nitro-4H-[1,2,4]triazolo[4,3a][1,4]benzodiazepine			
NM-2201					x
		naphthalen-1-yl-1-(5-fluoropentyl)-1H-indol-3carboxylate			
N-Methyl-2-AI	N-metyl-2AI, N-methyl-2-aminoindane				x
		N-methyl-2,3-dihydro-1H-inden-2-amine			
N -methylnescaline					x
		N -methyl-2-(3,4,5-trimethoxyphenyl)ethanamine			
Noracymethadol				N I	
		6-(methylamino)-4,4-diphenylheptan-3-yl acetate			
Norcodeine				N II+III	
		7,8-didehydro-4,5-epoxy-3-methoxymorphinan-6-ol			
Nordazepam	Desoxydemoxepam, Nordiazepam, Desmethyldiazepam			P IV	x
		7-chloro-1,3-dihydro-5-phenyl-2 H -1,4-benzodiazepin-2one			
Norfludiazepam					x
		5-(2-fluorophenyl)-7-chloro-1,3-dihydro-2H-1,4benzodiazepin-2-one			
Norlevorphanol				N I	
		morphinan-3-ol			
Normethadone	Desmethylnmethadone, Phenyldimazone			N I	
		6-(dimethylamino)-4,4-diphenylhexan-3-one			
Normorphine	Desmethylnmorphine			N I	x
		7,8-didehydro-4,5-epoxymorphinan-3,6-diol			
Norpipanone				N I	
		4,4-diphenyl-6-(piperidin-1-yl)hexan-3-one			
N,N-dimethyl etonitazene	N,N-dimethylamino etonitazene, Etonitazene N,N-dimethylamine analogue				x
		N,N-dimethyl-2-[(4-ethoxyphenyl)methyl]-5-nitro-1H-benzimidazole-1-ethanamine			
N-Piperidinyl etonitazene	etonitazepipne			N I	x
		2-(4-ethoxybenzyl)-5-nitro-1-(2-(pyrrolidin-1-yl)ethyl)-1 H -benzimidazole			
N-piperidinyl isotonitazene	Isotonitazepipne				x
		2-(4-isopropoxybenzyl)-5-nitro-1-(2-(piperidin-1-yl)ethyl)-1H-benzo[d]imidazole			
N-Propylnorpedrone					x
		1-phenyl-2-(propylamino)pentan-1-one			
N-pyrrolidino metonitazene	Metonitazepyne			N I	x
		2-(4-methoxybenzyl)-5-nitro-1-(2-(pyrrolidin-1-yl)ethyl)-1H-benzo[d]imidazole			
N-pyrrolidino protonitazene				N I	x
		5-nitro-2-[(4-propoxyphenyl)methyl]-1-(2-pyrrolidin-1ylethyl)benzimidazole			

Ocfentani	ocfentanyl	N-(2-fluorophenyl)-2-methoxy-N-(1-phenethylpiperidin-4-yl)acetamide	N I	
O-Desmethyltramadol	O-DSMT, O-demethyltramadol	3-[2-[(dimethylamino)methyl]-1-hydroxycyclohexyl]phenol		x
Ohmefentanyl	β -hydroxy-3-methylfentanyl, OMF	N-[1-[2-hydroxy-2-phenylethyl]-3-methylpiperidin-4-yl] N-phenylpropanamide	N I+IV	x
Opium	P.e. hverslags vara úr hráópíum sem unnin er með ýmsum framleiðsluaðferðum, svo sem upplausn, suðu, ristun og gerjun í þeim tilgangi að umbreyta þykkni og gera það hæft til neyslu. Einnig leyfar sem verða eftir við reykingu á ópíum.		N I+III	x
Oripavine	3-O-demethyl-thebaine	6,7,8,14-tetrahydro-4,5-epoxy-6-methoxy-17methylmorphinan-3-ol	N I	
Ortetamine	2-methylamphetamine	1-(2-methylphenyl)propan-2-amine		x
Orthofluorofentanyl	2-fluorofentanyl	N-[1-(2-phenylethyl)piperidin-4-yl]-N-(2fluorophenyl)propanamide	N I	
Oxazepam		7-chloro-1,3-dihydro-3-hydroxy-5-phenyl-2 H -1,4benzodiazepin-2-one	P IV	x
Oxazolam		10-chloro-2-methyl-11b-phenyl-2,3,5,7-tetrahydro-[1,3]oxazolo[3,2-d][1,4]benzodiazepin-6-one	P IV	x
Oxycodone		4,5-epoxy-14-hydroxy-3-methoxy-17-methylmorphinan-6-one	N I	x
Oxymorphone	Opana, Numorphan	4,5 α -epoxy-3,14-dihydroxy-17-methylmorphinan-6-one	N I	x
Parafluorobutyrylfentanyl		N-(4-fluorophenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]butanamide	N I	x
Para -fluorofentanyl		N-(4-fluorophenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]propanamide	N I+IV	x
Parahexyl	Synhexyl	3-hexyl-6,6,9-trimethyl-7,8,9,10-tetrahydrobenzo[c]chromen-1-ol	P I	x
para-methyl-AP-237		(1-[4-[2E]-3-(4-methylphenyl)-2-propen-1-yl]-1-piperazinyl)-1-butanone		x
para -Methoxyphenylpiperazine	MeOPP, 4-MPP	1-(4-methoxyphenyl)piperazine		x
Pemoline		2-amino-5-phenyl-1,3-oxazol-4-one	P IV	x

		methylbut-2-enyl)-1,2,3,4,5,6hexahydro-2,6-methano-3-benzazocin-8-ol	P III	
Pentedrone		1-phenyl-2-(methylamino)pentan-1-one	PII	
Pentobarbital	Pentobarbitone	5-ethyl-5-(pentan-2-yl)-1,3-diazinane-2,4,6-trione	P III	x
Pentylone		1-(1,3-benzodioxol-5-yl)-2-(methylamino)pentan-1-one		x
PEPAP	1-(2-phenylethyl)-4-phenyl-4-acetoxypiperidine	4-phenyl-1-(2-phenylethyl)piperidin-4-yl acetate	N I+IV	
Pethidine	Meperidine	ethyl 1-methyl-4-phenylpiperidine-4-carboxylate	N I	x
Pethidine intermediate A		1-methyl-4-phenylpiperidine-4-carbonitrile	N I	x
Pethidine intermediate B	Norpethidine, Normeperidine	ethyl 4-phenylpiperidine-4-carboxylate	N I	x
Pethidine intermediate C	Pethidinic acid	1-methyl-4-phenylpiperidine-4-carboxylic acid	N I	x
Phenadoxone		6-(morpholin-4-yl)-4,4-diphenylheptan-3-one	N I	
Phenamprovid		N -phenyl- N -(1-piperidin-1-yl)propan-2-yl]propanamide	N I	
Phenazepam		7-bromo-5-(2-chlorophenyl)-1,3-dihydro-2 H -1,4benzodiazepin-2-one	P IV	x
Phenazocine		6,11-Dimethyl-3-(2-phenylethyl)-1,2,3,4,5,6-hexahydro-2,6-methano-3-benzazocin-8-ol	N I	
Phencyclidine	PCP, „Englaryk“	1-(1-phenylcyclohexyl)piperidine	P II	x
Phendimetrazine	Bontril	3,4-dimethyl-2-phenylmorpholine	P IV	x
Phenibut		4-amino-3-phenylbutanoic acid		x
Phenmetrazine	Oxazimedrine, Preludin	3-methyl-2-phenylmorpholine	P II	x
Phenobarbital	Phenobarbitone	5-ethyl-5-phenyl-1,3-diazinane-2,4,6-trione	P IV	x
Phenomorphin		17-(2-phenylethyl)morphinan-3-ol	N I	x
Phenoperidine		ethyl 1-(3-hydroxy-3-phenylpropyl)-4-phenylpiperidine-4-carboxylate	N I	
Phentermine	Phenyl-tertiary-butylamine	2-methyl-1-phenylpropan-2-amine	P IV	

Phenylisobutylamine	PBA	1-phenylbutan-2-amine			x
Pholcodine		7,8-didehydro-4,5-epoxy-17-methyl-3-[2-(morpholin-4yl)ethoxy]morphinan-6-ol	N II+III		
Piminodine	Alvodine	ethyl 1-(3-anilinopropyl)-4-phenylpiperidine-4carboxylate	N I		
Pinazepam		7-chloro-1,3-dihydro-5-phenyl-1-(prop-2-ynyl)-2 H -1,4benzodiazepin-2-one	P IV		x
Pipradrol		diphenyl(piperidin-2-yl)methanol	P IV		
Piritramide		1-(3-cyano-3,3-diphenylpropyl)-4-(piperidin-1-yl)piperidine-4-carboxamide	N I		
p-MePPP		1-(4-methylphenyl)-2-(pyrrolidin-1-yl)propan-1-one			x
Poppy straw	Valmúastrá ásamt þykkni unnu úr valmúastrái		N I		
Prazepam		7-chloro-1-(cyclopropylmethyl)-1,3-dihydro-5-phenyl-2 H -1,4-benzodiazepin-2-one	P IV		x
Pregabalin		(3S)-3-(aminomethyl)-5-methylhexanoic acid			
Proheptazine		1,3-dimethyl-4-phenylazepan-4-yl propionate	N I		
Properidine		propan-2-yl 1-methyl-4-phenylpiperidine-4-carboxylate	N I		
Propiram		N -(1-(piperidin-1-yl)propan-2-yl)-N-(pyridin-2yl)propanamide	N II+III		
Propylhexedrine		1-cyclohexyl- N -methylpropan-2-amine			x
Propylphenidate		propyl-2-phenyl-2-(piperidin-2-yl)acetate			x
Proscaline	4-Propoxy-3,5-DMPEA proscaline	3,5-dimethoxy-4-propoxyphenethylamine			x
Protonitazene		N,N-diethyl-2-[5-nitro-2-(4-propoxyphenyl)methyl]benzimidazol-1-yl]ethanamine	N I		x
Psilocin	Psilotsin, 4-OH-DMT, 4-Hydroxy-N,Ndimethyltryptamine	3-[2-(dimethylamino)ethyl]-1 H -indol-4-ol	P I		x
Psilocybin		3-[2-(dimethylamino)ethyl]-1 H -indol-4-yl dihydrogen phosphate	P I		x

Pyrazolam		8-bromo-1-methyl-6-(pyridin-2-yl)-4Hbenzo[f][1,2,4]triazolo[4,3-a][1,4]diazepine			x
Pyrithyldione		3,3-diethyl-1 H -pyridine-2,4-dione			x
Pyrovalerone	4-methyl- β -ketone-prolintane, Centroton	1-(4-methylphenyl)-2-(pyrrolidin-1-yl)pentan-1-one	PIV		
Racemethorphan		(1RS,9RS,10RS)-4-methoxy-17-methyl-17-azatetracyclo[7.5.3.0 ^{1,10} .0 ^{2,9}]heptadeca-2,4,6-triene	NI		
Racemoramide		(3RS)-3-methyl-4-morpholin-4-yl-2,2-diphenyl-1pyrrolidin-1-ylbutan-1-one	NI		
Racemorphan		17-methylmorphinan-3-ol	NI		
RCS-4	SR-19, OBT-199, BTM-4, E-4	(4-methoxyphenyl)(1-pentyl-1 H -indol-3-yl)methanone			x
RCS-4 4-hydroxyphenyl analogue		(4-hydroxyphenyl)(1-pentyl-1H-indol-3-yl)methanone			x
RCS-4 C4 homologue		(1-butyl-1 H -indol-3-yl)(4-methoxyphenyl)methanone			x
RCS-4 meta Isomer	RCS-4 3-methoxy Isomer	(3-methoxyphenyl)(1-pentyl-1H-indol-3-yl)methanone			x
RCS-4 ortho Isomer	RCS-4 2-methoxy Isomer	(2-methoxyphenyl)(1-pentyl-1 H -indol-3-yl)methanone			x
Remifentanil		methyl 1-(3-methoxy-3-oxopropyl)-4-(Npropanoylanilino)piperidine-4-carboxylate	NI		x
Remimazolam		methyl 3-((4S)-8-bromo-1-methyl-6-(pyridin-2-yl)-4Himidazo[1,2-a][1,4]benzodiazepin-4-yl}propanoate			x
Rilmazafone		5-(((2-aminoacetyl)amino)methyl)-1-[4-chloro-2-(2-chlorobenzoyl)phenyl]-N,Ndimethyl-1,2,4-triazole-3-carboxamide			x
Rolicyclidine	PCPy, PHP	1-(1-phenylcyclohexyl)pyrrolidine	PI		x
Salvia divinorum					x
Salvinorin A		methyl 9-acetyloxy-2-(furan-3-yl)-6a,10b-dimethyl-4,10dioxo-2,4a,5,6,7,8,9,10a-octahydro-1Hbenzo[f]isochromene-7-carboxylate			x
SDB-001		N-(1-adamantyl)-1-pentyl-1H-indol-3-carboxamide			x

SDB-006		N-benzyl-1-pentyl-1H-indol-3-carboxamide		x
Sec-butonitazene		2-[2-[(4-butan-2-yloxyphenyl)methyl]-5-nitrobenzimidazol-1-yl]-N,N-diethylethanamine		x
Secbutobarbital	Secbutobarbitone, Butabarbital, Butabarbitone	5-butan-2-yl-5-ethyl-1,3-diazinane-2,4,6-trione	P IV	x
Secobarbital	Quinalbarbitone, Secobarbitone, Secobarbital sodium	5-pentan-2-yl-5-prop-2-enyl-1,3-diazinane-2,4,6-trione	P II	x
Senecioylfentanyl	β'-methyl Crotonyl fentanyl, 3,3Dimethylacrylfentanyl	3-methyl-N-(1-phenethylpiperidin-4-yl)-N-phenylbut-2-enamide		x
SL-164		5-chloro-3-(4-chloro-2-methylphenyl)-2methylquinazolin-4(3H)-one		x
STS-135		N-(1-adamantyl)-1-(5-fluoropentyl)-1H-indol-3carboxamide		x
Sufentanil		N-[4-(methoxymethyl)-1-(2-thien-2-ylethyl)piperidin-4yl]- N - phenylpropanamide	N I	x
Tapentadol		3-[1-(dimethylamino)-2-methylpentan-3-yl]phenol		x
Temazepam		7-chloro-1,3-dihydro-3-hydroxy-1-methyl-5-phenyl-2 H - 1,4-benzodiazepin-2-one	P IV	x
Tenamphetamine	3,4-methylenedioxyamphetamin e, MDA	1-(1,3-benzodioxol-5-yl)propan-2-amine	P I	x
Tenocyclidine	TCP	1-(1-(thien-2-yl)cyclohexyl)piperidine	P I	x
Tetrahydrocannabinolacetate	THC-O-acetate	[(6aR,10aR)-6,6,9-trimethyl-3-pentyl-6a,7,8,10a-tetrahydrobenzo[c]chromen-1-yl]acetate		x
Tetrahydrocannabinidiol	H4-CBD	2-(2-isopropyl-5-methylcyclohexyl)-5-pentylbenzene1,3-diol		x
Tetrahydrocannabinol	THC, (–)-trans-Δ9-tetrahydrocannabinol og öll isomer þess og afleiður, þ.m.t. tetrahydrocannabinolsýra	6,6,9-trimethyl-3-pentyl-6a,7,8,10a-tetrahydrobenzo[c]chromen-1-ol	P I	x
Tetrahydrocannabinophorol	THCP	3-heptyl-6,6,9-trimethyl-6a,7,8,10a-tetrahydro-6Hbenzo[c]chromen-1-ol		x
Tetrahydrofuranylfentanyl	tetrahydrofuranfentanyl, THF-F	N-phenyl-N-[1-(2-phenylethyl)piperidin-4yl]tetrahydrofuran-2-carboxamide	N I	x
Tetramethylcyclopropylfentanyl		N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-2,2,3,3-tetramethylcyclopropane-1-carboxamide		x

Tetrazepam		7-chloro-5-(cyclohexen-1-yl)-1,3-dihydro-1-methyl-2 H - 1,4-benzodiazepin-2-one	P IV		x
Thebacon	Dihydrocodeinone enol acetate	6,7-Didehydro-4,5-epoxy-3-methoxy-17methylmorphinan-6-yl acetate	N I		
Thebaine	Paramorphine, Codeine methyl enol ether	6,7,8,14-tetrahydro-4,5-epoxy-3,6-dimethoxy-17methylmorphinan	N I		
Thiafentanil		methyl-4-[phenyl(methoxyacetyl)amino]-1-[2-(2thienyl)ethyl]piperidin-4-carboxylate			x
Thiofentanyl		N -phenyl- N -[1-(2-(thien-2-yl)ethyl)piperidin-4yl]propanamide	N I+IV		x
Thiopental		5-ethyl-5-(pentan-2-yl)-2-sulfanylidene-1,3-diazinane-4,6-dione			x
THJ-2201		(1-(5-fluoropentyl)-1H-indazol-3-yl)(naphthalen-1yl)methanone			x
TH-PHP		2-(pyrrolidin-1-yl)-1-(5,6,7,8-tetrahydronaphthalen-2yl)hexan-1-one			x
TH-PVP		2-(pyrrolidin-1-yl)-1-(5,6,7,8-tetrahydronaphthalen-2yl)pentan-1-one			x
Tiletamine		2-(ethylamino)-2-(thiophen-2-yl)cyclohexan-1-one			x
Tilidine	Tilidate	ethyl 2-dimethylamino-1-phenylcyclohex-3-ene-1carboxylate	N I		
TMA	3,4,5-trimethoxyamphetamine, 3,4,5-trimethoxyphenylisopropylamine	1-(3,4,5-trimethoxyphenyl)propan-2-amine	P I		x
TMA-2	2,4,5-trimethoxyamphetamine, 2,4,5-trimethoxyphenylisopropylamine	1-(2,4,5-trimethoxyphenyl)propan-2-amine			x
TMA-6	2,4,6-trimethoxyamphetamine, 2,4,6-trimethoxyphenylisopropylamine	1-(2,4,6-trimethoxyphenyl)propan-2-amine			x
Tramadol		2-[(dimethylamino)methyl]-1-(3-methoxyphenyl)cyclohexan-1-ol			x

Triazolam	Chlorotriazolam	8-Chloro-6-(2-chlorophenyl)-1-methyl-4 H - [1,2,4]triazolo[4,3-a][1,4]benzodiazepine	P IV	x
Trifluoromethylphenylpiperazine	TFMPP	1-[3-(trifluoromethyl)phenyl]piperazine		x
Trimeperidine		1,2,5-trimethyl-4-phenylpiperidin-4-yl propionate	NI	
Tybamate		[2-(carbamoyloxymethyl)-2-methylpentyl] N butylcarbamate		x
U-47700		3,4-dichlor-N-(2-(dimethylamino)cyclohexyl)-Nmethylbenzamide	NI	x
U-49900		N-[2-(diethylamino)cyclohexyl]-3,4-dichloro-Nmethylbenzamide		x
UR-144		(1-pentyl-1H-indol-3-yl)(2,2,3,3-tetramethylcyclopropyl)methanone	PII	x
Valerylfantanyl		N-phenyl-N-[1-(2-phenylethyl)-4-piperidyl]pentanamid	NI	x
Vinbarbital	Vinbarbitone	5-ethyl-5-[(E)-pent-2-en-2-yl]-1,3-diazinane-2,4,6-trione		x
Vinylbital	Butylvinal, Vinylbitone	5-ethenyl-5-pentan-2-yl-1,3-diazinane-2,4,6-trione	P IV	x
W-15		4-chloro-N-(1-(2-phenylethyl)-piperidin-2ylidene)benzenesulfonamide		x
W-18		4-chloro-N-(1-[2-(4-nitrophenyl)ethyl]piperidin-2ylidene)benzenesulfonamide		x
WIN 55,212-2		[2,3-Dihydro-5-methyl-3-(4-morpholinylmethyl)pyrrolo[1,2,3-de]-1,4-benzoxazin-6yl](1-napthalenylmethanone)		x
Zapizolam		8-chloro-6-(2-chlorophenyl)-4H-pyrido[2,3f][1,2,4]triazolo[4,3-a][1,4]diazepine		x
Zipeprol		1-methoxy-3-[4-(2-methoxy-2-phenylethyl)piperazin-1yl]-1-phenylpropan-2-ol	P II	x
Zolpidem		N,N -dimethyl-2-[6-		

		methyl-2-(4-	P IV	x
		methylphenyl)imidazo[1,2-		
		a]pyridin-3-yl]acetamide		
zópíklón	Zopiklon			x
α-D2PV		1,2-diphenyl-2-(1-		x
		pyrrolidinyl)-ethanone		
α-		1-fenyl-2-(1-		x
diethylmethylaminopentiop-		metyletylamino)pentan-1-		
henone		on		
α-				x
Dimethylaminopentiopheno-				
ne				
α-EPP		α-		x
		ethylaminopentiophenone		
α-methylfentanyl		N -phenyl- N -[1-(1-	N I+IV	x
		phenylpropan-2-		
		yl)piperidin-		
		4yl]propanamide		
α-methylthiofentanyl		N -phenyl- N -[1-(1-	N I+IV	x
		thien-2-ylpropan-2-		
		yl)piperidin-4-yl]		
		propanamide		
α-methyltryptamine	AMT, Indopan	1-(1 H -indol-3-		x
		yl)propan-2-amine		
α-PCYP		2-cyclohexyl-1-phenyl-2-		x
		(pyrrolidin-1-yl)ethan-1-		
		one		
α-PEP		1-phenyl-2-(pyrrolidin-1-		x
		yl)heptan-1-one		
α-PHP		1-phenyl-2-(pyrrolidin-1-	P II	x
		yl)hexan-1-one		
α-PHPP		α-		x
		pyrrolidinoheptophenone		
α-PNP		1-phenyl-2-(pyrrolidin-1-		x
		yl)nonan-1-one		
α-POP		1-phenyl-2-(pyrrolidin-1-		x
		yl)octan-1-one		
α-	α-PBP	1-phenyl-2-(pyrrolidin-1-		x
pyrrolidinobutiophenone		yl)butan-1-one		
α-	α-	1-phenyl-2-(pyrrolidin-1-	P II	x
pyrrolidinopentiophenone	pyrrolidinovalerophenone,	yl)pentan-1-one		
	α-PVP			
α-	α-PPP	1-phenyl-2-(pyrrolidin-1-		x
pyrrolidinopropiophenone		yl)propan-1-one		
α-TMT		α-N,N-trimetyltryptamin		x
β-hydroxy-3-		N-[1-(β-	N I + IV	x
methylfentanyl		hydroxyphenethyl)-3-		
		methyl-		
		4piperidyl]propionanilide		
β-hydroxyfentanyl		N -[1-(2-hydroxy-2-	N I+IV	x
		phenylethyl)piperidin-4-		
		yl]- N phenylpropanamide		
Δ8-THC	Δ8-tetrahydrocannabinol	6a,7,10,10a-tetrahydro-	P I	x
		6,6,9-trimethyl-3-pentyl-		
		6Hdibenzo[b,d]pyran-1-ol		

FYLGISKJAL II

Fylgiskjal II.

Skýringar

D I - II: Efni listuð á fylgiskjöllum I-II með alþjóðasamningi gegn ólöglegri verslun með ávana- og fikniefni 1988 (Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances 1988).

Efni	Annað nafn	D I - II
1-boc-4-AP	4-(phenylamino)-1-piperidinecarboxylic acid	D I
1-phenyl-2-propanone	Fenýlaseton, benzýlmetýlketón	D I
3,4-MDP-2-P methyl glycidate		D I
3,4-MDP-2-P methyl glycidic acid		D I
3,4-MDP-2-P methyl glycidic acid, butyl ester		D I
3,4-MDP-2-P methyl glycidic acid, ethyl ester		D I
3,4-MDP-2-P methyl glycidic acid, isobutyl ester		D I
3,4-MDP-2-P methyl glycidic acid, isopropyl ester		D I
3,4-MDP-2-P methyl glycidic acid, propyl ester		D I
3,4-MDP-2-P methyl glycidic acid, <i>sec</i> -butyl ester		D I
3,4-MDP-2-P methyl glycidic acid, <i>tert</i> -butyl ester		D I
4-Anilino-N-phenethylpiperidine	ANPP	D I
4-Piperidone		D I
Acetic anhydride	Ediksýruanhýdríð	D I
Acetone	Asetón	D II
alpha-Phenylacetoacetamide	APAA	D I
alpha-Phenylacetoacetonitrile	APAAN	D I
Anthranilic acid	Antranilsýra	D II
Ephedrine	Efedrín	D I
Ergometrine	Ergometrín, Ergónóvín	D I
Ergotamine	Ergotamín	D I
Ethyl ether	Etýleter, eter, díetýleter	D II
Hydrochloric acid	Saltsýra, múriatinsýra	D II
Isosafrole	Ísósafról	D I
Lysergic acid	Lýsergsýra	D I
Methyl <i>alpha</i> -phenylacetoacetate	MAPA	D I
Methyl ethyl ketone	2-bútanón, MEK	D II
N-acetylanthranilic acid	N-asetylantranilsýra	D I
Norephedrine		D I
Norfentanyl		D I
N-Phenethyl-4-piperidone	NPP	D I
N-Phenyl-4-piperidinamine	4-AP	D I
Phenylacetic acid	Fenýlediksýra	D I
P-2-P methyl glycidic acid	BMK glycidic acid	D I
P-2-P methyl glycidic acid, butyl ester		D I
P-2-P methyl glycidic acid, ethyl ester		D I
P-2-P methyl glycidic acid, isobutyl ester		D I
P-2-P methyl glycidic acid, isopropyl ester		D I
P-2-P methyl glycidic acid, methyl ester		D I
P-2-P methyl glycidic acid, propyl ester		D I
P-2-P methyl glycidic acid, <i>sec</i> -butyl ester		D I
P-2-P methyl glycidic acid, <i>tert</i> -butyl ester		D I

Piperidine	Piperidín, hexahydropyridín	D II
Piperonal	Piperonal, helíótrópín	D I
Potassium permanganate	Kalíumpermanganat	D I
Pseudoephedrine	Pseudóefedrín	D I
Safrole	Safról	D I
Sulphuric acid	Brennisteinssýra, vítríólía	D II
tert-Butyl 4-oxopiperidine-1-carboxylate	1-boc-4-piperidone	D I
Toluene	Tólúen, metýlbensen	D II

Fyrirvari

Reglugerðir eru birtar í B-deild Stjórnartíðinda skv. 3. gr. laga um Stjórnartíðindi og Lögbirtingablað, nr. 15/2005, sbr. reglugerð um útgáfu Stjórnartíðinda nr. 958/2005.

Sé misræmi milli þess texta sem birtist hér í safninu og þess sem birtur er í útgáfu B-deildar Stjórnartíðinda skal sá siðarnefndi ráða.